

List of Fabricius types in the Diptera collection of the Natural History Museum of Denmark, University of Copenhagen

Ordered after species name; list courtesy of Verner Michelsen.

Present family	Original genus	Species Name	Author	Original description	Present name/combination
Bombyliidae	<i>Anthrax</i>	<i>abbadon</i>	Fabricius	1794: Ent. Syst. IV: 262	<i>Villa</i>
Therevidae	<i>Bibio</i>	<i>abdominalis</i>	Fabricius	1805: Syst. Antl.: 68	<i>Brachylinga</i>
Calliphoridae	<i>Musca</i>	<i>abdominalis</i>	Fabricius	1805: Syst. Antl.: 294	<i>Thoracites</i>
Syrphidae	<i>Syrphus</i>	<i>abdominalis</i>	Fabricius	1794: Ent. Syst. IV: 307	<i>Psarus coalescens</i> (Geoffroy in Fourcroy, 1785)
Tabanidae	<i>Tabanus</i>	<i>abdominalis</i>	Fabricius	1805: Syst. Antl.: 96	none
Tephritidae	<i>Tephritis</i>	<i>absinthii</i>	Fabricius	1805: Syst. Antl.: 322	<i>Paroxyna</i>
Ulidiidae	<i>Dacus</i>	<i>aculeatus</i>	Fabricius	1805: Syst. Antl.: 275	<i>Euxesta costalis</i> (Fabricius, 1794)
Syrphidae	<i>Baccha</i>	<i>adspersa</i>	Fabricius	1805: Syst. Antl.: 200	<i>Ocyptamus</i>
Syrphidae	<i>Eristalis</i>	<i>aegrotus</i>	Fabricius	1805: Syst. Antl.: 243	<i>Dideopsis</i>
Calliphoridae	<i>Dictya</i>	<i>aenea</i>	Fabricius	1805: Syst. Antl.: 328	<i>Cosmina</i>
Asilidae	<i>Laphria</i>	<i>aenea</i>	Fabricius	1805: Syst. Antl.: 161	<i>Maira</i>
Ulidiidae	<i>Musca</i>	<i>aenea</i>	Fabricius	1794: Ent. Syst. IV: 335	<i>Physiphora clausa</i> (Macquart, 1843)
Syrphidae	<i>Syrphus</i>	<i>aeneus</i>	Fabricius	1794: Ent. Syst. IV: 302	<i>Eristalinus aeneus</i> (Scopoli, 1763)
Somatiidae	<i>Tephritis</i>	<i>aestiva</i>	Fabricius	1805: Syst. Antl.: 318	<i>Somatia</i>
Bombyliidae	<i>Bibio</i>	<i>aethiops</i>	Fabricius	1781: Sp.Ins.II: 415	<i>Spogostylum</i>
Asilidae	<i>Laphria</i>	<i>affinis</i>	Fabricius	1805: Syst. Antl.: 163	<i>Lampria spinipes</i> (Fabricius, 1805)
Tachinidae	<i>Syrphus</i>	<i>affinis</i>	Fabricius	1794: Ent. Syst. IV: 284	<i>Phasia hemiptera</i> (Fabricius, 1794)
Bombyliidae	<i>Anthrax</i>	<i>afra</i>	Fabricius	1794: Ent. Syst. IV: 258	<i>Exhyalanthrax</i>
Syrphidae	<i>Syrphus</i>	<i>agrorum</i>	Fabricius	1787: Man. Ins. II: 335	<i>Palpada</i>
Scathophagidae	<i>Ocyptera</i>	<i>albilabris</i>	Fabricius	1805: Syst. Antl.: 315	<i>Phrosia</i>
Ptychopteridae	<i>Tipula</i>	<i>albimana</i>	Fabricius	1787: Man. Ins. II: 323	<i>Ptychoptera</i>
Syrphidae	<i>Syrphus</i>	<i>albimanus</i>	Fabricius	1781: Sp.Ins.II: 434	<i>Platycheirus</i>
Scatopsidae	<i>Tipula</i>	<i>albipennis</i>	Fabricius	1794: Ent. Syst. IV: 250	<i>Scatopse notata</i> (Linnaeus, 1758)
Lauxaniidae	<i>Scatophaga</i>	<i>albipes</i>	Fabricius	1805: Syst. Antl.: 208	?
Tabanidae	<i>Tabanus</i>	<i>albipes</i>	Fabricius	1794: Ent. Syst. IV: 364	<i>Theriopectes gigas</i> (Herbst, Man. Ins. II)
Stratiomyidae	<i>Hermetia</i>	<i>albitarsis</i>	Fabricius	1805: Syst. Antl.: 63	none

Stratiomyidae	<i>Stratiomys</i>	<i>albitarsis</i>	Fabricius	1805: Syst. Antl.: 80	<i>Cyphomyia</i>
Tabanidae	<i>Pangonia</i>	<i>amboinensis</i>	Fabricius	1805: Syst. Antl.: 91	<i>Philoliche</i>
Syrphidae	<i>Syrphus</i>	<i>ambulans</i>	Fabricius	1798: Ent. Syst. Suppl.: 562	<i>Spazigaster</i>
Oestridae	<i>Musca</i>	<i>americana</i>	Fabricius	1775: Syst. Ent.: 774	<i>Cuterebra</i>
Stratiomyidae	<i>Sargus</i>	<i>amethystinus</i>	Fabricius	1805: Syst. Antl.: 258	<i>Chrysochlora</i>
Asilidae	<i>Asilus</i>	<i> analis</i>	Fabricius	1794: Ent. Syst. IV: 377	<i>Dasypogon diadema</i> (Fabricius, 1781)
Bombyliidae	<i>Bombylius</i>	<i> analis</i>	Fabricius	1794: Ent. Syst. IV: 408	none
Conopidae	<i>Conops</i>	<i> analis</i>	Fabricius	1805: Syst. Antl.: 175	<i>Physoconops</i>
Tabanidae	<i>Pangonia</i>	<i> analis</i>	Fabricius	1805: Syst. Antl.: 91	<i>Fidena</i>
Tachinidae	<i>Tachina</i>	<i> analis</i>	Fabricius	1805: Syst. Antl.: 311	<i>Archytas</i>
Tachinidae	<i>Thereva</i>	<i> analis</i>	Fabricius	1798: Ent. Syst. Suppl.: 561	<i>Ectophasia crassipennis</i> (Fabricius, 1794)
Tachinidae	<i>Musca</i>	<i>anceps</i>	Fabricius	1805: Syst. Antl.: 296	<i>Trichodura</i>
Tabanidae	<i>Pangonia</i>	<i>angulata</i>	Fabricius	1805: Syst. Antl.: 91	<i>Philoliche</i>
Ulidiidae	<i>Musca</i>	<i>annonae</i>	Fabricius	1794: Ent. Syst. IV: 358	<i>Euxesta</i>
Asilidae	<i>Dasypogon</i>	<i>annularis</i>	Fabricius	1805: Syst. Antl.: 171	<i>Promachus</i>
Therevidae	<i>Bibio</i>	<i>annulata</i>	Fabricius	1805: Syst. Antl.: 68	<i>Acrosathe</i>
Microppezidae	<i>Musca</i>	<i>annulata</i>	Fabricius	1787: Man. Ins. II: 348	<i>Taeniptera meigenii</i> (Perty)
Conopidae	<i>Myopa</i>	<i>annulata</i>	Fabricius	1794: Ent. Syst. IV: 399	<i>Thecophora atra</i> (Fabricius, 1775)
Asilidae	<i>Asilus</i>	<i>annulatus</i>	Fabricius	1775: Syst. Ent.: 794	<i>Clephroneura</i>
Culicidae	<i>Culex</i>	<i>annulatus</i>	Fabricius	1787: Man. Ins. II: 363	<i>Culiseta</i>
Syrphidae	<i>Syrphus</i>	<i>annulatus</i>	Fabricius	1794: Ent. Syst. IV: 296	<i>Merodon</i>
Muscidae	<i>Syrphus</i>	<i>apiarius</i>	Fabricius	1781: Sp.Ins.II: 422	<i>Mesembrina mystacea</i> (Linnaeus, 1758)
Syrphidae	<i>Syrphus</i>	<i>apiformis</i>	Fabricius	1794: Ent. Syst. IV: 300	<i>Temnostoma</i>
Sciomyzidae	<i>Musca</i>	<i>aratoria</i>	Fabricius	1794: Ent. Syst. IV: 344	<i>Ilione albiseta</i> (Scopoli, 1763)
Tephritidae	<i>Musca</i>	<i>arcuata</i>	Fabricius	1781: Sp.Ins.II: 451	<i>Xyphosia miliaria</i> (Schrank, 1781)
Asilidae	<i>Asilus</i>	<i>arcuatus</i>	Fabricius	1794: Ent. Syst. IV: 387	<i>Dasypogon fabricii</i> (Meigen, 1820)?
Therevidae	<i>Rhagio</i>	<i>ardea</i>	Fabricius	1794: Ent. Syst. IV: 272	<i>Clorismia</i>
Stratiomyidae	<i>Stratiomys</i>	<i>argentata</i>	Fabricius	1794: Ent. Syst. IV: 266	<i>Odontomyia</i>
Bombyliidae	<i>Bombylius</i>	<i>argentatus</i>	Fabricius	1805: Syst. Antl.: 134	none
Sciomyzidae	<i>Oscinis</i>	<i>argus</i>	Fabricius	1805: Syst. Antl.: 216	<i>Trypetoptera punctulata</i> (Scopoli, 1763)

Tephritidae	<i>Dacus</i>	<i>armatus</i>	Fabricius	1805: Syst. Antl.: 273	none
Tipulidae	<i>Tipula</i>	<i>armillaris</i>	Fabricius	1805: Syst. Antl.: 26	<i>Lecteria</i>
Tephritidae	<i>Musca</i>	<i>artemisiae</i>	Fabricius	1794: Ent. Syst. IV: 351	<i>Trypeta</i>
Syrphidae	<i>Syrphus</i>	<i>arvorum</i>	Fabricius	[1787: Man. Ins. II: 335]	<i>Eristalinus</i>
Empididae	<i>Stomoxys</i>	<i>asiliformis</i>	Fabricius	1794: Ent. Syst. IV: 395	<i>Syneches muscarius</i> (Fabricius, 1794)
Phoridae	<i>Musca</i>	<i>aterrima</i>	Fabricius	1794: Ent. Syst. IV: 334	<i>Phora atra</i> (Meigen, 1804)
Tephritidae	<i>Dictya</i>	<i>atomaria</i>	Fabricius	1805: Syst. Antl.: 329	?
Conopidae	<i>Myopa</i>	<i>atra</i>	Fabricius	1775: Syst. Ent.: 799	<i>Thecophora</i>
Piophilidae	<i>Musca</i>	<i>atrata</i>	Fabricius	1794: Ent. Syst. IV: 333	<i>Piophila casei</i> (Linnaeus, 1758)
Tachinidae	<i>Ocyptera</i>	<i>atrata</i>	Fabricius	1805: Syst. Antl.: 313	<i>Cylindromyia</i>
Stratiomyidae	<i>Stratiomys</i>	<i>atrata</i>	Fabricius	1805: Syst. Antl.: 83	<i>Labocerina</i>
Bombyliidae	<i>Voluccella</i>	<i>atrata</i>	Fabricius	1798: Ent. Syst. Suppl.: 570	<i>Usia</i>
Asilidae	<i>Asilus</i>	<i>atratus</i>	Fabricius	1794: Ent. Syst. IV: 380	<i>Dasyopogon</i>
Mycetophilidae	<i>Ceroplatus</i>	<i>atratus</i>	Fabricius	1805: Syst. Antl.: 16	<i>Platyura marginata</i> Meigen, 1804
Rhagionidae	<i>Rhagio</i>	<i>atratus</i>	Fabricius	1781: Sp.Ins.II: 421	<i>Chrysopilus auratus</i> (Fabricius, 1805)!
Tabanidae	<i>Tabanus</i>	<i>atratus</i>	Fabricius	1775: Syst. Ent.: 789	none
Asilidae	<i>Dasyopogon</i>	<i>atripes</i>	Fabricius	1805: Syst. Antl.: 170	?
Rhagionidae	<i>Atherix</i>	<i>aurata</i>	Fabricius	1805: Syst. Antl.: 73	<i>Chrysopilus</i>
Stratiomyidae	<i>Musca</i>	<i>aurata</i>	Fabricius	1787: Man. Ins. II: 347	<i>Chloromyia formosa</i> (Scopoli, 1763)
Asilidae	<i>Asilus</i>	<i>auratus</i>	Fabricius	1794: Ent. Syst. IV: 387	<i>Michotamia</i>
Syrphidae	<i>Eristalis</i>	<i>auratus</i>	Fabricius	1805: Syst. Antl.: [244], 373	<i>Cheilosia canicularis</i> (Panzer, 1801)
Syrphidae	<i>Merodon</i>	<i>aureus</i>	Fabricius	1805: Syst. Antl.: 198	none
Asilidae	<i>Dasyopogon</i>	<i>aurulentus</i>	Fabricius	1805: Syst. Antl.: 166	<i>Ceraturgus</i>
Tabanidae	<i>Tabanus</i>	<i>austriacus</i>	Fabricius	1805: Syst. Antl.: 96	<i>Hybomitra micans</i> (Meigen, 1804)
Bombyliidae	<i>Anthrax</i>	<i>aygulus</i>	Fabricius	1805: Syst. Antl.: 121	none
Asilidae	<i>Asilus</i>	<i>barbatus</i>	Fabricius	1787: Man. Ins. II: 358	<i>Eccritosis</i>
Asilidae	<i>Dasyopogon</i>	<i>barbatus</i>	Fabricius	1805: Syst. Antl.: 169	<i>Efferia pogonias</i> (Wiedemann, 1821)
Bombyliidae	<i>Anthrax</i>	<i>belzebul</i>	Fabricius	1794: Ent. Syst. IV: 260	<i>Lomatia</i>
Syrphidae	<i>Eristalis</i>	<i>berberinus</i>	Fabricius	1805: Syst. Antl.: 240	<i>Brachymyia</i>
Tabanidae	<i>Tabanus</i>	<i>bicinctus</i>	Fabricius	1805: Syst. Antl.: 102	<i>Diachlorus</i>

Calliphoridae	<i>Musca</i>	<i>bicolor</i>	Fabricius	1805: Syst. Antl.: 291	<i>Mesembrinella socors</i> (Walker, 1861)
Rhagionidae	<i>Rhagio</i>	<i>bicolor</i>	Fabricius	1794: Ent. Syst. IV: 274	<i>Rhagio lineola monticola</i> (Egger, 1860)!
Xylophagidae	<i>Sicus</i>	<i>bicolor</i>	Fabricius	1798: Ent. Syst. Suppl.: 555	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Syrphidae	<i>Syrphus</i>	<i>bicolor</i>	Fabricius	1794: Ent. Syst. IV: 297	<i>Paragus</i>
Syrphidae	<i>Mulio</i>	<i>bidens</i>	Fabricius	1805: Syst. Antl.: 185	<i>Microdon</i>
Xylophagidae	<i>Tabanus</i>	<i>bidens</i>	Fabricius	1777: Gen. Ins.: 307	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Tachinidae	<i>Musca</i>	<i>bifasciata</i>	Fabricius	1775: Syst. Ent.: 777	<i>Belvosia</i>
Tipulidae	<i>Tipula</i>	<i>bifasciata</i>	Fabricius	1805: Syst. Antl.: 31	<i>Teucholabis trifasciata</i> Enderlein, 1912
Syrphidae	<i>Syrphus</i>	<i>bifasciatus</i>	Fabricius	1794: Ent. Syst. IV: 305	<i>Epistrophe eligans</i> (Harris, 1780)
Asilidae	<i>Dasyopogon</i>	<i>bifidus</i>	Fabricius	1805: Syst. Antl.: 170	<i>Rhadiurgus?</i>
Therevidae	<i>Bibio</i>	<i>bilineata</i>	Fabricius	1775: Syst. Ent.: 757	<i>Anabarynchus</i>
Stratiomyidae	<i>Stratiomys</i>	<i>bilineata</i>	Fabricius	1805: Syst. Antl.: 79	<i>Clitellaria</i>
Mycetophilidae	<i>Sciara</i>	<i>bimaculata</i>	Fabricius	1805: Syst. Antl.: 59	<i>Mycetophila pictula</i> Meigen, 1830
Bombyliidae	<i>Anthrax</i>	<i>bipunctata</i>	Fabricius	1805: Syst. Antl.: 118	none
Ephydriidae	<i>Scatophaga</i>	<i>bispinosa</i>	Fabricius	1805: Syst. Antl.: 210	<i>Beckeriella</i>
Xylophagidae	<i>Tabanus</i>	<i>bispinosus</i>	Fabricius	1777: Gen. Ins.: 308	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Syrphidae	<i>Milesia</i>	<i>bombylans</i>	Fabricius	1805: Syst. Antl.: 189	<i>Temnostoma</i>
Syrphidae	<i>Syrphus</i>	<i>bombyliformis</i>	Fabricius	1794: Ent. Syst. IV: 281	<i>Eristalis intricaria</i> (Linnaeus, 1758)
Tabanidae	<i>Tabanus</i>	<i>borealis</i>	Fabricius	1779: Reise Norw.: 192	<i>Hybomitra</i>
Tachinidae	<i>Musca</i>	<i>brassicaria</i>	Fabricius	1775: Syst. Ent.: 778 [as 877!]	<i>Cylindromyia</i>
Platystomatidae	<i>Dacus</i>	<i>brevipes</i>	Fabricius	1805: Syst. Antl.: 272	<i>Senopterina</i>
Asilidae	<i>Asilus</i>	<i>brunneus</i>	Fabricius	1787: Man. Ins. II: 359	<i>Diogmites</i>
Asilidae	<i>Asilus</i>	<i>brunnipes</i>	Fabricius	1794: Ent. Syst. IV: 384	<i>Acanthopleura</i>
Asilidae	<i>Asilus</i>	<i>cajennensis</i>	Fabricius	1787: Man. Ins. II: 360	?
Tabanidae	<i>Tabanus</i>	<i>cajennensis</i>	Fabricius	1787: Man. Ins. II: 355	<i>Phaeotabanus</i>
Syrphidae	<i>Syrphus</i>	<i>calcaratus</i>	Fabricius	1794: Ent. Syst. IV: 301	<i>Merodon?</i>
Asilidae	<i>Asilus</i>	<i>calidus</i>	Fabricius	1787: Man. Ins. II: 358	<i>Mallophora</i>
Ropalomeridae	<i>Dictya</i>	<i>cancellaria</i>	Fabricius	1805: Syst. Antl.: 328	<i>Ropalomera clavipes</i> (Fabricius, 1805)
Chironomidae	<i>Tipula</i>	<i>cantans</i>	Fabricius	1794: Ent. Syst. IV: 247	<i>Microtendipes pedellus</i> (De Geer, 1776)
Asilidae	<i>Asilus</i>	<i>capensis</i>	Fabricius	1805: Syst. Antl.: 154	<i>Microstylum</i>

Bombyliidae	<i>Biblio</i>	<i>capucina</i>	Fabricius	1781: Sp.Ins.II: 415	<i>Exoprosopa</i>
Chironomidae	<i>Chironomus</i>	<i>carneus</i>	Fabricius	1805: Syst. Antl.: 41	<i>Thienemannimyia</i>
Calliphoridae	<i>Musca</i>	<i>carnivora</i>	Fabricius	1794: Ent. Syst. IV: 313	<i>Calliphora vicina</i> Robineau-Desvoidy, 1830
Tephritidae	<i>Dacus</i>	<i>caudatus</i>	Fabricius	1805: Syst. Antl.: 276	none
Asilidae	<i>Dasyopogon</i>	<i>caudatus</i>	Fabricius	1805: Syst. Antl.: 171	?
Tephritidae	<i>Musca</i>	<i>centaureae</i>	Fabricius	1794: Ent. Syst. IV: 360	<i>Euleia heraclii</i> (Linnaeus, 1758)
Ulidiidae	<i>Tephritis</i>	<i>centralis</i>	Fabricius	1805: Syst. Antl.: 319	<i>Otites</i>
Bombyliidae	<i>Anthrax</i>	<i>cephus</i>	Fabricius	1805: Syst. Antl.: 124	none
Bombyliidae	<i>Anthrax</i>	<i>cerberus</i>	Fabricius	1794: Ent. Syst. IV: 256	<i>Ligyra</i>
Syrphidae	<i>Eristalis</i>	<i>cerealis</i>	Fabricius	1805: Syst. Antl.: 232	none
Tabanidae	<i>Tabanus</i>	<i>cervicornis</i>	Fabricius	1805: Syst. Antl.: 100	<i>Dichelacera</i>
Sciomyzidae	<i>Musca</i>	<i>chaerophylli</i>	Fabricius	1798: Ent. Syst. Suppl.: 565	<i>Euthycera</i>
Asilidae	<i>Asilus</i>	<i>chinensis</i>	Fabricius	1794: Ent. Syst. IV: 383	<i>Cophinopoda</i>
Lonchaeidae	<i>Musca</i>	<i>chorea</i>	Fabricius	1781: Sp.Ins.II: 444	<i>Lonchaea</i>
Therevidae	<i>Tipula</i>	<i>chrysanthemi</i>	Fabricius	1787: Man. Ins. II: 327	<i>Chrysanthemyia</i>
Empididae	<i>Empis</i>	<i>ciliata</i>	Fabricius	1787: Man. Ins. II: 365	none
Muscidae	<i>Musca</i>	<i>ciliata</i>	Fabricius	1794: Ent. Syst. IV: 333	<i>Hydrotaea diabolus</i> (Harris, 1780)
Tachinidae	<i>Ocyptera</i>	<i>ciliata</i>	Fabricius	1805: Syst. Antl.: 315	<i>Trichopoda</i>
Culicidae	<i>Culex</i>	<i>cilipes</i>	Fabricius	1805: Syst. Antl.: 34	<i>Psorophora</i>
Empididae	<i>Musca</i>	<i>cimicoides</i>	Fabricius	1779: Reise Norw.:253	<i>Tachydromia arrogans</i> (Linnaeus, 1761)
Sciomyzidae	<i>Musca</i>	<i>cincta</i>	Fabricius	1794: Ent. Syst. IV: 347	<i>Coremacera fabricii</i> Rozkosny, 1981
Asilidae	<i>Asilus</i>	<i>cinctus</i>	Fabricius	1781: Sp.Ins.II: 465	<i>Lasiopogon</i>
Anisopodidae	<i>Rhagio</i>	<i>cinctus</i>	Fabricius	1787: Man. Ins. II: 333	<i>Sylvicola</i>
Tabanidae	<i>Tabanus</i>	<i>cinctus</i>	Fabricius	1794: Ent. Syst. IV: 366	<i>Hybomitra</i>
Bombyliidae	<i>Cytherea</i>	<i>cinerea</i>	Fabricius	1805: Syst. Antl.: 116	<i>Cytherea</i>
Empididae	<i>Empis</i>	<i>cinerea</i>	Fabricius	1775: Syst. Ent.: 802	<i>Rhamphomyia?</i>
Sarcophagidae	<i>Musca</i>	<i>cinerea</i>	Fabricius	1794: Ent. Syst. IV: 331	<i>Leucomyia alba</i> (Schiner, 1868)
Conopidae	<i>Myopa</i>	<i>cinerea</i>	Fabricius	1794: Ent. Syst. IV: 399	<i>Zodion</i>
Dolichopodidae	<i>Scatophaga</i>	<i>cinerea</i>	Fabricius	1805: Syst. Antl.: 205	<i>Anhydrophorus</i>
Tachinidae	<i>Thereva</i>	<i>cinerea</i>	Fabricius	1805: Syst. Antl.: 221	<i>Phasia obesa</i> (Fabricius, 1798)

Tipulidae?	<i>Tipula</i>	<i>cinerea</i>	Fabricius	1779: Reise Norw.: 301	
Syrphidae	<i>Syrphus</i>	<i>cinereus</i>	Fabricius	1794: Ent. Syst. IV: 293	<i>Merodon</i>
Tachinidae	<i>Musca</i>	<i>cingulata</i>	Fabricius	1805: Syst. Antl.: 301	<i>Calocarcelia fasciata</i> Townsend, 1927
Asilidae	<i>Asilus</i>	<i>cingulatus</i>	Fabricius	1781: Sp.Ins.II: 464	<i>Epitriptus</i>
Culicidae	<i>Culex</i>	<i>cingulatus</i>	Fabricius	1805: Syst. Antl.: 36	<i>Psorophora</i>
Syrphidae	<i>Syrphus</i>	<i>cingulatus</i>	Fabricius	1775: Syst. Ent.: 767	<i>Helophilus</i>
Syrphidae	<i>Syrphus</i>	<i>clavatus</i>	Fabricius	1794: Ent. Syst. IV: 298	<i>Pseudodoros</i>
Ropalomeridae	<i>Dictya</i>	<i>clavipes</i>	Fabricius	1805: Syst. Antl.: 329	<i>Ropalomera</i>
Empididae	<i>Empis</i>	<i>clavipes</i>	Fabricius	1794: Ent. Syst. IV: 403	<i>Hybos grossipes</i> (Linnaeus, 1767)
Asilidae	<i>Laphria</i>	<i>clavipes</i>	Fabricius	1805: Syst. Antl.: 162	<i>Lampria</i>
Syrphidae	<i>Syrphus</i>	<i>clavipes</i>	Fabricius	[1781: Sp.Ins.II: 427]	<i>Merodon</i>
Bibionidae	<i>Hirtea</i>	<i>collaris</i>	Fabricius	1805: Syst. Antl.: 54	<i>Plecia</i>
Tachinidae	<i>Musca</i>	<i>compressa</i>	Fabricius	1787: Man. Ins. II: 346	<i>Mintho</i>
Bombyliidae	<i>Bombylius</i>	<i>compressus</i>	Fabricius	1805: Syst. Antl.: 135	<i>Amictus</i>
Syrphidae	<i>Milesia</i>	<i>conica</i>	Fabricius	1805: Syst. Antl.: 190	<i>Palpada</i>
Stratiomyidae	<i>Stratiomys</i>	<i>conica</i>	Fabricius	1805: Syst. Antl.: 81	none
Ulidiidae	<i>Tephritis</i>	<i>conica</i>	Fabricius	1805: Syst. Antl.: 318	<i>Delphinia picta</i> (Fabricius, 1781)
Tephritidae	<i>Musca</i>	<i>connexa</i>	Fabricius	1794: Ent. Syst. IV: 350	<i>Euphranta</i>
Lauxaniidae	<i>Musca</i>	<i>contigua</i>	Fabricius	1794: Ent. Syst. IV: 347	?
Muscidae	<i>Musca</i>	<i>cornicina</i>	Fabricius	1781: Sp.Ins.II: 438	<i>Neomyia</i>
Muscidae	<i>Musca</i>	<i>cornuta</i>	Fabricius	1805: Syst. Antl.: 298	<i>Helina setiventris</i> Ringdahl, 1924
Tephritidae	<i>Musca</i>	<i>cornuta</i>	Fabricius	1794: Ent. Syst. IV: 357	<i>Cerajocera ceratocera</i> (Hendel, 1913)
Lauxaniidae	<i>Dictya</i>	<i>corollae</i>	Fabricius	1805: Syst. Antl.: 331	<i>Sapromyza</i>
Syrphidae	<i>Syrphus</i>	<i>corollae</i>	Fabricius	1794: Ent. Syst. IV: 306	<i>Metasyrphus</i>
Lauxaniidae	<i>Lauxania</i>	<i>costalis</i>	Fabricius	1805: Syst. Antl.: 213	?
Ulidiidae	<i>Musca</i>	<i>costalis</i>	Fabricius	1794: Ent. Syst. IV: 360	<i>Euxesta</i>
Conopidae	<i>Conops</i>	<i>costata</i>	Fabricius	1805: Syst. Antl.: 175	<i>Physoconops</i>
Tabanidae	<i>Tabanus</i>	<i>costatus</i>	Fabricius	1794: Ent. Syst. IV: 373	<i>Chrysops variegatus</i> (De Geer, 1776)
Syrphidae	<i>Syrphus</i>	<i>crabroniformis</i>	Fabricius	1775: Syst. Ent.: 768	<i>Milesia</i>
Acroceridae	<i>Acrocera</i>	<i>crassa</i>	Fabricius	1805: Syst. Antl.: 332	<i>Thyllis</i>

Tachinidae	<i>Musca</i>	<i>crassicornis</i>	Fabricius	1794: Ent. Syst. IV: 328	<i>Gonia</i>
Ulidiidae	<i>Musca</i>	<i>crassipennis</i>	Fabricius	1794: Ent. Syst. IV: 357	<i>Melieria</i>
Tachinidae	<i>Syrphus</i>	<i>crassipennis</i>	Fabricius	1794: Ent. Syst. IV: 284	<i>Ectophasia</i>
Asilidae	<i>Dioctria</i>	<i>crassipes</i>	Fabricius	1805: Syst. Antl.: 152	<i>Pogonosoma</i>
Syrphidae	<i>Eristalis</i>	<i>crassipes</i>	Fabricius	1805: Syst. Antl.: 237	<i>Simoides</i>
Tabanidae	<i>Haematopota</i>	<i>crassipes</i>	Fabricius	1805: Syst. Antl.: 108	<i>Lepiselaga</i>
Empididae	<i>Hybos</i>	<i>crassipes</i>	Fabricius	1805: Syst. Antl.: 146	<i>Euhybus</i>
Syrphidae	<i>Merodon</i>	<i>crassipes</i>	Fabricius	1805: Syst. Antl.: 196	<i>Meromacrus pachypus</i> (Wiedemann, 1830)
Syrphidae	<i>Syrphus</i>	<i>crassus</i>	Fabricius	1787: Man. Ins. II: 334	<i>Phytomia</i>
Tachinidae	<i>Stomoxys</i>	<i>cristata</i>	Fabricius	1805: Syst. Antl.: 281	<i>Siphona geniculata</i> (De Geer, 1776)
Chironomidae	<i>Chironomus</i>	<i>cristatus</i>	Fabricius	1805: Syst. Antl.: 39	<i>Chironomus plumosus</i> (Linnaeus, 1758)
Bombyliidae	<i>Bombylius</i>	<i>cruciatu</i>	Fabricius	1798: Ent. Syst. Suppl.: 569	none
Xylophagidae	<i>Stratiomys</i>	<i>crucis</i>	Fabricius	1787: Man. Ins. II: 330	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Tephritidae	<i>Musca</i>	<i>crux</i>	Fabricius	1794: Ent. Syst. IV: 358	<i>Euphranta</i>
Syrphidae	<i>Syrphus</i>	<i>cryptarum</i>	Fabricius	1794: Ent. Syst. IV: 285	<i>Eristalis</i>
Bombyliidae	<i>Bombylius</i>	<i>cupreus</i>	Fabricius	1787: Man. Ins. II: 366	<i>Toxophora</i>
Empididae	<i>Musca</i>	<i>cursitans</i>	Fabricius	1775: Syst. Ent.: 782	<i>Platypalpus</i>
Empididae	<i>Damalis</i>	<i>curvipes</i>	Fabricius	1805: Syst. Antl.: 147	<i>Syneches</i>
Tabanidae	<i>Haematopota</i>	<i>curvipes</i>	Fabricius	1805: Syst. Antl.: 107	<i>Diachlorus</i>
Platystomatidae!	<i>Lauxania</i>	<i>cyanea</i>	Fabricius	1805: Syst. Antl.: 213	?
Muscidae	<i>Musca</i>	<i>cyanea</i>	Fabricius	1781: Sp.Ins.II: 439	<i>Neomyia peronii</i> (Robineau-Desvoidy, 1830)
Culicidae	<i>Culex</i>	<i>cyaneus</i>	Fabricius	1805: Syst. Antl.: 35	<i>Sabethes</i>
Stratiomyidae	<i>Sargus</i>	<i>cyaneus</i>	Fabricius	1805: Syst. Antl.: 258	<i>Microchrysa polita</i> (Fabricius, 1758)
Sepsidae	<i>Musca</i>	<i>cylindrica</i>	Fabricius	1794: Ent. Syst. IV: 336	<i>Nemopoda nitidula</i> (Fallén, 1820)
Lauxaniidae	<i>Musca</i>	<i>cylindricornis</i>	Fabricius	1794: Ent. Syst. IV: 332	<i>Lauxania</i>
Asilidae	<i>Asilus</i>	<i>cylindricus</i>	Fabricius	1794: Ent. Syst. IV: 381	<i>Dasypogon diadema</i> (Fabricius, 1781)
Syrphidae	<i>Syrphus</i>	<i>cylindricus</i>	Fabricius	1781: Sp.Ins.II: 429	<i>Ocyptamus</i>
Tabanidae	<i>Tabanus</i>	<i>damicornis</i>	Fabricius	1805: Syst. Antl.: 101	<i>Dichelacera</i>
Tephritidae	<i>Musca</i>	<i>dauci</i>	Fabricius	1787: Man. Ins. II: 353	<i>Urophora solstitialis</i> (Linnaeus, 1758)
Ulidiidae	<i>Musca</i>	<i>demandata</i>	Fabricius	1798: Ent. Syst. Suppl.: 564	<i>Physiphora alcaeae</i> (Preysler, 1791)

Asilidae	<i>Laphria</i>	<i>dentipes</i>	Fabricius	1805: Syst. Antl.: 162	none
Syrphidae	<i>Syrphus</i>	<i>dentipes</i>	Fabricius	1787: Man. Ins. II: 338	<i>Senogaster</i>
Asilidae	<i>Asilus</i>	<i>diadema</i>	Fabricius	1781: Sp.Ins.II: 462	<i>Dasyopogon</i>
Dolichopodidae	<i>Musca</i>	<i>diaphana</i>	Fabricius	1775: Syst. Ent.: 783	<i>Argyra</i>
Tachinidae	<i>Ocyptera</i>	<i>diaphana</i>	Fabricius	1805: Syst. Antl.: 314	<i>Xanthomelanodes</i>
Tachinidae	<i>Tachina</i>	<i>diaphana</i>	Fabricius	1805: Syst. Antl.: 308	<i>Archytas</i>
Tephritidae	<i>Musca</i>	<i>discoidea</i>	Fabricius	1787: Man. Ins. II: 351	<i>Platyparea</i>
Bombyliidae	<i>Bombylius</i>	<i>discoideus</i>	Fabricius	1794: Ent. Syst. IV: 409	none
Calliphoridae	<i>Musca</i>	<i>discolor</i>	Fabricius	1794: Ent. Syst. IV: 320	<i>Stomorhina</i>
Syrphidae	<i>Syrphus</i>	<i>dispar</i>	Fabricius	1794: Ent. Syst. IV: 309	<i>Toxomerus</i>
Tabanidae	<i>Tabanus</i>	<i>dispar</i>	Fabricius	1798: Ent. Syst. Suppl.: 567	<i>Chrysops</i>
Megamerinidae	<i>Ocyptera</i>	<i>dolium</i>	Fabricius	1805: Syst. Antl.: 315	<i>Megamerina</i>
Sciomyzidae	<i>Musca</i>	<i>dorsalis</i>	Fabricius	1775: Syst. Ent.: 786	<i>Hydromya</i>
Conopidae	<i>Myopa</i>	<i>dorsalis</i>	Fabricius	1794: Ent. Syst. IV: 397	none
Stratiomyidae	<i>Stratiomys</i>	<i>dorsalis</i>	Fabricius	1805: Syst. Antl.: 82	<i>Hedriodiscus</i>
Tipulidae	<i>Tipula</i>	<i>dorsalis</i>	Fabricius	1781: Sp.Ins.II: 403	<i>Nephrotoma</i>
Syrphidae	<i>Thereva</i>	<i>dubia</i>	Fabricius	1805: Syst. Antl.: 221	<i>Myolepta luteola</i> (Gmelin, 1790)
HEM: Coccoidea!	<i>Chironomus</i>	<i>dubius</i>	Fabricius	1805: Syst. Antl.: 46	?
Sciomyzidae	<i>Musca</i>	<i>elata</i>	Fabricius	1781: Sp.Ins.II: 441	<i>Tetanocera</i>
Tipulidae	<i>Tipula</i>	<i>elegans</i>	Fabricius	1805: Syst. Antl.: 26	<i>Nephrotoma?</i>
Stratiomyidae	<i>Musca</i>	<i>elongata</i>	Fabricius	1787: Man. Ins. II: 348	<i>Ptecticus testaceus</i> (Fabricius, 1805)
Syrphidae	<i>Syrphus</i>	<i>elongatus</i>	Fabricius	1775: Syst. Ent.: 768	<i>Baccha</i>
Asilidae	<i>Asilus</i>	<i>ephippium</i>	Fabricius	1777: Gen. Ins.: 308	<i>Laphria</i>
Micropezidae	<i>Musca</i>	<i>ephippium</i>	Fabricius	1794: Ent. Syst. IV: 338	<i>Neria</i>
Conopidae	<i>Myopa</i>	<i>ephippium</i>	Fabricius	1805: Syst. Antl.: 180	<i>Myopa fasciata</i> Meigen, 1804
Stratiomyidae	<i>Stratiomys</i>	<i>ephippium</i>	Fabricius	1775: Syst. Ent.: 759	<i>Clitellaria</i>
Syrphidae	<i>Milesia</i>	<i>eques</i>	Fabricius	1805: Syst. Antl.: 193	<i>Merodon</i>
Dolichopodidae	<i>Musca</i>	<i>equestris</i>	Fabricius	1775: Syst. Ent.: 782	<i>Condyllostylus</i>
Syrphidae	<i>Syrphus</i>	<i>equestris</i>	Fabricius	1794: Ent. Syst. IV: 292	<i>Merodon</i>
Tabanidae	<i>Tabanus</i>	<i>equorum</i>	Fabricius	1794: Ent. Syst. IV: 370	<i>Haematopota pluvialis</i> (Linnaeus, 1758)

Tachinidae	<i>Musca</i>	<i>erinaceus</i>	Fabricius	1794: Ent. Syst. IV: 328	<i>Peteina</i>
Xylophagidae	<i>Stratiomys</i>	<i>errans</i>	Fabricius	1794: Ent. Syst. IV: 263	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Syrphidae	<i>Syrphus</i>	<i>errans</i>	Fabricius	1787: Man. Ins. II: 337	<i>Phytomia</i>
Bombyliidae	<i>Anthrax</i>	<i>erythrocephala</i>	Fabricius	1805: Syst. Antl.: 118	<i>Hyperalonia morio erythrocephala</i> (Fabricius, 1805)
Micropezidae	<i>Calobata</i>	<i>erythrocephala</i>	Fabricius	1805: Syst. Antl.: 260	<i>Scipopus</i>
Conopidae	<i>Conops</i>	<i>erythrocephala</i>	Fabricius	1794: Ent. Syst. IV: 392	<i>Archiconops</i>
Lauxaniidae	<i>Musca</i>	<i>erythrocephala</i>	Fabricius	1787: Man. Ins. II: 351	?
Tipulidae	<i>Tipula</i>	<i>erythrocephala</i>	Fabricius	1805: Syst. Antl.: 31	<i>Hexatoma longistyla</i> (Alexander, 1914)
Tachinidae	<i>Musca</i>	<i>esuriens</i>	Fabricius	1805: Syst. Antl.: 301	<i>Iteuthelaira</i>
Syrphidae	<i>Syrphus</i>	<i>esuriens</i>	Fabricius	1794: Ent. Syst. IV: 281	<i>Copestylum brunneum</i> (Thunberg, 1789)
Tachinidae	<i>Dictya</i>	<i>externa</i>	Fabricius	1805: Syst. Antl.: 328	<i>Euscopiopteryx</i>
Bombyliidae	<i>Anthrax</i>	<i>fasciata</i>	Fabricius	1805: Syst. Antl.: 118	<i>Comptosia nigrescens</i> (Newman, 1841)?
Nemestrinidae	<i>Cytherea</i>	<i>fasciata</i>	Fabricius	1805: Syst. Antl.: 116	<i>Fallenia</i>
Micropezidae	<i>Musca</i>	<i>fasciata</i>	Fabricius	1775: Syst. Ent.: 781	<i>Hoplocheiloma totliana</i> (Gmelin, 1790)
Tachinidae	<i>Musca</i>	<i>fasciata</i>	Fabricius	1805: Syst. Antl.: 299	<i>Bogosiella pomeroyi</i> Villeneuve
Ulidiidae	<i>Scatophaga</i>	<i>fasciata</i>	Fabricius	1805: Syst. Antl.: 210	<i>Myennis octopunctata</i> (Coquebert, 1798)
Culicidae	<i>Culex</i>	<i>fasciatus</i>	Fabricius	1805: Syst. Antl.: 36	<i>Aedes aegypti</i> (Linnaeus, 1762)
Stratiomyidae	<i>Sargus</i>	<i>fasciatus</i>	Fabricius	1805: Syst. Antl.: 259	none
Tabanidae	<i>Tabanus</i>	<i>fasciatus</i>	Fabricius	1775: Syst. Ent.: 788	<i>Ancala</i>
Chironomidae	<i>Tipula</i>	<i>fasciculata</i>	Fabricius	1781: Sp.Ins.II: 406	<i>Clinotanypus nervosus</i> (Meigen, 1818)?
Stratiomyidae	<i>Stratiomys</i>	<i>fascipennis</i>	Fabricius	1805: Syst. Antl.: [84], 373	<i>Euryneura</i>
Bombyliidae	<i>Anthrax</i>	<i>faunus</i>	Fabricius	1805: Syst. Antl.: 126	<i>Villa</i>
Calliphoridae	<i>Musca</i>	<i>felina</i>	Fabricius	1794: Ent. Syst. IV: 317	<i>Rhyncomya</i>
Ropalomeridae	<i>Dictya</i>	<i>femorata</i>	Fabricius	1805: Syst. Antl.: 326	<i>Ropalomera</i>
Empididae	<i>Empis</i>	<i>femorata</i>	Fabricius	1798: Ent. Syst. Suppl.: 568	none
Conopidae	<i>Myopa</i>	<i>femorata</i>	Fabricius	1805: Syst. Antl.: 181	<i>Thecophora atra</i> (Fabricius, 1775)
Tabanidae	<i>Chrysops</i>	<i>ferrugatus</i>	Fabricius	1805: Syst. Antl.: 111	<i>Diachlorus</i>
Tephritidae	<i>Musca</i>	<i>ferruginea</i>	Fabricius	1794: Ent. Syst. IV: 342	<i>Bactrocera dorsalis</i> (Hendel, 1912)
Tipulidae	<i>Tipula</i>	<i>ferruginea</i>	Fabricius	1805: Syst. Antl.: 28	<i>Nephrotoma</i>
Bombyliidae	<i>Bombylius</i>	<i>ferrugineus</i>	Fabricius	1805: Syst. Antl.: 132	<i>Heterostylum</i>

Syrphidae	<i>Eristalis</i>	<i>ferrugineus</i>	Fabricius	1805: Syst. Antl.: 240	<i>Merodon equestris</i> (Fabricius, 1794)
Empididae	<i>Hybos</i>	<i>ferrugineus</i>	Fabricius	1805: Syst. Antl.: 146	<i>Macrostomus</i>
Xylophagidae	<i>Sicus</i>	<i>ferrugineus</i>	Fabricius	1798: Ent. Syst. Suppl.: 555	<i>Coenomyia ferruginea</i> (Scopoli, 1763)
Mydidae	<i>Bibio</i>	<i>filata</i>	Fabricius	1775: Syst. Ent.: 757	<i>Mydas clavatus</i> (Drury, 1773)
Microppezidae	<i>Musca</i>	<i>filiformis</i>	Fabricius	1794: Ent. Syst. IV: 337	<i>Microppeza corrigiolata</i> (Linnaeus, 1767)
Tipulidae	<i>Tipula</i>	<i>filipes</i>	Fabricius	1805: Syst. Antl.: 25	<i>Maekistocera</i>
Neriidae	<i>Nerius</i>	<i>filosus</i>	Fabricius	1805: Syst. Antl.: 265	<i>Glyphidops</i>
Chironomidae	<i>Tipula</i>	<i>flabellicornis</i>	Fabricius	1781: Sp.Ins.II: 407	?
Dryomyzidae	<i>Musca</i>	<i>flaveola</i>	Fabricius	1794: Ent. Syst. IV: 343	<i>Dryomyza</i>
Tipulidae	<i>Tipula</i>	<i>flaveolata</i>	Fabricius	1794: Ent. Syst. IV: 234	<i>Ctenophora</i>
Tephritidae	<i>Dacus</i>	<i>flaveolatus</i>	Fabricius	1805: Syst. Antl.: 275	<i>Themarictera</i>
Asilidae	<i>Dasyopogon</i>	<i>flavescens</i>	Fabricius	1805: Syst. Antl.: 169	<i>Cophinopoda chinensis</i> (Fabricius, 1794)
Tephritidae	<i>Musca</i>	<i>flavescens</i>	Fabricius	[1798: Ent. Syst. Suppl.: 565]	<i>Euleia marmorea</i> (Fabricius, 1805)
Syrphidae	<i>Syrphus</i>	<i>flavicans</i>	Fabricius	1794: Ent. Syst. IV: 292	<i>Merodon equestris</i> (Fabricius, 1794)
Tipulidae	<i>Tipula</i>	<i>flavicans</i>	Fabricius	1805: Syst. Antl.: [24], 373	<i>Tipula ultima</i> Alexander, 1915
Syrphidae	<i>Eristalis</i>	<i>flavicinctus</i>	Fabricius	1805: Syst. Antl.: 232	<i>Eristalis horticola</i> (De Geer, 1776)
Lauxaniidae	<i>Scatophaga</i>	<i>flavipennis</i>	Fabricius	1805: Syst. Antl.: 207	?
Therevidae	<i>Bibio</i>	<i>flavipes</i>	Fabricius	1794: Ent. Syst. IV: 254	<i>Dialineura anilis</i> (Linnaeus, 1761)
Empididae	<i>Empis</i>	<i>flavipes</i>	Fabricius	1794: Ent. Syst. IV: 406	<i>Platypalpus palliventris</i> (Meigen, 1822)
Stratiomyidae	<i>Stratiomys</i>	<i>flavipes</i>	Fabricius	[1798: Ent. Syst. Suppl.: 555]	<i>Adoxomyia</i>
Tipulidae	<i>Tipula</i>	<i>flavipes</i>	Fabricius	[1787: Man. Ins. II: 323]	<i>Limonia</i>
Richardiidae	<i>Dacus</i>	<i>flavus</i>	Fabricius	1805: Syst. Antl.: 274	<i>Coilometopia trimaculata</i> (Fabricius, 1805)
Syrphidae	<i>Syrphus</i>	<i>floralis</i>	Fabricius	1798: Ent. Syst. Suppl.: 563	<i>Toxomerus</i>
Phoridae	<i>Bibio</i>	<i>florea</i>	Fabricius	1794: Ent. Syst. IV: 255	<i>Diplonevra florescens</i> (Turton, 1801)
Bombyliidae	<i>Voluccella</i>	<i>florea</i>	Fabricius	1794: Ent. Syst. IV: 412	<i>Usia</i>
Opomyzidae	<i>Musca</i>	<i>florum</i>	Fabricius	1794: Ent. Syst. IV: 352	<i>Opomyza</i>
Syrphidae	<i>Scaeva</i>	<i>florum</i>	Fabricius	1805: Syst. Antl.: 250	<i>Xylota</i>
Tephritidae	<i>Tephritis</i>	<i>fossata</i>	Fabricius	1805: Syst. Antl.: 320	<i>Myoleja</i>
Coelopidae	<i>Musca</i>	<i>frigida</i>	Fabricius	1805: Syst. Antl.: 307	<i>Coelopa</i>
Asilidae	<i>Asilus</i>	<i>frontalis</i>	Fabricius	1794: Ent. Syst. IV: 388	<i>Dioctria rufipes</i> (De Geer, 1776)

Conopidae	<i>Myopa</i>	<i>frontalis</i>	Fabricius	1805: Syst. Antl.: 182	<i>Zodion?</i>
Tephritidae	<i>Musca</i>	<i>fuscata</i>	Fabricius	1794: Ent. Syst. IV: 359	<i>Acinia tessariae</i> Kieffer & Jorgensen, 1910
Syrphidae	<i>Eristalis</i>	<i>fulminans</i>	Fabricius	1805: Syst. Antl.: 241	<i>Milesia semiluctifera</i> (de Villers, 1789)
Bibionidae	<i>Hirtea</i>	<i>fulvicollis</i>	Fabricius	1805: Syst. Antl.: 53	<i>Plecia</i>
Asilidae	<i>Laphria</i>	<i>fulvithorax</i>	Fabricius	1805: Syst. Antl.: [158], 373	none
Bibionidae	<i>Hirtea</i>	<i>funebri</i>	Fabricius	1805: Syst. Antl.: 54	<i>Plecia</i>
Drosophilidae	<i>Musca</i>	<i>funebri</i>	Fabricius	1787: Man. Ins. II: 345	<i>Drosophila</i>
Syrphidae	<i>Syrphus</i>	<i>funestus</i>	Fabricius	1794: Ent. Syst. IV: 302	<i>Merodon</i>
Piophilidae	<i>Musca</i>	<i>furcata</i>	Fabricius	1794: Ent. Syst. IV: 343	<i>Centrophlebomyia</i>
Stratiomyidae	<i>Stratiomys</i>	<i>furcata</i>	Fabricius	1794: Ent. Syst. IV: 264	<i>Stratiomys singularior</i> (Harris, 1776)
Bombyliidae	<i>Cytherea</i>	<i>fusca</i>	Fabricius	1805: Syst. Antl.: 117	<i>Villa</i>
Anisopodidae	<i>Tipula</i>	<i>fuscata</i>	Fabricius	1775: Syst. Ent.: 755	<i>Sylvicola</i>
Calliphoridae	<i>Musca</i>	<i>fuscipennis</i>	Fabricius	1805: Syst. Antl.: 291	<i>Silbomyia</i>
Empididae	<i>Empis</i>	<i>fuscipes</i>	Fabricius	1794: Ent. Syst. IV: 406	<i>Hilara</i>
Bombyliidae	<i>Bombylius</i>	<i>fuscus</i>	Fabricius	1781: Sp.Ins.II: 474	none
Lauxaniidae	<i>Dictya</i>	<i>geminata</i>	Fabricius	1805: Syst. Antl.: 331	<i>Sapromyza</i>
Chironomidae	<i>Tipula</i>	<i>geniculata</i>	Fabricius	1787: Man. Ins. II: 326	?
Syrphidae	<i>Eristalis</i>	<i>geniculatus</i>	Fabricius	1805: Syst. Antl.: 237	<i>Palpada</i>
Lauxaniidae	<i>Sargus</i>	<i>geniculatus</i>	Fabricius	1805: Syst. Antl.: 257	<i>Callopum</i>
Curtonotidae	<i>Musca</i>	<i>gibba</i>	Fabricius	1805: Syst. Antl.: 297	<i>Curtonotum taeniatum</i> Hendel, 1913
Chironomidae	<i>Tipula</i>	<i>gibba</i>	Fabricius	1794: Ent. Syst. IV: 245	<i>Stenochironomus</i>
Bombyliidae	<i>Anthrax</i>	<i>gideon</i>	Fabricius	1805: Syst. Antl.: 124	none
Lauxaniidae	<i>Musca</i>	<i>glabrata</i>	Fabricius	1794: Ent. Syst. IV: 341	<i>Calliopum?</i>
Tachinidae	<i>Syrphus</i>	<i>globosus</i>	Fabricius	1775: Syst. Ent.: 770	<i>Cistogaster</i>
Bombyliidae	<i>Anthrax</i>	<i>gorgon</i>	Fabricius	1805: Syst. Antl.: 126	<i>Villa</i>
Tabanidae	<i>Tabanus</i>	<i>graecus</i>	Fabricius	1794: Ent. Syst. IV: 368	<i>Philipomyia</i>
Ulidiidae	<i>Musca</i>	<i>graminum</i>	Fabricius	1794: Ent. Syst. IV: 346	<i>Dorycera aquatica</i> (Geoffroy in Fourcroy, 1785)
Muscidae	<i>Musca</i>	<i>grisea</i>	Fabricius	1805: Syst. Antl.: 293	<i>Cyrtoneurina spiloptera</i> (Wiedemann, 1830)
Tachinidae	<i>Stomoxys</i>	<i>grisea</i>	Fabricius	1794: Ent. Syst. IV: 394	<i>Prosenia siberita</i> (Fabricius, 1775)
Bombyliidae	<i>Bombylius</i>	<i>griseus</i>	Fabricius	1787: Man. Ins. II: 366	<i>Conophorus</i>

Sarcophagidae	<i>Musca</i>	<i>gulo</i>	Fabricius	1805: Syst. Antl.: 283	<i>Paraprissopoda</i>
Syrphidae	<i>Milesia</i>	<i>haematodes</i>	Fabricius	1805: Syst. Antl.: 193	<i>Chalcosyrphus piger</i> (Fabricius, 1805)
Asilidae	<i>Laphria</i>	<i>haemorrhoea</i>	Fabricius	1805: Syst. Antl.: 161	<i>Plesiomma</i>
Asilidae	<i>Asilus</i>	<i>haemorrhoidalis</i>	Fabricius	1794: Ent. Syst. IV: 389	<i>Scytomedes</i>
Culicidae	<i>Culex</i>	<i>haemorrhoidalis</i>	Fabricius	1787: Man. Ins. II: 364	<i>Toxorhynchites</i>
Stratiomyidae	<i>Stratiomys</i>	<i>hastata</i>	Fabricius	1805: Syst. Antl.: 84	<i>Platyna</i>
Tephritidae	<i>Dacus</i>	<i>hastatus</i>	Fabricius	1805: Syst. Antl.: 276	<i>Urophora solstitialis</i> (Linnaeus, 1758)
Tabanidae	<i>Tabanus</i>	<i>haustellatus</i>	Fabricius	1781: Sp.Ins.II: 455	<i>Pangonia</i>
Tachinidae	<i>Musca</i>	<i>helluo</i>	Fabricius	1805: Syst. Antl.: 295	<i>Eliozeta</i>
Tachinidae	<i>Syrphus</i>	<i>hemipterus</i>	Fabricius	1794: Ent. Syst. IV: 284	<i>Phasia</i>
Tephritidae	<i>Musca</i>	<i>heraclei</i>	Fabricius	1794: Ent. Syst. IV: 354	<i>Tephritis postica</i> (Loew, 1844)
Bombyliidae	<i>Anthrax</i>	<i>hetrusca</i>	Fabricius	1794: Ent. Syst. IV: 257	<i>Satyramoeba</i>
Sciomyzidae	<i>Musca</i>	<i>hieracii</i>	Fabricius	1775: Syst. Ent.: 787	<i>Trypetoptera punctulata</i> (Scopoli, 1763)
Asilidae	<i>Asilus</i>	<i>hircus</i>	Fabricius	1805: Syst. Antl.: 155	<i>Astochia</i>
Tipulidae	<i>Chironomus</i>	<i>hirticornis</i>	Fabricius	1805: Syst. Antl.: 46	<i>Polymera</i>
Asilidae	<i>Laphria</i>	<i>hirtipes</i>	Fabricius	1805: Syst. Antl.: 158	<i>Hyperechia</i>
Tipulidae	<i>Tipula</i>	<i>histrionica</i>	Fabricius	1794: Ent. Syst. IV: 237	<i>Nephrotoma flavescens</i> (Linnaeus, 1758)
Tephritidae	<i>Musca</i>	<i>histrionica</i>	Fabricius	1794: Ent. Syst. IV: 343	?
Bombyliidae	<i>Anthrax</i>	<i>holosericea</i>	Fabricius	1794: Ent. Syst. IV: 258	<i>Cytherea</i>
Lauxaniidae	<i>Scatophaga</i>	<i>holosericea</i>	Fabricius	1805: Syst. Antl.: 207	?
Tachinidae	<i>Thereva</i>	<i>holosericea</i>	Fabricius	1805: Syst. Antl.: 218	<i>Xysta</i>
Syrphidae	<i>Syrphus</i>	<i>hortorum</i>	Fabricius	1775: Syst. Ent.: 764	<i>Palpada</i>
Asilidae	<i>Asilus</i>	<i>hottentotta</i>	Fabricius	1794: Ent. Syst. IV: 388	<i>Leptarthrus vitripennis</i> (Meigen, 1820)?
Bombyliidae	<i>Bombylius</i>	<i>hyalinus</i>	Fabricius	1805: Syst. Antl.: 134	?
Asilidae	<i>Asilus</i>	<i>hyalipennis</i>	Fabricius	1794: Ent. Syst. IV: 388	<i>Dioctria</i>
Athericidae	<i>Rhagio</i>	<i>ibis</i>	Fabricius	1798: Ent. Syst. Suppl.: 556	<i>Atherix ibis</i>
Dolichopodidae	<i>Dolichopus</i>	<i>imperialis</i>	Fabricius	1805: Syst. Antl.: 267	<i>Condylostylus</i>
Syrphidae	<i>Syrphus</i>	<i>inanis</i>	Fabricius	1775: Syst. Ent.: 763	<i>Copestylum brunneum</i> (Thunberg, 1789)
Tabanidae	<i>Tabanus</i>	<i>inanis</i>	Fabricius	1787: Man. Ins. II: 356	<i>Chlorotabanus</i>
Tabanidae	<i>Tabanus</i>	<i>indicus</i>	Fabricius	1805: Syst. Antl.: 103	?

Syrphidae	<i>Syrphus</i>	<i>inflatus</i>	Fabricius	1794: Ent. Syst. IV: 280	<i>Volucella</i>
Platystomatidae	<i>Dacus</i>	<i>inflexus</i>	Fabricius	1805: Syst. Antl.: 273	<i>Elassogaster</i>
Syrphidae	<i>Scaeva</i>	<i>interrupta</i>	Fabricius	1805: Syst. Antl.: 252	<i>Sphaerophoria?</i>
Syrphidae	<i>Eristalis</i>	<i>interruptus</i>	Fabricius	1805: Syst. Antl.: 239	<i>Palpada</i>
Conopidae	<i>Myopa</i>	<i>irrorata</i>	Fabricius	1805: Syst. Antl.: 180	<i>Zodion notatum</i> (Meigen, 1804)
Tabanidae	<i>Tabanus</i>	<i>italicus</i>	Fabricius	1781: Sp.Ins.II: 457	<i>Silvius alpinus</i> (Scopoli, 1763)
Bombyliidae	<i>Anthrax</i>	<i>ixion</i>	Fabricius	1794: Ent. Syst. IV: 261	<i>Villa</i>
Bombyliidae	<i>Anthrax</i>	<i>jacchus</i>	Fabricius	1805: Syst. Antl.: [123], 373	<i>Exoprosopa</i>
Tabanidae	<i>Tabanus</i>	<i>javanus</i>	Fabricius	1805: Syst. Antl.: 103	none
Calliphoridae	<i>Musca</i>	<i>jejuna</i>	Fabricius	[1787: Man. Ins. II: 342]	<i>Bengalia</i>
Asilidae	<i>Laphria</i>	<i>labiata</i>	Fabricius	1805: Syst. Antl.: 160	<i>Megapoda</i>
Sarcophagidae	<i>Musca</i>	<i>labiata</i>	Fabricius	1787: Man. Ins. II: 346	<i>Metopia</i>
Tipulidae	<i>Tipula</i>	<i>laeta</i>	Fabricius	1794: Ent. Syst. IV: 239	<i>Ctenophora</i>
Tabanidae	<i>Chrysops</i>	<i>laetus</i>	Fabricius	1805: Syst. Antl.: 112	<i>Chrysops</i>
Syrphidae	<i>Syrphus</i>	<i>laetus</i>	Fabricius	1794: Ent. Syst. IV: 301	<i>Xanthogramma</i>
Bombyliidae	<i>Biblio</i>	<i>lar</i>	Fabricius	1781: Sp.Ins.II: 414	<i>Litorhynchus</i>
Muscidae	<i>Musca</i>	<i>lardaria</i>	Fabricius	1781: Sp.Ins.II: 436	<i>Polietes</i>
Micropezidae	<i>Musca</i>	<i>lasciva</i>	Fabricius	[1798: Ent. Syst. Suppl.: 564]	<i>Taeniptera</i>
Bombyliidae	<i>Bombylius</i>	<i>lateralis</i>	Fabricius	1805: Syst. Antl.: 129	none
Asilidae	<i>Laphria</i>	<i>lateralis</i>	Fabricius	1805: Syst. Antl.: 157	none
Tachinidae	<i>Musca</i>	<i>lateralis</i>	Fabricius	1775: Syst. Ent.: 778 [as 877!]	<i>Eriothrix rufomaculata</i> (De Geer, 1776)
Tachinidae	<i>Musca</i>	<i>lateralis</i>	Fabricius	1805: Syst. Antl.: 286	<i>Opsozelia discalis</i> Townsend
Tabanidae	<i>Pangonia</i>	<i>lateralis</i>	Fabricius	1805: Syst. Antl.: 91	<i>Philoliche</i>
Tachinidae	<i>Musca</i>	<i>latro</i>	Fabricius	1787: Man. Ins. II: 349	<i>Dexiosoma caninum</i> (Fabricius, 1781)
Calliphoridae	<i>Musca</i>	<i>leonina</i>	Fabricius	1775: Syst. Ent.: 776	<i>Amenia</i>
Syrphidae	<i>Scaeva</i>	<i>limbata</i>	Fabricius	1805: Syst. Antl.: 251	<i>Allograpta</i>
Asilidae	<i>Asilus</i>	<i>limbatus</i>	Fabricius	1794: Ent. Syst. IV: 382	<i>Ancylorhynchus</i>
Asilidae	<i>Asilus</i>	<i>linearis</i>	Fabricius	1787: Man. Ins. II: 361	<i>Dioctria</i>
Empididae	<i>Empis</i>	<i>lineata</i>	Fabricius	1805: Syst. Antl.: 141	<i>Empis livida</i> Linnaeus, 1758
Syrphidae	<i>Milesia</i>	<i>lineata</i>	Fabricius	1805: Syst. Antl.: 194	<i>Senogaster dentipes</i> (Fabricius, 1787)

Chloropidae	<i>Musca</i>	<i>lineata</i>	Fabricius	1781: Sp.Ins.II: 453	<i>Chlorops pumilionis</i> (Bjerkander, 1778)
Syrphidae	<i>Rhingia</i>	<i>lineata</i>	Fabricius	1787: Man. Ins. II: 357	<i>Helophilus</i>
Stratiomyidae	<i>Stratiomys</i>	<i>lineata</i>	Fabricius	1805: Syst. Antl.: 83	<i>Hedriodiscus</i>
Mycetophilidae	<i>Tipula</i>	<i>lineata</i>	Fabricius	1775: Syst. Ent.: 754	<i>Cerotelion striatum</i> (Gmelin, 1790)
Asilidae	<i>Asilus</i>	<i>lineatus</i>	Fabricius	1781: Sp.Ins.II: 465	<i>Plesiomma</i>
Tabanidae	<i>Tabanus</i>	<i>lineatus</i>	Fabricius	1781: Sp.Ins.II: 455	<i>Tabanus calens</i> Linnaeus, 1758
Rhagionidae	<i>Rhagio</i>	<i>lineola</i>	Fabricius	1794: Ent. Syst. IV: 275	<i>Rhagio</i>
Tabanidae	<i>Tabanus</i>	<i>lineola</i>	Fabricius	1794: Ent. Syst. IV: 369	none
Scathophagidae	<i>Musca</i>	<i>livens</i>	Fabricius	1794: Ent. Syst. IV: 345	<i>Hydromyza</i>
Palloppteridae	<i>Scatophaga</i>	<i>lobata</i>	Fabricius	1805: Syst. Antl.: 208	<i>Pallopptera muliebris</i> (Harris, 1780)
Dolichopodidae	<i>Musca</i>	<i>longicornis</i>	Fabricius	1775: Syst. Ent.: 783	<i>Megistostylus</i>
Tipulidae	<i>Tipula</i>	<i>longimana</i>	Fabricius	1805: Syst. Antl.: 26	<i>Ozodicera</i>
Hippoboscidae	<i>Hippobosca</i>	<i>longipennis</i>	Fabricius	1805: Syst. Antl.: 338	none
Lauxaniidae	<i>Musca</i>	<i>longipennis</i>	Fabricius	1794: Ent. Syst. IV: 323	<i>Minettia</i>
Culicidae	<i>Culex</i>	<i>longipes</i>	Fabricius	1805: Syst. Antl.: 34	<i>Runchomyia</i>
Micropezidae	<i>Musca</i>	<i>longipes</i>	Fabricius	1787: Man. Ins. II: 348	<i>Cardiacephala guttata</i> (Walker, 1852)
Tachinidae	<i>Musca</i>	<i>longipes</i>	Fabricius	1805: Syst. Antl.: 298	<i>Cholomyia acromion</i> (Wiedemann, 1824)
Tipulidae	<i>Tipula</i>	<i>longipes</i>	Fabricius	1805: Syst. Antl.: 25	<i>Leptotarsus</i>
Bombyliidae	<i>Biblio</i>	<i>lucifer</i>	Fabricius	1775: Syst. Ent.: 759	<i>Poecilanthrax</i>
Muscidae	<i>Musca</i>	<i>ludifica</i>	Fabricius	1794: Ent. Syst. IV: 323	<i>Musca autumnalis</i> De Geer, 1776
Platystomatidae	<i>Musca</i>	<i>lugens</i>	Fabricius	1787: Man. Ins. II: 350	<i>Engistoneura</i>
Therevidae	<i>Biblio</i>	<i>lugubris</i>	Fabricius	1787: Man. Ins. II: 328	<i>Thereva unica</i> (Harris, 1780)
Syrphidae	<i>Syrphus</i>	<i>lugubris</i>	Fabricius	1775: Syst. Ent.: 770	<i>Pipiza</i>
Calliphoridae	<i>Musca</i>	<i>lunata</i>	Fabricius	1805: Syst. Antl.: 292	<i>Stomorhina</i>
Syrphidae	<i>Syrphus</i>	<i>lunatus</i>	Fabricius	1794: Ent. Syst. IV: 296	<i>Eumerus</i>
Lauxaniidae	<i>Musca</i>	<i>lupulina</i>	Fabricius	1787: Man. Ins. II: 344	<i>Minettia</i>
Scathophagidae	<i>Musca</i>	<i>lutaria</i>	Fabricius	1794: Ent. Syst. IV: 344	<i>Scathophaga</i>
Culicidae	<i>Culex</i>	<i>lutescens</i>	Fabricius	1775: Syst. Ent.: 800	<i>Aedes flavescens</i> (Müller, 1764)
Tipulidae	<i>Tipula</i>	<i>lutescens</i>	Fabricius	1805: Syst. Antl.: 24	<i>Tipula fulvipennis</i> De Geer, 1776
Tephritidae	<i>Musca</i>	<i>lychnidis</i>	Fabricius	1787: Man. Ins. II: 353	<i>Myoleja caesio</i> (Harris, 1780)

Calliphoridae	<i>Musca</i>	<i>macellaria</i>	Fabricius	1775: Syst. Ent.: 776	<i>Cochliomyia</i>
Muscidae?	<i>Musca</i>	<i>mactans</i>	Fabricius	1787: Man. Ins. II: 344	?
Stratiomyidae	<i>Sargus</i>	<i>macula</i>	Fabricius	1805: Syst. Antl.: 258	<i>Microchrysa</i>
Ulidiidae!	<i>Tephritis</i>	<i>macula</i>	Fabricius	1805: Syst. Antl.: 325	?
Platystomatidae	<i>Dacus</i>	<i>macularis</i>	Fabricius	1805: Syst. Antl.: 275	<i>Senopterina</i>
Tabanidae	<i>Tabanus</i>	<i>macularis</i>	Fabricius	1794: Ent. Syst. IV: 370	<i>Hybomitra</i>
Empididae	<i>Empis</i>	<i>maculata</i>	Fabricius	1781: Sp.Ins.II: 472	<i>none</i>
Tabanidae	<i>Pangonia</i>	<i>maculata</i>	Fabricius	1805: Syst. Antl.: 90	<i>Pangonius mauritanus (Linnaeus, 1767)</i>
Stratiomyidae	<i>Stratiomys</i>	<i>maculata</i>	Fabricius	1805: Syst. Antl.: 85	<i>Cyphomyia</i>
Tipulidae	<i>Tipula</i>	<i>maculata</i>	Fabricius	1805: Syst. Antl.: 30	<i>Epiphragma fabricii Alexander, 1913</i>
Bombyliidae	<i>Bombylius</i>	<i>maculatus</i>	Fabricius	1775: Syst. Ent.: 803	<i>none</i>
Chironomidae	<i>Chironomus</i>	<i>maculatus</i>	Fabricius	1805: Syst. Antl.: 40	?
Bombyliidae	<i>Anthrax</i>	<i>maimon</i>	Fabricius	1805: Syst. Antl.: 127	<i>Villa gorgon (Fabricius, 1805)</i>
Ulidiidae	<i>Tephritis</i>	<i>mali</i>	Fabricius	1805: Syst. Antl.: 320	<i>Herina frondescentiae (Linnaeus, 1758)</i>
Ephydriidae	<i>Musca</i>	<i>manicata</i>	Fabricius	1794: Ent. Syst. IV: 334	<i>Ochthera</i>
Tabanidae	<i>Tabanus</i>	<i>marginalis</i>	Fabricius	1805: Syst. Antl.: 99	<i>none</i>
Athericidae	<i>Bibio</i>	<i>marginata</i>	Fabricius	1781: Sp.Ins.II: 413	<i>Atherix</i>
Stratiomyidae	<i>Hermetia</i>	<i>marginata</i>	Fabricius	1805: Syst. Antl.: 63	<i>Eudmeta</i>
Sciomyzidae	<i>Musca</i>	<i>marginata</i>	Fabricius	1775: Syst. Ent.: 784	<i>Coremacera</i>
Tabanidae	<i>Pangonia</i>	<i>marginata</i>	Fabricius	1805: Syst. Antl.: 90	<i>Pangonius haustellatus (Fabricius, 1781)</i>
Stratiomyidae	<i>Stratiomys</i>	<i>marginata</i>	Fabricius	1805: Syst. Antl.: 84	?
Stratiomyidae	<i>Stratiomys</i>	<i>marginata</i>	Fabricius	1775: Syst. Ent.: 761	<i>Nemotelus pantherinus (Linnaeus, 1758)</i>
Asilidae	<i>Asilus</i>	<i>marginellus</i>	Fabricius	1781: Sp.Ins.II: 464	<i>Ommatius</i>
Tachinidae	<i>Musca</i>	<i>marmorata</i>	Fabricius	1805: Syst. Antl.: 300	<i>Lespesia vertiginosa (Fallén, 1820)</i>
Ulidiidae	<i>Scatophaga</i>	<i>marmorea</i>	Fabricius	1805: Syst. Antl.: 209	<i>Ceroxys hortulana (Rossi, 1790)</i>
Tephritidae	<i>Dacus</i>	<i>marmoreus</i>	Fabricius	1805: Syst. Antl.: 276	<i>Euleia</i>
Asilidae	<i>Asilus</i>	<i>maroccanus</i>	Fabricius	1794: Ent. Syst. IV: 378	<i>Pogonosoma</i>
Tabanidae	<i>Tabanus</i>	<i>maroccanus</i>	Fabricius	1805: Syst. Antl.: 93	<i>Tabanus barbarus Coquebert, 1804</i>
Empididae	<i>Empis</i>	<i>maura</i>	Fabricius	1777: Gen. Ins.: 309	<i>Hilara</i>
Sarcophagidae	<i>Musca</i>	<i>maura</i>	Fabricius	1805: Syst. Antl.: 302	<i>Nyctia halterata (Panzer, 1798)</i>

Syrphidae	<i>Syrphus</i>	<i>means</i>	Fabricius	1798: Ent. Syst. Suppl.: 562	<i>Cheilosia?</i>
Muscidae	<i>Musca</i>	<i>meditabunda</i>	Fabricius	1781: Sp.Ins.II: 444	<i>Myospila</i>
Calliphoridae	<i>Musca</i>	<i>megacephala</i>	Fabricius	1794: Ent. Syst. IV: 317	<i>Chrysomyia</i>
Syrphidae	<i>Syrphus</i>	<i>megacephalus</i>	Fabricius	1798: Ent. Syst. Suppl.: 561	<i>Phytomia crassa (Fabricius, 1787)</i>
Syrphidae	<i>Syrphus</i>	<i>melancholicus</i>	Fabricius	1794: Ent. Syst. IV: 302	<i>Merodon natans (Fabricius, 1794)</i>
Empididae	<i>Empis</i>	<i>melanocephala</i>	Fabricius	1794: Ent. Syst. IV: 407	<i>Phyllodromia</i>
Sciaridae	<i>Sciara</i>	<i>melanocephala</i>	Fabricius	1805: Syst. Antl.: 60	?
Tipulidae	<i>Tipula</i>	<i>melanocephala</i>	Fabricius	1787: Man. Ins. II: 323	<i>Teucholabis</i>
Scathophagidae	<i>Musca</i>	<i>merdaria</i>	Fabricius	1794: Ent. Syst. IV: 344	<i>Scathophaga stercoraria (Linnaeus, 1758)</i>
Stratiomyidae	<i>Sargus</i>	<i>metallinus</i>	Fabricius	1805: Syst. Antl.: 258	<i>none</i>
Syrphidae	<i>Syrphus</i>	<i>metallinus</i>	Fabricius	[1777: Gen. Ins.: 307]	<i>Lejogaster</i>
Bombyliidae	<i>Bombylius</i>	<i>micans</i>	Fabricius	1798: Ent. Syst. Suppl.: 569	<i>Bombylius</i>
Calliphoridae	<i>Musca</i>	<i>micans</i>	Fabricius	1805: Syst. Antl.: 291	?
Syrphidae	<i>Syrphus</i>	<i>micans</i>	Fabricius	1798: Ent. Syst. Suppl.: 562	<i>Eumerus?</i>
Syrphidae	<i>Syrphus</i>	<i>micans</i>	Fabricius	1794: Ent. Syst. IV: 278	<i>Volucella inanis (Linnaeus, 1758)</i>
Bombyliidae	<i>Anthrax</i>	<i>midas</i>	Fabricius	1805: Syst. Antl.: 124	<i>none</i>
Bombyliidae	<i>Bombylius</i>	<i>minimus</i>	Fabricius	1787: Man. Ins. II: 366	<i>Systoechus ?</i>
Phoridae	<i>Empis</i>	<i>minuta</i>	Fabricius	1787: Man. Ins. II: 365	<i>Triphleba</i>
Chloropidae	<i>Musca</i>	<i>minuta</i>	Fabricius	1787: Man. Ins. II: 353	<i>Meromyza saltatrix (Linnaeus, 1761)</i>
Tachinidae	<i>Stomoxys</i>	<i>minuta</i>	Fabricius	1805: Syst. Antl.: 282	<i>Siphona urbana (Harris, 1780)</i>
Stratiomyidae	<i>Stratiomys</i>	<i>minuta</i>	Fabricius	1794: Ent. Syst. IV: 268	<i>Oplodonta</i>
Bombyliidae	<i>Volucella</i>	<i>minuta</i>	Fabricius	1805: Syst. Antl.: 115	<i>Phthiria</i>
Asilidae	<i>Asilus</i>	<i>minutus</i>	Fabricius	1794: Ent. Syst. IV: 390	<i>Holopogon venustus (Rossi, 1790)</i>
Tephritidae	<i>Dacus</i>	<i>modestus</i>	Fabricius	1805: Syst. Antl.: 278	<i>Diarrhegma</i>
Platystomatidae	<i>Musca</i>	<i>moerens</i>	Fabricius	1794: Ent. Syst. IV: 349	<i>Engistoneura</i>
Tabanidae	<i>Tabanus</i>	<i>moerens</i>	Fabricius	1787: Man. Ins. II: 356	<i>Chrysops variegatus (De Geer, 1776)?</i>
Asilidae	<i>Asilus</i>	<i>morio</i>	Fabricius	1794: Ent. Syst. IV: 388	?
Ceratopogonidae	<i>Culex</i>	<i>morio</i>	Fabricius	1775: Syst. Ent.: 800	<i>Serromyia</i>
Empididae	<i>Empis</i>	<i>morio</i>	Fabricius	1794: Ent. Syst. IV: 405	<i>none</i>
Sciaridae	<i>Rhagio</i>	<i>morio</i>	Fabricius	1794: Ent. Syst. IV: 275	<i>Trichosia</i>

Ulidiidae	<i>Tephritis</i>	<i>morio</i>	Fabricius	1805: Syst. Antl.: 322	<i>Herina frondescentiae</i> (Linnaeus, 1758)
Tipulidae	<i>Tipula</i>	<i>morio</i>	Fabricius	1787: Man. Ins. II: 324	<i>Dicranomyia</i>
Tipulidae	<i>Tipula</i>	<i>multipunctata</i>	Fabricius	1805: Syst. Antl.: 31	?
Syrphidae	<i>Rhingia</i>	<i>muscaria</i>	Fabricius	1794: Ent. Syst. IV: 375	<i>Helophilus lineatus</i> (Fabricius, 1787)
Anthomyiidae	<i>Stomoxys</i>	<i>muscaria</i>	Fabricius	1794: Ent. Syst. IV: 395	<i>Pegoplata aestiva</i> (Meigen, 1826)
Stratiomyidae	<i>Stratiomys</i>	<i>muscaria</i>	Fabricius	1794: Ent. Syst. IV: 268	<i>Oxycera</i>
Syrphidae	<i>Scaeva</i>	<i>musica</i>	Fabricius	1805: Syst. Antl.: 253	<i>Toxomerus</i>
Syrphidae	<i>Syrphus</i>	<i>mussitans</i>	Fabricius	1777: Gen. Ins.: 306	<i>Arctophila superbiens</i> (Müller, 1776)
Stratiomyidae	<i>Stratiomys</i>	<i>mutabilis</i>	Fabricius	1787: Man. Ins. II: 331	<i>Hoplitimyia</i>
Stratiomyidae	<i>Stratiomys</i>	<i>mutica</i>	Fabricius	1777: Gen. Ins.: 305	<i>Nemotelus uliginosus</i> (Linnaeus, 1767)
Asilidae	<i>Damalis</i>	<i>myops</i>	Fabricius	1805: Syst. Antl.: 148	?
Syrphidae	<i>Syrphus</i>	<i>natans</i>	Fabricius	1794: Ent. Syst. IV: 283	<i>Merodon</i>
Muscidae	<i>Musca</i>	<i>nebulo</i>	Fabricius	1794: Ent. Syst. IV: 321	<i>Musca domestica</i> Linnaeus, 1758
Muscidae	<i>Stomoxys</i>	<i>nebulosa</i>	Fabricius	1805: Syst. Antl.: 282	<i>Stomoxys calcitrans</i> (Linnaeus, 1758)
Athericidae	<i>Rhagio</i>	<i>nebulosus</i>	Fabricius	1798: Ent. Syst. Suppl.: 556	<i>Atrichops crassipes</i> (Meigen, 1820)!
Syrphidae	<i>Syrphus</i>	<i>nectareus</i>	Fabricius	1787: Man. Ins. II: 341	<i>Episyrphus cannabina</i> (Scopoli, 1763)
Bombyliidae	<i>Anthrax</i>	<i>nemesis</i>	Fabricius	1805: Syst. Antl.: 121	<i>Exoprosopa</i>
Syrphidae	<i>Milesia</i>	<i>nemorum</i>	Fabricius	1805: Syst. Antl.: 192	<i>Chalcosyrphus</i>
Bombyliidae	<i>Anthrax</i>	<i>nero</i>	Fabricius	1805: Syst. Antl.: 127	<i>Villa fusca</i> (Fabricius, 1805)
Tachinidae	<i>Musca</i>	<i>nigricornis</i>	Fabricius	1794: Ent. Syst. IV: 331	?
Mycetophilidae	<i>Sciara</i>	<i>nigricornis</i>	Fabricius	1805: Syst. Antl.: 58	<i>Orfelia</i>
Empididae	<i>Empis</i>	<i>nigripennis</i>	Fabricius	1794: Ent. Syst. IV: 407	<i>Rhamphomyia</i>
Phaeomyiidae	<i>Musca</i>	<i>nigripennis</i>	Fabricius	1794: Ent. Syst. IV: 346	<i>Pelidnoptera</i>
Asilidae	<i>Asilus</i>	<i>nigripes</i>	Fabricius	1787: Man. Ins. II: 360	<i>Promachus</i>
Empididae	<i>Empis</i>	<i>nigripes</i>	Fabricius	1794: Ent. Syst. IV: 405	<i>none</i>
Dolichopodidae	<i>Musca</i>	<i>nigripes</i>	Fabricius	1794: Ent. Syst. IV: 341	<i>Chrysotus laesus</i> (Wiedemann, 1817)
Tachinidae	<i>Musca</i>	<i>nigripes</i>	Fabricius	1794: Ent. Syst. IV: 319	<i>Thelaira nigrina</i> (Fallén, 1817)
Bombyliidae	<i>Biblio</i>	<i>nigrita</i>	Fabricius	1775: Syst. Ent.: 757	?
Asilidae	<i>Dioctria</i>	<i>nigrita</i>	Fabricius	1805: Syst. Antl.: 152	<i>Holcocephala</i>
Syrphidae	<i>Eristalis</i>	<i>nigrita</i>	Fabricius	1805: Syst. Antl.: 244	<i>Cheilosia variabilis</i> (Panzer, 1798)

Rhagionidae	<i>Rhagio</i>	<i>nigrita</i>	Fabricius	1794: Ent. Syst. IV: 276	<i>Chrysopilus splendidus (Meigen, 1820)!</i>
Tabanidae	<i>Tabanus</i>	<i>nigrita</i>	Fabricius	1794: Ent. Syst. IV: 367	<i>Dasyrhamphis</i>
Asilidae	<i>Dasyopogon</i>	<i>nigritarsis</i>	Fabricius	1805: Syst. Antl.: 168	<i>Mallophora</i>
Dolichopodidae	<i>Dolichopus</i>	<i>nitens</i>	Fabricius	1805: Syst. Antl.: 270	?
Conopidae	<i>Myopa</i>	<i>nitidula</i>	Fabricius	1805: Syst. Antl.: 180	<i>Myopa variegata Meigen, 1804</i>
Bombyliidae	<i>Bombylius</i>	<i>nitidulus</i>	Fabricius	1794: Ent. Syst. IV: 409	<i>Anastoechus</i>
Chironomidae	<i>Chironomus</i>	<i>niveipennis</i>	Fabricius	1805: Syst. Antl.: 42	<i>Chironomus pilicornis (Fabricius, 1787)</i>
Therevidae	<i>Bibio</i>	<i>nobilitata</i>	Fabricius	1775: Syst. Ent.: 757	<i>Thereva nobilitata (Fabricius, 1775)</i>
Syrphidae	<i>Syrphus</i>	<i>obesus</i>	Fabricius	1775: Syst. Ent.: 763	<i>Ornidia</i>
Micropezidae	<i>Calobata</i>	<i>obliqua</i>	Fabricius	1805: Syst. Antl.: 261	<i>Poecilotylus</i>
Syrphidae	<i>Milesia</i>	<i>obliqua</i>	Fabricius	1805: Syst. Antl.: 194	<i>Eumerus</i>
Bombyliidae	<i>Bombylius</i>	<i>oblongus</i>	Fabricius	1805: Syst. Antl.: 135	<i>Amictus</i>
Bombyliidae	<i>Cytherea</i>	<i>obscura</i>	Fabricius	1794: Ent. Syst. IV: 413	<i>none</i>
Calliphoridae	<i>Musca</i>	<i>obscura</i>	Fabricius	1794: Ent. Syst. IV: 315	<i>Pollenia rudis (Fabricius, 1794)</i>
Tipulidae	<i>Tipula</i>	<i>obscura</i>	Fabricius	1805: Syst. Antl.: 27	<i>Lecteria</i>
Ulidiidae	<i>Dacus</i>	<i>obtusus</i>	Fabricius	1805: Syst. Antl.: 278	<i>Notogramma stigma (Fabricius, 1798)</i>
Sarcophagidae	<i>Musca</i>	<i>occidua</i>	Fabricius	1794: Ent. Syst. IV: 315	<i>Tricharaea</i>
Ulidiidae	<i>Dictya</i>	<i>ocellata</i>	Fabricius	1805: Syst. Antl.: 330	<i>Pterocalla</i>
Rhagionidae	<i>Atherix</i>	<i>oculata</i>	Fabricius	1805: Syst. Antl.: 74	?
Asilidae	<i>Dioctria</i>	<i>oculata</i>	Fabricius	1805: Syst. Antl.: 151	<i>Holcocephala</i>
Syrphidae	<i>Syrphus</i>	<i>ocymi</i>	Fabricius	1794: Ent. Syst. IV: 309	<i>Platycheirus granditarsis (Forster, 1771)</i>
Bombyliidae	<i>Anthrax</i>	<i>oedipus</i>	Fabricius	1805: Syst. Antl.: 123	<i>none</i>
Tephritidae	<i>Musca</i>	<i>onopordinis</i>	Fabricius	1775: Syst. Ent.: 787	<i>Euleia heraclii (Linnaeus, 1758)</i>
Empididae	<i>Empis</i>	<i>opaca</i>	Fabricius	1805: Syst. Antl.: 138	<i>Empis opaca Meigen, 1804</i>
Acroceridae	<i>Syrphus</i>	<i>orbiculus</i>	Fabricius	1787: Man. Ins. II: 340	<i>Acrocera</i>
Asilidae	<i>Asilus</i>	<i>paedemontanus</i>	Fabricius	1794: Ent. Syst. IV: 378	<i>Laphria flava (Linnaeus, 1761)</i>
Muscidae	<i>Musca</i>	<i>pagana</i>	Fabricius	1794: Ent. Syst. IV: 326	<i>Mydaea corni (Scopoli, 1763)</i>
Tabanidae	<i>Tabanus</i>	<i>paganus</i>	Fabricius	1775: Syst. Ent.: 789	?
Muscidae	<i>Musca</i>	<i>pallida</i>	Fabricius	1787: Man. Ins. II: 344	<i>Phaonia</i>
Chaoboridae	<i>Tipula</i>	<i>pallida</i>	Fabricius	1781: Sp.Ins.II: 407	<i>Chaoborus</i>

Dolichopodidae	<i>Musca</i>	<i>pallipes</i>	Fabricius	1794: Ent. Syst. IV: 340	<i>Syntormon</i>
Sciariidae	<i>Tipula</i>	<i>pallipes</i>	Fabricius	1787: Man. Ins. II: 326	<i>Bradysia</i>
Tipulidae	<i>Tipula</i>	<i>paludosa</i>	Fabricius	1794: Ent. Syst. IV: 239	<i>Dictenidia bimaculata (Linnaeus, 1758)</i>
Bombyliidae	<i>Anthrax</i>	<i>pandora</i>	Fabricius	1805: Syst. Antl.: 121	<i>Exoprosopa</i>
Oestridae	<i>Oestrus</i>	<i>pecorum</i>	Fabricius	1794: Ent. Syst. IV: 230	<i>Gasterophilus</i>
Tabanidae	<i>Chrysops</i>	<i>pellucidus</i>	Fabricius	1805: Syst. Antl.: 113	<i>none</i>
Tabanidae	<i>Tabanus</i>	<i>pellucidus</i>	Fabricius	1805: Syst. Antl.: 97	<i>none</i>
Tachinidae	<i>Musca</i>	<i>pica</i>	Fabricius	1805: Syst. Antl.: 293	<i>Rhamphinina</i>
Conopidae	<i>Conops</i>	<i>picta</i>	Fabricius	1794: Ent. Syst. IV: 391	<i>Physoconops</i>
Tipulidae	<i>Tipula</i>	<i>picta</i>	Fabricius	1798: Ent. Syst. Suppl.: 550	<i>Epiphragma ocellare (Linnaeus, 1761)</i>
Syrphidae	<i>Syrphus</i>	<i>piger</i>	Fabricius	1794: Ent. Syst. IV: 295	<i>Chalcosyrphus</i>
Chaoboridae	<i>Tipula</i>	<i>pilicornis</i>	Fabricius	1787: Man. Ins. II: 325	<i>Chaoborus crystallinus (De Geer, 1776)</i>
Chironomidae	<i>Tipula</i>	<i>pilicornis</i>	Fabricius	1787: Man. Ins. II: 324	<i>Chironomus</i>
Neriidae	<i>Nerius</i>	<i>pilifer</i>	Fabricius	1805: Syst. Antl.: 264	<i>none</i>
Tachinidae	<i>Thereva</i>	<i>pilipes</i>	Fabricius	1805: Syst. Antl.: 220	<i>Trichopoda</i>
Tipulidae	<i>Tipula</i>	<i>pilipes</i>	Fabricius	1787: Man. Ins. II: 324	<i>Symplecta</i>
Tachinidae	<i>Musca</i>	<i>pinguis</i>	Fabricius	1805: Syst. Antl.: 302	<i>Winthemia</i>
Bombyliidae	<i>Anthrax</i>	<i>pithecius</i>	Fabricius	1805: Syst. Antl.: 122	<i>?</i>
Asilidae	<i>Damalis</i>	<i>planiceps</i>	Fabricius	1805: Syst. Antl.: 148	<i>Xenomyza planiceps</i>
Bombyliidae	<i>Bombylius</i>	<i>planicornis</i>	Fabricius	1798: Ent. Syst. Suppl.: 569	<i>Bombylius pictus Panzer, 1794</i>
Chloropidae	<i>Musca</i>	<i>planifrons</i>	Fabricius	1798: Ent. Syst. Suppl.: 565	<i>Platycephala</i>
Dolichopodidae	<i>Dolichopus</i>	<i>platypterus</i>	Fabricius	1805: Syst. Antl.: 270	<i>Sciapus</i>
Empididae	<i>Empis</i>	<i>plumbea</i>	Fabricius	1794: Ent. Syst. IV: 406	<i>Empis/Hilara?</i>
Tipulidae	<i>Tipula</i>	<i>plumbea</i>	Fabricius	1781: Sp.Ins.II: 403	<i>none</i>
Chaoboridae	<i>Tipula</i>	<i>plumicornis</i>	Fabricius	1794: Ent. Syst. IV: 246	<i>Chaoborus crystallinus (De Geer, 1776)</i>
Tabanidae	<i>Haematopota</i>	<i>podagrica</i>	Fabricius	1805: Syst. Antl.: 108	<i>Diachlorus</i>
Richardiidae	<i>Dacus</i>	<i>podagricus</i>	Fabricius	1805: Syst. Antl.: 272	<i>Richardia</i>
Syrphidae	<i>Syrphus</i>	<i>podagricus</i>	Fabricius	1775: Syst. Ent.: 768	<i>Neoascia</i>
Bibionidae	<i>Tipula</i>	<i>pomoniae</i>	Fabricius	1775: Syst. Ent.: 754	<i>Bibio</i>
Lauxaniidae	<i>Scatophaga</i>	<i>porcaria</i>	Fabricius	1805: Syst. Antl.: 204	<i>?</i>

Syrphidae	<i>Syrphus</i>	<i>pratorum</i>	Fabricius	1775: Syst. Ent.: 765	<i>Meromacrus</i>
Tabanidae	<i>Tabanus</i>	<i>proboscideus</i>	Fabricius	1794: Ent. Syst. IV: 362	<i>Pangonius mauritanus</i> (Linnaeus, 1767)
Chironomidae	<i>Chironomus</i>	<i>pubicornis</i>	Fabricius	1805: Syst. Antl.: 43	?
Sciomyzidae	<i>Musca</i>	<i>punctata</i>	Fabricius	1794: Ent. Syst. IV: 347	<i>Pherbellia schoenherri</i> (Fallén, 1826)
Conopidae	<i>Myopa</i>	<i>punctata</i>	Fabricius	1794: Ent. Syst. IV: 398	<i>Dalmannia</i>
Asilidae	<i>Asilus</i>	<i>punctatus</i>	Fabricius	1781: Sp.Ins.II: 463	<i>Dasypogon diadema</i> (Fabricius, 1781)
Bombyliidae	<i>Bombylius</i>	<i>punctatus</i>	Fabricius	1794: Ent. Syst. IV: 408	<i>Bombylius sticticus</i> Boisduval, 1835
Chironomidae	<i>Chironomus</i>	<i>punctatus</i>	Fabricius	1805: Syst. Antl.: 43	?
Stratiomyidae	<i>Nemotelus</i>	<i>punctatus</i>	Fabricius	1794: Ent. Syst. IV: 271	none
Anisopodidae	<i>Rhagio</i>	<i>punctatus</i>	Fabricius	1787: Man. Ins. II: 333	<i>Sylvicola</i>
Tabanidae	<i>Tabanus</i>	<i>punctatus</i>	Fabricius	1787: Man. Ins. II: 355	<i>Chlorotabanus mexicanus</i> (Linnaeus, 1758)
Sepsidae	<i>Musca</i>	<i>punctum</i>	Fabricius	1794: Ent. Syst. IV: 351	<i>Sepsis</i>
Muscidae	<i>Stomoxys</i>	<i>pungens</i>	Fabricius	1787: Man. Ins. II: 362	<i>Haematobia irritans</i> (Linnaeus, 1758)
Stratiomyidae	<i>Nemotelus</i>	<i>pusillus</i>	Fabricius	1794: Ent. Syst. IV: 271	<i>Oplodonta minuta</i> (Fabricius, 1794)
Calliphoridae	<i>Musca</i>	<i>putrida</i>	Fabricius	1775: Syst. Ent.: 775	?
Bombyliidae	<i>Anthrax</i>	<i>pygmalion</i>	Fabricius	1805: Syst. Antl.: 124	<i>Exoprosopa</i>
Bibionidae	<i>Tipula</i>	<i>pyri</i>	Fabricius	1794: Ent. Syst. IV: 249	<i>Bibio johannis</i> (Linnaeus, 1767)
Empididae	<i>Damalis</i>	<i>quadricinctus</i>	Fabricius	1805: Syst. Antl.: 148	<i>Syneches</i>
Stratiomyidae	<i>Stratiomys</i>	<i>quadridentata</i>	Fabricius	1805: Syst. Antl.: 86	<i>Ptilocerea</i>
Dolichopodidae	<i>Musca</i>	<i>quadrifasciata</i>	Fabricius	1781: Sp.Ins.II: 448	<i>Neurigona</i>
Calliphoridae	<i>Musca</i>	<i>quadrilineata</i>	Fabricius	1805: Syst. Antl.: 286	<i>Eumesebrinella flavipennis</i> (Macquart, 1843)
Stratiomyidae	<i>Stratiomys</i>	<i>quadrilineata</i>	Fabricius	1787: Man. Ins. II: 331	<i>Isomero-cera</i>
Syrphidae	<i>Syrphus</i>	<i>quadrilineatus</i>	Fabricius	1787: Man. Ins. II: 336	<i>Eristalinus arvorum</i> (Fabricius, 1787)
Muscidae	<i>Musca</i>	<i>quadrimaculata</i>	Fabricius	1787: Man. Ins. II: 347	<i>Hydrotaea diabolus</i> (Harris, 1780)
Tabanidae	<i>Tabanus</i>	<i>quadripunctatus</i>	Fabricius	1805: Syst. Antl.: 99	<i>Poeciloderas</i>
Tachinidae	<i>Musca</i>	<i>quadripustulata</i>	Fabricius	1794: Ent. Syst. IV: 324	<i>Winthemia</i>
Muscidae	<i>Musca</i>	<i>quadrum</i>	Fabricius	1805: Syst. Antl.: 297	<i>Helina</i>
Syrphidae	<i>Syrphus</i>	<i>quinquelineatus</i>	Fabricius	1781: Sp.Ins.II: 425	<i>Eristalinus</i>
Syrphidae	<i>Syrphus</i>	<i>quinquestriatus</i>	Fabricius	1794: Ent. Syst. IV: 289	<i>Eristalinus</i>
Tephritidae	<i>Musca</i>	<i>radiata</i>	Fabricius	1798: Ent. Syst. Suppl.: 565	<i>Trupanea</i>

Dolichopodidae	<i>Dolichopus</i>	<i>regius</i>	Fabricius	1805: Syst. Antl.: 267	<i>Liancalus virens</i> (Scopoli, 1763)
Asilidae	<i>Laphria</i>	<i>reticulata</i>	Fabricius	1805: Syst. Antl.: 160	<i>Diogmites</i>
Sciomyzidae	<i>Musca</i>	<i>reticulata</i>	Fabricius	1781: Sp.Ins.II: 450	<i>Pherbina coryleti</i> (Scopoli, 1763)
Ulidiidae	<i>Tephritis</i>	<i>rivularis</i>	Fabricius	1805: Syst. Antl.: 321	<i>Otites</i>
Tabanidae	<i>Haematopota</i>	<i>roralis</i>	Fabricius	1805: Syst. Antl.: 107	<i>none</i>
Psilidae	<i>Musca</i>	<i>rosae</i>	Fabricius	1794: Ent. Syst. IV: 356	<i>Chamaepsila hennigi</i> Thompson & Pont, 1993
Syrphidae	<i>Syrphus</i>	<i>rosarum</i>	Fabricius	1787: Man. Ins. II: 341	<i>Pyrophaena</i>
Dolichopodidae	<i>Musca</i>	<i>rostrata</i>	Fabricius	1775: Syst. Ent.: 783	<i>Medetera diadema</i> (Linnaeus, 1767)
Calliphoridae	<i>Musca</i>	<i>rudis</i>	Fabricius	1794: Ent. Syst. IV: 314	<i>Pollenia</i>
Tabanidae	<i>Tabanus</i>	<i>rufescens</i>	Fabricius	1805: Syst. Antl.: 100	<i>Catachlorops</i>
Asilidae	<i>Laphria</i>	<i>rufibarbis</i>	Fabricius	1805: Syst. Antl.: 157	?
Asilidae	<i>Laphria</i>	<i>ruficauda</i>	Fabricius	1805: Syst. Antl.: 161	?
Tephritidae	<i>Musca</i>	<i>ruficauda</i>	Fabricius	1794: Ent. Syst. IV: 353	<i>Terellia</i>
Calliphoridae	<i>Musca</i>	<i>ruficeps</i>	Fabricius	1805: Syst. Antl.: 299	<i>Rhyncomya</i>
Ulidiidae	<i>Scatophaga</i>	<i>ruficeps</i>	Fabricius	1805: Syst. Antl.: 209	<i>Otites formosa</i> (Panzer, 1798)
Bibionidae	<i>Tipula</i>	<i>ruficollis</i>	Fabricius	1781: Sp.Ins.II: 410	<i>Plecia</i>
Asilidae	<i>Asilus</i>	<i>ruficornis</i>	Fabricius	1794: Ent. Syst. IV: 380	<i>Cyrtopogon</i>
Sarcophagidae	<i>Musca</i>	<i>ruficornis</i>	Fabricius	1794: Ent. Syst. IV: 314	<i>Parasarcophaga</i>
Syrphidae	<i>Syrphus</i>	<i>ruficornis</i>	Fabricius	1775: Syst. Ent.: 769	<i>Ferdinanda</i>
Tabanidae	<i>Tabanus</i>	<i>ruficornis</i>	Fabricius	1775: Syst. Ent.: 789	<i>Tabanus americanus</i> Forster, 1771
Sarcophagidae	<i>Musca</i>	<i>rufifrons</i>	Fabricius	1805: Syst. Antl.: 295	<i>Craticulina seriata</i> (Speiser, 1910)
Sciomyzidae	<i>Musca</i>	<i>rufifrons</i>	Fabricius	1781: Sp.Ins.II: 449	<i>Euthycera fumigata</i> (Scopoli, 1763)
Asilidae	<i>Asilus</i>	<i>rufipes</i>	Fabricius	1775: Syst. Ent.: 794	?
Micropezidae	<i>Calobata</i>	<i>rufipes</i>	Fabricius	1805: Syst. Antl.: 261	?
Conopidae	<i>Conops</i>	<i>rufipes</i>	Fabricius	1781: Sp.Ins.II: 466	<i>Physocephala</i>
Empididae	<i>Empis</i>	<i>rufipes</i>	Fabricius	1805: Syst. Antl.: 138	<i>Empis rustica</i> Fallén, 1816
Chloropidae	<i>Eristalis</i>	<i>rufipes</i>	Fabricius	1805: Syst. Antl.: 245	<i>Capnoptera scutata</i> (Rossi, 1790)
Sciomyzidae	<i>Scatophaga</i>	<i>rufipes</i>	Fabricius	1805: Syst. Antl.: 207	<i>Sepedon sphegea</i> (Fabricius, 1775)!
Stratiomyidae	<i>Hermetia</i>	<i>rufiventris</i>	Fabricius	1805: Syst. Antl.: 63	<i>Hermetia illucens</i> (Linnaeus, 1758)
Tabanidae	<i>Tabanus</i>	<i>rufiventris</i>	Fabricius	1805: Syst. Antl.: 96	<i>none</i>

Scenopinidae	<i>Musca</i>	<i>rugosa</i>	Fabricius	1794: Ent. Syst. IV: 330	<i>Scenopinus niger</i> (De Geer, 1776)
Syrphidae	<i>Eristalis</i>	<i>rupium</i>	Fabricius	1805: Syst. Antl.: 241	<i>none</i>
Tachinidae	<i>Musca</i>	<i>rustica</i>	Fabricius	1775: Syst. Ent.: 777	<i>Dexia</i>
Tachinidae	<i>Musca</i>	<i>rutilans</i>	Fabricius	1781: Sp.Ins.II: 436	<i>Billaea</i>
Bombyliidae	<i>Biblio</i>	<i>sabaeus</i>	Fabricius	1781: Sp.Ins.II: 416	<i>Lomatia</i>
Calliphoridae	<i>Musca</i>	<i>sacra</i>	Fabricius	1805: Syst. Antl.: 291	<i>Calliphora quadrimaculata</i> (Swederus, Man. Ins. II)
Asilidae	<i>Laphria</i>	<i>saffrana</i>	Fabricius	1805: Syst. Antl.: 160	<i>none</i>
Syrphidae	<i>Syrphus</i>	<i>saltuum</i>	Fabricius	1794: Ent. Syst. IV: 287	<i>Spilomyia</i>
Syrphidae	<i>Syrphus</i>	<i>salviae</i>	Fabricius	[1787: Man. Ins. II: 340]	<i>Asarkina ericetorum</i> (Fabricius, 1781)?
Tephritidae	<i>Musca</i>	<i>scabiosae</i>	Fabricius	1794: Ent. Syst. IV: 361	<i>Tephritis?</i>
Fanniidae	<i>Musca</i>	<i>scalaris</i>	Fabricius	1794: Ent. Syst. IV: 332	<i>Fannia</i>
Syrphidae	<i>Syrphus</i>	<i>scalaris</i>	Fabricius	1794: Ent. Syst. IV: 308	<i>Melanostoma</i>
Lauxaniidae	<i>Scatophaga</i>	<i>scropharia</i>	Fabricius	1805: Syst. Antl.: 204	<i>?</i>
Syrphidae	<i>Milesia</i>	<i>scutellaris</i>	Fabricius	1805: Syst. Antl.: 190	<i>Palpada</i>
Muscidae	<i>Musca</i>	<i>scutellaris</i>	Fabricius	1805: Syst. Antl.: 293	<i>Scutellomusca</i>
Syrphidae	<i>Scaeva</i>	<i>scutellaris</i>	Fabricius	1805: Syst. Antl.: 252	<i>Ischiodon</i>
Psilidae	<i>Sargus</i>	<i>scutellatus</i>	Fabricius	1798: Ent. Syst. Suppl.: 567	<i>Chyliza leptogaster</i> (Panzer, 1798)
Calliphoridae	<i>Musca</i>	<i>segmentaria</i>	Fabricius	1805: Syst. Antl.: 292	<i>Hemilucilia nubipennis</i> (Rondani, 1848)
Platystomatidae	<i>Musca</i>	<i>seminationis</i>	Fabricius	1775: Syst. Ent.: 786	<i>Platystoma</i>
Syrphidae	<i>Syrphus</i>	<i>semirufus</i>	Fabricius	1794: Ent. Syst. IV: 301	<i>Blera fallax</i> (Linnaeus, 1758)
Therevidae	<i>Biblio</i>	<i>senilis</i>	Fabricius	1805: Syst. Antl.: 68	<i>Penniverpa lyneborghi</i> Irwin & Webb, 1992
Bombyliidae	<i>Bombylius</i>	<i>senilis</i>	Fabricius	1794: Ent. Syst. IV: 411	<i>Geron</i>
Scenopinidae	<i>Musca</i>	<i>senilis</i>	Fabricius	1794: Ent. Syst. IV: 331	<i>Scenopinus fenestralis</i> (Linnaeus, 1758)
Tabanidae	<i>Tabanus</i>	<i>sepulcralis</i>	Fabricius	1794: Ent. Syst. IV: 374	<i>Chrysops</i>
Syrphidae	<i>Mulio</i>	<i>serratus</i>	Fabricius	1805: Syst. Antl.: 186	<i>Paragus</i>
Asilidae	<i>Laphria</i>	<i>serripes</i>	Fabricius	1805: Syst. Antl.: 159	<i>Hoplistomerus</i>
Stratiomyidae	<i>Stratiomys</i>	<i>sexdentata</i>	Fabricius	1781: Sp.Ins.II: 418	<i>Beris chalybata</i> (Forster, 1771)
Sarcophagidae	<i>Musca</i>	<i>sexpunctata</i>	Fabricius	1805: Syst. Antl.: 300	<i>Pierretia</i>
Tipulidae	<i>Tipula</i>	<i>sexpunctata</i>	Fabricius	1781: Sp.Ins.II: 405	<i>Limonia nigropunctata</i> (Schummel, 1829)?
Tachinidae	<i>Stomoxys</i>	<i>siberita</i>	Fabricius	1775: Syst. Ent.: 798	<i>Prosenia</i>

Tachinidae	<i>Ocyptera</i>	<i>simillima</i>	Fabricius	1805: Syst. Antl.: 313	<i>Cylindrophasia</i>
Bombyliidae	<i>Anthrax</i>	<i>simson</i>	Fabricius	1805: Syst. Antl.: 119	<i>none</i>
Tipulidae	<i>Tipula</i>	<i>sinuata</i>	Fabricius	1775: Syst. Ent.: 748	<i>Tipula maxima</i> Poda, 1761
Bombyliidae	<i>Anthrax</i>	<i>sisyphus</i>	Fabricius	1805: Syst. Antl.: 125	?
Sciomyzidae	<i>Syrphus</i>	<i>sphegeus</i>	Fabricius	1775: Syst. Ent.: 768	<i>Sepedon</i>
Bombyliidae	<i>Bibio</i>	<i>sphinx</i>	Fabricius	1787: Man. Ins. II: 329	<i>Ligyra</i>
Asilidae	<i>Laphria</i>	<i>spinipes</i>	Fabricius	1805: Syst. Antl.: 162	<i>Lampria</i>
Syrphidae	<i>Syrphus</i>	<i>spinipes</i>	Fabricius	1794: Ent. Syst. IV: 296	<i>Merodon</i>
Stratiomyidae	<i>Stratiomys</i>	<i>splendens</i>	Fabricius	1787: Man. Ins. II: 330	<i>Pycnomalla</i>
Stratiomyidae	<i>Scaeva</i>	<i>staminea</i>	Fabricius	1805: Syst. Antl.: 253	<i>Merosargus</i>
Platystomatidae	<i>Dictya</i>	<i>stictica</i>	Fabricius	1805: Syst. Antl.: 327	<i>Peltacanthina</i>
Sciomyzidae	<i>Scatophaga</i>	<i>stictica</i>	Fabricius	1805: Syst. Antl.: 206	<i>Euthycera</i>
Chironomidae	<i>Tipula</i>	<i>stictica</i>	Fabricius	1781: Sp.Ins.II: 407	<i>Stictochironomus</i>
Dolichopodidae	<i>Dolichopus</i>	<i>stigma</i>	Fabricius	1805: Syst. Antl.: 268	<i>Condylostylus</i>
Ulidiidae	<i>Musca</i>	<i>stigma</i>	Fabricius	1798: Ent. Syst. Suppl.: 563	<i>Notogramma</i>
Tabanidae	<i>Tabanus</i>	<i>stigma</i>	Fabricius	1805: Syst. Antl.: 104	<i>Stenotabanus</i>
Asilidae	<i>Dioctria</i>	<i>stigmatizans</i>	Fabricius	1805: Syst. Antl.: 152	?
Sarcophagidae	<i>Musca</i>	<i>striata</i>	Fabricius	1794: Ent. Syst. IV: 315	<i>Ravinia pernix</i> (Harris, 1780)
Tipulidae	<i>Tipula</i>	<i>striata</i>	Fabricius	1794: Ent. Syst. IV: 238	<i>Hexatoma bicolor</i> (Meigen, 1818)!
Tabanidae	<i>Tabanus</i>	<i>striatus</i>	Fabricius	1787: Man. Ins. II: 356	<i>none</i>
Therevidae	<i>Bibio</i>	<i>strigata</i>	Fabricius	1794: Ent. Syst. IV: 255	<i>Thereva</i>
Stratiomyidae	<i>Stratiomys</i>	<i>strigata</i>	Fabricius	1781: Sp.Ins.II: 417	<i>Stratiomys longicornis</i> (Scopoli, 1763)
Anthomyiidae	<i>Musca</i>	<i>strigosa</i>	Fabricius	1794: Ent. Syst. IV: 322	<i>Hylemya vagans</i> (Panzer, 1798)
Chloropidae	<i>Musca</i>	<i>strigula</i>	Fabricius	1794: Ent. Syst. IV: 334	<i>Chlorops</i>
Asilidae	<i>Dasyypogon</i>	<i>striola</i>	Fabricius	1805: Syst. Antl.: 172	<i>Triorla</i>
Tephritidae	<i>Tephritis</i>	<i>striola</i>	Fabricius	1805: Syst. Antl.: 318	?
Calliphoridae	<i>Musca</i>	<i>stygia</i>	Fabricius	1781: Sp.Ins.II: 438	<i>Calliphora</i>
Conopidae	<i>Conops</i>	<i>stylata</i>	Fabricius	1805: Syst. Antl.: 177	<i>Stylogaster</i>
Tephritidae	<i>Musca</i>	<i>stylata</i>	Fabricius	1775: Syst. Ent.: 785	<i>Urophora</i>
Asilidae	<i>Asilus</i>	<i>stylatus</i>	Fabricius	1775: Syst. Ent.: 795	<i>Efferia</i>

Ephydridae	<i>Syrphus</i>	<i>subsultans</i>	Fabricius	1794: Ent. Syst. IV: 304	<i>Mosillus</i>
Scathophagidae	<i>Musca</i>	<i>suilla</i>	Fabricius	1794: Ent. Syst. IV: 343	<i>Scathophaga</i>
Asilidae	<i>Dasyopogon</i>	<i>suillus</i>	Fabricius	1805: Syst. Antl.: 168	<i>Neolophonotus</i>
Chironomidae	<i>Tipula</i>	<i>sylvestris</i>	Fabricius	1794: Ent. Syst. IV: 252	<i>Cricotopus</i>
Platystomatidae	<i>Musca</i>	<i>syngenesiae</i>	Fabricius	1781: Sp.Ins.II: 454	<i>Rivellia</i>
Bombyliidae	<i>Anthrax</i>	<i>syphax</i>	Fabricius	1798: Ent. Syst. Suppl.: 554	<i>Villa?</i>
Sarcophagidae	<i>Musca</i>	<i>tabaniformis</i>	Fabricius	1805: Syst. Antl.: 302	<i>Craticulina</i>
Bombyliidae	<i>Anthrax</i>	<i>tantalus</i>	Fabricius	1794: Ent. Syst. IV: 260	<i>Ligyra</i>
Chironomidae	<i>Tipula</i>	<i>tendens</i>	Fabricius	1775: Syst. Ent.: 752	<i>Endochironomus</i>
Chironomidae	<i>Chironomus</i>	<i>tentans</i>	Fabricius	1805: Syst. Antl.: 38	<i>none</i>
Empididae	<i>Empis</i>	<i>tessellata</i>	Fabricius	1794: Ent. Syst. IV: 405	<i>none</i>
Sarcophagidae	<i>Musca</i>	<i>tessellata</i>	Fabricius	1805: Syst. Antl.: 285	<i>Euboettcheria australis</i> Townsend, 1927
Tachinidae	<i>Musca</i>	<i>tessellata</i>	Fabricius	1794: Ent. Syst. IV: 324	<i>Tachina tessella</i> (Turton, 1801)?
Muscidae	<i>Stomoxys</i>	<i>tessellata</i>	Fabricius	1794: Ent. Syst. IV: 395	<i>Stomoxys calcitrans</i> (Linnaeus, 1758)
Micropezidae	<i>Calobata</i>	<i>testacea</i>	Fabricius	1805: Syst. Antl.: 261	<i>Poecilotylus</i>
Empididae	<i>Empis</i>	<i>testacea</i>	Fabricius	1805: Syst. Antl.: 141	<i>none</i>
Muscidae	<i>Musca</i>	<i>testacea</i>	Fabricius	1781: Sp.Ins.II: 440	<i>Phaonia rufiventris</i> (Scopoli, 1763)
Xylophagidae	<i>Stratiomys</i>	<i>testacea</i>	Fabricius	1787: Man. Ins. II: 330	<i>Coenomyia ferruginea</i> (Scopoli, 1763)?
Asilidae	<i>Dasyopogon</i>	<i>testaceus</i>	Fabricius	1805: Syst. Antl.: 167	<i>Plesiomma</i>
Stratiomyidae	<i>Sargus</i>	<i>testaceus</i>	Fabricius	1805: Syst. Antl.: 257	<i>Ptecticus</i>
Bombyliidae	<i>Anthrax</i>	<i>thomae</i>	Fabricius	1805: Syst. Antl.: 125	<i>Exoprosopa</i>
Bibionidae	<i>Laphria</i>	<i>thoracica</i>	Fabricius	1805: Syst. Antl.: 163	<i>Plecia collaris</i> (Fabricius, 1805)
Stratiomyidae	<i>Stratiomys</i>	<i>thoracica</i>	Fabricius	1805: Syst. Antl.: 79	<i>Stratiomys longicornis</i> (Scopoli, 1763)
Bombyliidae	<i>Bombylius</i>	<i>thoracicus</i>	Fabricius	1805: Syst. Antl.: 130	<i>none</i>
Asilidae	<i>Asilus</i>	<i>tibialis</i>	Fabricius	1794: Ent. Syst. IV: 383	<i>Pamponerus germanicus</i> (Linnaeus, 1758)
Conopidae	<i>Myopa</i>	<i>tibialis</i>	Fabricius	1805: Syst. Antl.: 182	<i>Zodion cinereum</i> (Fabricius, 1794)
Tabanidae	<i>Tabanus</i>	<i>tibialis</i>	Fabricius	1805: Syst. Antl.: 102	<i>Selasoma</i>
Muscidae	<i>Musca</i>	<i>tigrina</i>	Fabricius	1775: Syst. Ent.: 779	<i>Coenosia</i>
Stratiomyidae	<i>Stratiomys</i>	<i>tigrina</i>	Fabricius	1775: Syst. Ent.: 760	<i>Odontomyia</i>
Athericidae	<i>Anthrax</i>	<i>titanus</i>	Fabricius	1798: Ent. Syst. Suppl.: 554	<i>Atherix ibis</i> (Fabricius, 1798)

Tabanidae	<i>Tabanus</i>	<i>t-nigrum</i>	Fabricius	1805: Syst. Antl.: 101	<i>Dichelacera</i>
Rhagionidae	<i>Rhagio</i>	<i>tomentosus</i>	Fabricius	1794: Ent. Syst. IV: 275	<i>Chrysopilus auratus (Fabricius, 1805)</i>
Tachinidae	<i>Musca</i>	<i>tricincta</i>	Fabricius	1805: Syst. Antl.: 301	<i>Comatacta</i>
Syrphidae	<i>Syrphus</i>	<i>tricolor</i>	Fabricius	1798: Ent. Syst. Suppl.: 563	<i>Eumerus</i>
Asilidae	<i>Dasyopogon</i>	<i>tridentatus</i>	Fabricius	1805: Syst. Antl.: 167	?
Syrphidae	<i>Syrphus</i>	<i>trilineatus</i>	Fabricius	1775: Syst. Ent.: 766	<i>Helophilus seelandicus (Gmelin, 1790)</i>
Richardiidae	<i>Scatophaga</i>	<i>trimaculata</i>	Fabricius	1805: Syst. Antl.: 208	<i>Richardiodes</i>
Tipulidae	<i>Tipula</i>	<i>tripunctata</i>	Fabricius	1781: Sp.Ins.II: 405	<i>Limonia phragmitidis (Schrank, 1781)</i>
Syrphidae	<i>Syrphus</i>	<i>tristis</i>	Fabricius	1794: Ent. Syst. IV: 303	<i>Eristalinus sepulchralis (Linnaeus, 1758)</i>
Tabanidae	<i>Tabanus</i>	<i>tristis</i>	Fabricius	1798: Ent. Syst. Suppl.: 567	<i>Chrysops</i>
Syrphidae	<i>Eristalis</i>	<i>trivittatus</i>	Fabricius	1805: Syst. Antl.: 235	<i>Helophilus parallelus (Harris, 1776)</i>
Tabanidae	<i>Tabanus</i>	<i>trivittatus</i>	Fabricius	1805: Syst. Antl.: 104	<i>none</i>
Bombyliidae	<i>Biblio</i>	<i>trogloodyta</i>	Fabricius	1775: Syst. Ent.: 759	<i>Villa</i>
Tipulidae	<i>Tipula</i>	<i>turcica</i>	Fabricius	1787: Man. Ins. II: 322	<i>Prionocera</i>
Tephritidae	<i>Musca</i>	<i>tussilaginis</i>	Fabricius	1775: Syst. Ent.: 787	<i>Terellia</i>
Syrphidae	<i>Syrphus</i>	<i>tympanitis</i>	Fabricius	1805: Syst. Antl.: 226	<i>Copestylum</i>
Palloptheridae	<i>Musca</i>	<i>umbellatarum</i>	Fabricius	1775: Syst. Ent.: 785	<i>Pallopthera</i>
Syrphidae	<i>Syrphus</i>	<i>umbellatarum</i>	Fabricius	1794: Ent. Syst. IV: 307	<i>Melangyna</i>
Chloropidae	<i>Musca</i>	<i>umbraculata</i>	Fabricius	1794: Ent. Syst. IV: 348	<i>Platycephala</i>
Muscidae	<i>Musca</i>	<i>umbraculata</i>	Fabricius	1805: Syst. Antl.: 294	<i>Musca domestica Linnaeus, 1758</i>
Tephritidae	<i>Dacus</i>	<i>umbrosus</i>	Fabricius	1805: Syst. Antl.: 274	<i>none</i>
Tachinidae	<i>Dictya</i>	<i>uncana</i>	Fabricius	1805: Syst. Antl.: 330	<i>Oestrophasiana</i>
Micropezidae	<i>Calobata</i>	<i>unifasciata</i>	Fabricius	1805: Syst. Antl.: 262	<i>Grallipeza</i>
Syrphidae	<i>Syrphus</i>	<i>vacuus</i>	Fabricius	1775: Syst. Ent.: 763	<i>Copestylum</i>
Rhagionidae	<i>Rhagio</i>	<i>vanellus</i>	Fabricius	1794: Ent. Syst. IV: 272	<i>Rhagio tringarius (Linnaeus, 1758)</i>
Tachinidae	<i>Musca</i>	<i>varia</i>	Fabricius	1794: Ent. Syst. IV: 327	<i>Cuphocera javana (Wiedemann, 1819)</i>
Chironomidae	<i>Tipula</i>	<i>varia</i>	Fabricius	1787: Man. Ins. II: 325	<i>Psectrotanypus</i>
Calliphoridae	<i>Musca</i>	<i>varicolor</i>	Fabricius	1805: Syst. Antl.: 296	<i>Bengalia</i>
Tabanidae	<i>Haematopota</i>	<i>variegata</i>	Fabricius	1805: Syst. Antl.: 109	<i>Silvius</i>
Tabanidae	<i>Pangonia</i>	<i>variegata</i>	Fabricius	1805: Syst. Antl.: 92	<i>none</i>

Tachinidae	<i>Stomoxys</i>	<i>variegata</i>	Fabricius	1805: Syst. Antl.: 281	<i>Comotacta</i>
Tabanidae	<i>Tabanus</i>	<i>variegatus</i>	Fabricius	1805: Syst. Antl.: 95	<i>Tabanus sulcifrons</i> Macquart, 1855
Bombyliidae	<i>Bombylius</i>	<i>varius</i>	Fabricius	1805: Syst. Antl.: 132	<i>none</i>
Tachinidae	<i>Musca</i>	<i>venatoria</i>	Fabricius	1805: Syst. Antl.: 285	<i>Scotiptera</i>
Chamaemyiidae	<i>Musca</i>	<i>verna</i>	Fabricius	1794: Ent. Syst. IV: 330	<i>Chamaemyia</i> sp.!
Bombyliidae	<i>Bombylius</i>	<i>versicolor</i>	Fabricius	1805: Syst. Antl.: 131	<i>Bombylius?</i>
Bombyliidae	<i>Bombylius</i>	<i>versicolor</i>	Fabricius	1787: Man. Ins. II: 367	<i>Usia</i>
Tipulidae	<i>Tipula</i>	<i>verticillata</i>	Fabricius	1794: Ent. Syst. IV: 237	<i>Nigrotipula nigra</i> (Linnaeus, 1758)
Empididae	<i>Syrphus</i>	<i>vesiculosus</i>	Fabricius	1794: Ent. Syst. IV: 299	<i>Brachystoma</i>
Syrphidae	<i>Syrphus</i>	<i>vesiculosus</i>	Fabricius	1805: Syst. Antl.: 226	<i>Copestylum neotropicum</i> Thompson, 1976
Stratiomyidae	<i>Sargus</i>	<i>vespertilio</i>	Fabricius	1805: Syst. Antl.: 259	<i>Chrysochlorina</i>
Calliphoridae	<i>Musca</i>	<i>vespillo</i>	Fabricius	1794: Ent. Syst. IV: 318	<i>Bellardia</i>
Syrphidae	<i>Merodon</i>	<i>viaticus</i>	Fabricius	1805: Syst. Antl.: 197	<i>Merodon spinipes</i> (Fabricius, 1794)
Tabanidae	<i>Tabanus</i>	<i>viduatus</i>	Fabricius	1794: Ent. Syst. IV: 374	<i>Chrysops</i>
Syrphidae	<i>Syrphus</i>	<i>vinctorum</i>	Fabricius	1798: Ent. Syst. Suppl.: 562	<i>Palpada</i>
Calliphoridae	<i>Musca</i>	<i>violacea</i>	Fabricius	1805: Syst. Antl.: 288	<i>Chloroprocta idioidea</i> (Robineau-Desvoidy, 1830)
Asilidae	<i>Asilus</i>	<i>violaceus</i>	Fabricius	1777: Gen. Ins.: 308	<i>Andrenosoma</i>
Syrphidae	<i>Mulio</i>	<i>virens</i>	Fabricius	1805: Syst. Antl.: 186	<i>Pipizella</i>
Bombyliidae	<i>Bombylius</i>	<i>virescens</i>	Fabricius	1787: Man. Ins. II: 366	<i>Conophorus</i>
Stratiomyidae	<i>Stratiomys</i>	<i>viridula</i>	Fabricius	1775: Syst. Ent.: 760	<i>Oplodontha</i>
Conopidae	<i>Conops</i>	<i>vittata</i>	Fabricius	1794: Ent. Syst. IV: 392	<i>Physocephala</i>
Tabanidae	<i>Tabanus</i>	<i>vittatus</i>	Fabricius	1794: Ent. Syst. IV: 371	<i>Hybomitra</i>
Oestridae	<i>Oestrus</i>	<i>vituli</i>	Fabricius	1794: Ent. Syst. IV: 231	<i>Gasterophilus pecorum</i> (Fabricius, 1794)
Tabanidae	<i>Tabanus</i>	<i>vituli</i>	Fabricius	1805: Syst. Antl.: 97	<i>Silvius alpinus</i> (Scopoli, 1763)
Tachinidae	<i>Musca</i>	<i>volvulus</i>	Fabricius	1794: Ent. Syst. IV: 328	<i>Phyllomya</i>
Syrphidae	<i>Syrphus</i>	<i>volvulus</i>	Fabricius	1794: Ent. Syst. IV: 295	<i>Chalcosyrphus valgus</i> (Gmelin, 1790)
Muscidae	<i>Musca</i>	<i>vulpina</i>	Fabricius	1775: Syst. Ent.: 776	<i>Graphomya maculata</i> (Scopoli, 1763)
Chironomidae	<i>Tipula</i>	<i>zonata</i>	Fabricius	1775: Syst. Ent.: 753	<i>Psectrotanypus varius</i> (Fabricius, 1787)?
Syrphidae	<i>Syrphus</i>	<i>zonatus</i>	Fabricius	1787: Man. Ins. II: 337	<i>Phytomia</i>