

List of Wiedemann material in the Diptera collection of the Natural History Museum of Denmark, University of Copenhagen

Ordered alphabetically after species name.

Not all material in collection is necessarily type material.

Present family	Original genus	Species Name	Author	Original description	Present name/combination
Hybotidae	<i>Tachydromia</i>	<i>abdominalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 12	unplaced
Tanypezidae	<i>Tanypeza</i>	<i>abdominalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 529	?
Asilidae	<i>Dasypogon</i>	<i>aberrans</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 223	<i>Diogmites</i>
Tachinidae	<i>Tachina</i>	<i>abrupta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 293	<i>Bombyliopsis</i>
Bombyliidae	<i>Anthrax</i>	<i>absalon</i>	Wiedemann	1824: Analecta Ent.: 24	<i>Thyridanthrax</i>
Tachinidae	<i>Musca</i>	<i>acromion</i>	Wiedemann	1824: Analecta Ent.: 47	<i>Cholomyia</i>
Tipulidae?	<i>Limnobia</i>	<i>acrostacta</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 14	none
Tephritidae	<i>Trypeta</i>	<i>acrostacta</i>	Wiedemann	1824: Analecta Ent.: 54	<i>Platensina</i>
Syrphidae	<i>Syrphus</i>	<i>adligatus</i>	Wiedemann	1824: Analecta Ent.: 35	<i>Betasyrphus</i>
Muscidae	<i>Musca</i>	<i>adumbrata</i>	Wiedemann	1824: Analecta Ent.: 48	<i>Graphomya</i>
Muscidae	<i>Anthomyia</i>	<i>aenescens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 435	<i>Ophyra</i>
Sciomyzidae	<i>Sepedon</i>	<i>aenescens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 579	<i>Sepedon spegea</i> (Fabricius, 1775)
Stratiomyiidae	<i>Sargus</i>	<i>affinis</i>	Wiedemann	1824: Analecta Ent.: 31	<i>Microchrysa flaviventris</i> (Wiedemann, 1824)
Sarcophagidae	<i>Musca</i>	<i>africa</i>	Wiedemann	1824: Analecta Ent.: 49	<i>Sarcophaga</i>
Asilidae	<i>Asilus</i>	<i>agilis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 456	<i>Machimus</i>
Asilidae	<i>Asilus</i>	<i>agnitus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 35	<i>Philodicus</i>
Tachinidae	<i>Tachina</i>	<i>alacris</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 303	<i>Exorista xanthaspis</i> (Wiedemann, 1830)
Tabanidae	<i>Tabanus</i>	<i>albibarbis</i>	Wiedemann	1824: Analecta Ent.: 21	<i>Tabanus pelucidus</i> Fabricius, 1805
Calliphoridae	<i>Musca</i>	<i>albiceps</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 38	<i>Chrysomya</i>
Muscidae	<i>Musca</i>	<i>albina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 415	none
Therevidae	<i>Thereva</i>	<i>albina</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 3	<i>Irwiniella</i>
Lauxaniidae	<i>Lauxania</i>	<i>albipes</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 661	?
Microppezidae	<i>Calobata</i>	<i>albitarsis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 19	<i>Mimegralla</i>
Lauxaniidae	<i>Notiphila</i>	<i>albiventris</i>	Wiedemann	1824: Analecta Ent.: 58	<i>Minettia</i>
Asilidae	<i>Dioctria</i>	<i>albonotatus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 181	?
Asilidae	<i>Ommatius</i>	<i>albo-vittatus</i>	Wiedemann	1824: Analecta Ent.:25	?

Sarcophagidae?	<i>Sarcophaga</i>	<i>amata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 367	?
Calliphoridae	<i>Idia</i>	<i>anchora</i>	Wiedemann	1824: Analecta Ent.: 50	<i>Perisiella</i>
Bombyliidae	<i>Bombylius</i>	<i>anomalus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 174	<i>Adelidea</i>
Tipulidae	<i>Tipula</i>	<i>antennata</i>	Wiedemann	1820: Diptera Exotica [Ed. 1] Sect. I: 28	<i>Nephrotoma</i>
Bombyliidae	<i>Tomomyza</i>	<i>anthracoides</i>	Wiedemann	1820: Nova Dipt. Gen.: 9	none
Bombyliidae	<i>Anthrax</i>	<i>apicalis</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 76	<i>Pterobates</i>
Asilidae	<i>Dasypogon</i>	<i>apicalis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 216	<i>Microstylum</i>
Tipulidae	<i>Limnobia</i>	<i>apicalis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1 : 551	<i>Limonia</i>
Psilidae	<i>Psila</i>	<i>apicalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 527	none
Dolichopodidae	<i>Psilopus</i>	<i>apicalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 227	<i>Chrysosoma leucopogon</i> (Wiedemann, 1824)
Tanypezidae	<i>Tanypeza</i>	<i>apicalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 529	?
Tipulidae	<i>Ctenophora</i>	<i>ardens</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 20	none
Tabanidae	<i>Tabanus</i>	<i>ardens</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 78	none
Bombyliidae	<i>Bombylius</i>	<i>argyropygus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 173	<i>Bombylisoma</i>
Platystomatidae	<i>Platystoma</i>	<i>asphaltina</i>	Wiedemann	1824: Analecta Ent.:56	<i>Palpomya</i>
Muscidae	<i>Lispe</i>	<i>assimilis</i>	Wiedemann	1824: Analecta Ent.: 51	none
Tachinidae	<i>Melanophora</i>	<i>atrifrons</i>	Wiedemann	1824: Analecta Ent.: 46	?
Asilidae	<i>Dasypogon</i>	<i>aulicus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 379	<i>Neolaparus</i>
Syrphidae	<i>Eumerus</i>	<i>aurifrons</i>	Wiedemann	1824: Analecta Ent.: 32	none
Syrphidae	<i>Eristalis</i>	<i>aurulans</i>	Wiedemann	1824: Analecta Ent.: 37	<i>Eristalinus</i>
Tipulidae	<i>Limnobia</i>	<i>basilaris</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 15	<i>Hexatoma</i>
Platystomatidae	<i>Trypeta</i>	<i>basilaris</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 510	<i>Rivellia</i>
Syrphidae	<i>Eristalis</i>	<i>bengalensis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 16	<i>Mesembrius</i>
Asilidae	<i>Laphria</i>	<i>bengalensis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 237	<i>Laxenecera</i>
Muscidae	<i>Anthomyia</i>	<i>bibax</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 431	<i>Dichaetomyia</i>
Tipulidae	<i>Limnobia</i>	<i>bibula</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 552	<i>Gonomyia</i>
Bombyliidae	<i>Bombylius</i>	<i>bicincta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 641	<i>Euprepina</i>
Bibionidae	<i>Dilophus</i>	<i>bicolor</i>	Wiedemann	1820: Diptera Exotica [Ed. 1] Sect. I: 34	<i>Dilophus</i>
Tachinidae	<i>Ocyptera</i>	<i>bicolor</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 37	<i>Cylindromyia wiedemanni</i> (Crosskey, 1976)
Sepsidae	<i>Sepsis</i>	<i>bicolor</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 468	<i>Dicranosepsis</i>
Tachinidae	<i>Gonia</i>	<i>bimaculata</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 25	none

Syrphidae	<i>Paragus</i>	<i>bimaculatus</i>	Wiedemann	1824: Analecta Ent.: 33	<i>Paragus strigatus</i> Meigen, 1822
Muscidae	<i>Anthomyia</i>	<i>bina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 426	<i>Myospila</i>
Acroceridae	<i>Cyrtus</i>	<i>bipunctatus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3):15	<i>Psilodera</i>
Stratiomyiidae	<i>Sargus</i>	<i>bispinosus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 32	<i>Hoplistes</i>
Stratiomyiid?	<i>Clitellaria</i>	<i>bivittata</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 6	<i>Clitellaria bilineata</i> (Fabricius, 1805)
Empididae	<i>Empis</i>	<i>bivittata</i>	Wiedemann	1824: Analecta Ent.: 28	none
Syrphidae	<i>Ascia</i>	<i>brachystoma</i>	Wiedemann	1824: Analecta Ent.: 33	<i>Indascia</i>
Syrphidae	<i>Graptomyza</i>	<i>brevirostris</i>	Wiedemann	1820: Nova Dipt. Gen.: 17	none
Nemestrinidae	<i>Nemestrina</i>	<i>brevirostris</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 156	<i>Moegistorhynchus</i>
Therevidae	<i>Xylophagus</i>	<i>brunneus</i>	Wiedemann	1824: Analecta Ent.: 19	<i>Phycus</i>
Rhagionidae	<i>Leptis</i>	<i>caduca</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 579	<i>Chrysopilus</i>
Bombyliidae	<i>Anthrax</i>	<i>caffer</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 81	<i>Thyridanthrax</i>
Asilidae	<i>Dasyopogon</i>	<i>caffer</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 394	unplaced
Muscidae	<i>Anthomyia</i>	<i>calens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 431	<i>Helina</i>
Platystomatidae	<i>Chyliza</i>	<i>calida</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 532	<i>Elassogaster</i>
Mydidae	<i>Midas</i>	<i>callosus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1 : 580	<i>Arenomydas</i>
Bombyliidae	<i>Anthrax</i>	<i>capensis</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 83	<i>Heteralonia</i>
Asilidae	<i>Damalis</i>	<i>capensis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 416	<i>Xenomyza heterocera</i> (Wiedemann, 1821)
Tabanidae	<i>Tabanus</i>	<i>capensis</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 41	<i>Limata</i>
Tephritidae	<i>Trypeta</i>	<i>capitata</i>	Wiedemann	1824: Analecta Ent.: 55	<i>Ceratitis</i>
Rhagionidae	<i>Leptis</i>	<i>capnoptera</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 580	unplaced
Dolichopodidae	<i>Psilopus</i>	<i>caudatus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 224	<i>Condylostylus</i>
Muscidae	<i>Anthomyia</i>	<i>chalcogaster</i>	Wiedemann	1824: Analecta Ent.: 52	<i>Ophyra</i>
Asilidae	<i>Asilus</i>	<i>chalcogaster</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 35	<i>Neolophonotus suillus</i> (Fabricius, 1805)
Stratiomyiidae	<i>Clitellaria</i>	<i>chalybea</i>	Wiedemann	1824: Analecta Ent.: 30	<i>Cyphomyia</i>
Dolichopodidae	<i>Chrysotus</i>	<i>chinensis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 212	unplaced
Tachinidae	<i>Gonia</i>	<i>chinensis</i>	Wiedemann	1824: Analecta Ent.: 47	<i>Turanogonia</i>
Ephydridae	<i>Notiphila</i>	<i>chinensis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 592	<i>Typopsilopa</i>
Tachinidae	<i>Dexia</i>	<i>chloee</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 383	?
Calliphoridae	<i>Musca</i>	<i>chloropyga</i>	Wiedemann	1818: Zool. Mag., Kiel 1(2): 44	<i>Chrysomya</i>
Syrphidae	<i>Eristalis</i>	<i>chrysopygus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 15	<i>Phytomia</i>

Syrphidae	<i>Eristalis</i>	<i>chrysostomus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 174	<i>Helophilus</i>
Lauxaniidae	<i>Helomyza</i>	<i>circumfusa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 588	<i>Homoneura</i>
Bombyliidae	<i>Corsomyza</i>	<i>clavicornis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 12	none
Tabanidae	<i>Haematopota</i>	<i>coarctata</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 578	<i>Acanthocera</i>
Calliphoridae	<i>Musca</i>	<i>coerulea</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 23	<i>Hemipyrellia liguriens</i> (Wiedemann, 1830)
Syrphidae	<i>Eristalis</i>	<i>cognatus</i>	Wiedemann	1824: Analecta Ent.: 37	<i>Eristalis tenax</i> (Linnaeus, 1758)
Hippoboscidae	<i>Ornithomyia</i>	<i>columbae</i>	Wiedemann	1824: Analecta Ent.: 60	<i>Ornithoetona plicata</i> (von Olfers, 1816)
Asilidae	<i>Asilus</i>	<i>comatus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 193	<i>Neolophonotus</i>
Psilidae	<i>Chyliza</i>	<i>compedita</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 531	unrecognized
Tipulidae?	<i>Ctenophora</i>	<i>compedita</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 21	none
Sepsidae	<i>Sepsis</i>	<i>complicata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 468	<i>Sepsis lateralis</i> Wiedemann, 1830
Tephritidae	<i>Sapromyza</i>	<i>conferta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 454	?
Syrphidae	<i>Syrphus</i>	<i>confrater</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 120	<i>Metasyrphus</i>
Chloropidae	<i>Chlorops</i>	<i>confusus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 597	<i>Thaumatomyia</i>
Syrphidae	<i>Syrphus</i>	<i>conjunctus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 116	<i>Ocyptamus</i>
Tachinidae	<i>Tachina</i>	<i>convergens</i>	Wiedemann	1824: Analecta Ent.: 43	<i>Sturmia</i>
Asilidae	<i>Dioctria</i>	<i>costalis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 6	<i>Scylaticus</i>
Tipulidae?	<i>Limnobia</i>	<i>costalis</i>	Wiedemann	1824: Analecta Ent.: 10	unplaced
Megamerinidae	<i>Sepsis</i>	<i>costalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 467	?
Therevidae	<i>Xestomyza</i>	<i>costalis</i>	Wiedemann	1824: Analecta Ent.: 24	<i>Salentia</i>
Tabanidae	<i>Tabanus</i>	<i>crassicornis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 71	<i>Tabanus pelucidus</i> Fabricius, 1805
Dolichopodidae	<i>Dolichopus</i>	<i>crnicornis</i>	Wiedemann	1824: Analecta Ent.: 39	<i>Megistostylus longicornis</i> (Fabricius, 1775)
Tachinidae	<i>Tachina</i>	<i>cruciata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 325	<i>Nemorilla</i>
Chironomidae	<i>Tanypus</i>	<i>crux</i>	Wiedemann	1824: Analecta Ent.: 1	<i>Clinotanypus</i>
Calliphoridae	<i>Musca</i>	<i>cuprina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 654	<i>Phaenicia</i>
Asilidae	<i>Dasypogon</i>	<i>curtus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 6	<i>Sisyrodetees</i>
Diopsidae	<i>Diopsis</i>	<i>dalmanni</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 560	<i>Cyrtodiopsis</i>
Syrphidae	<i>Eristalis</i>	<i>dasyops</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 18	<i>Mallota</i>
Tachinidae	<i>Tachina</i>	<i>dasyops</i>	Wiedemann	1824: Analecta Ent.: 42	<i>Winthemia</i>
Bombyliidae	<i>Anthrax</i>	<i>dia</i>	Wiedemann	1824: Analecta Ent.: 23	<i>Villa</i>
Tachinidae	<i>Ocyptera</i>	<i>diabolus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 26	<i>Hermya</i>

Lauxaniidae	<i>Lauxania</i>	<i>diadema</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 661	unplaced
Ephydriidae?	<i>Notiphila</i>	<i>difficilis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 591	?
Bombyliidae	<i>Anthrax</i>	<i>diffusa</i>	Wiedemann	1824: Analecta Ent.: 23	none
Muscidae	<i>Lispe</i>	<i>dilatata</i>	Wiedemann	1824: Analecta Ent.: 51	<i>Lispe glabra</i> Wiedemann, 1824
Tachinidae	<i>Tachina</i>	<i>disjuncta</i>	Wiedemann	1824: Analecta Ent.: 45	<i>Microphthalma</i>
Tachinidae	<i>Tachina</i>	<i>distincta</i>	Wiedemann	1824: Analecta Ent.: 45	?
Asilidae	<i>Dasypogon</i>	<i>dorsalis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 413	?
Tabanidae	<i>Tabanus</i>	<i>dorsiger</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 83	none
Tabanidae	<i>Tabanus</i>	<i>dorsilinea</i>	Wiedemann	1824: Analecta Ent.: 22	<i>Tabanus striatus</i> (Fabricius, 1787)
Ephydriidae	<i>Notiphila</i>	<i>dorsopunctata</i>	Wiedemann	1824: Analecta Ent.: 58	none
Neriidae	<i>Nerius</i>	<i>duplicatus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 553	<i>Telostylinus</i>
Stratiomyiidae	<i>Stratiomys</i>	<i>edentula</i>	Wiedemann	1824: Analecta Ent.: 29	<i>Lasiopa</i>
Bombyliidae	<i>Anthrax</i>	<i>elegans</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 342	?
Stratiomyiidae	<i>Clitellaria</i>	<i>elongata</i>	Wiedemann	1824: Analecta Ent.: 30	<i>Acanthinomyia</i>
Tachinidae	<i>Tachina</i>	<i>errans</i>	Wiedemann	1824: Analecta Ent.: 44	<i>Eoacemyia</i>
Conopidae	<i>Conops</i>	<i>excisa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 234	<i>Pachyconops</i>
Muscidae	<i>Anthomyia</i>	<i>exigua</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 658	<i>Limnophora</i>
Empididae	<i>Empis</i>	<i>exotica</i>	Wiedemann	1824: Analecta Ent.: 28	none
Chloropidae	<i>Chlorops</i>	<i>extraneus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 596	none
Lauxaniidae	<i>Sapromyza</i>	<i>fallenii</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 455	<i>Homoneura</i>
Tachinidae	<i>Gonia</i>	<i>fasciata</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 25	none
Ephydriidae	<i>Notiphila</i>	<i>fasciata</i>	Wiedemann	1824: Analecta Ent.: 57	<i>Paralimna</i>
Tachinidae	<i>Tachina</i>	<i>fasciata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 337	<i>Prosopodopsis appendiculata</i> (de Meijere, 1910)
Tabanidae	<i>Chrysops</i>	<i>fasciatus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 103	none
Acroceridae	<i>Cyrtus</i>	<i>fasciatus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 14	<i>Psilodera</i>
Richardiidae	<i>Cephalia</i>	<i>fascipennis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 469	<i>Setellia</i>
Richardiidae	<i>Cephalia</i>	<i>femoralis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 469	<i>Setellia</i>
Rhagionidae	<i>Leptis</i>	<i>ferruginosa</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 4	none
Sciomyzidae	<i>Sepedon</i>	<i>ferruginosus</i>	Wiedemann	1824: Analecta Ent.: 56	none
Dolichopodidae	<i>Psilopus</i>	<i>flavicornis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 227	<i>Chrysosoma</i>
Lauxaniid	<i>Lauxania</i>	<i>flavida</i>	Wiedemann	1824: Analecta Ent.: \$	Pachyopella

Tabanidae	<i>Chrysops</i>	<i>flavidus</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 55	none
Tachinidae	<i>Stomoxys</i>	<i>flavipennis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 20	<i>Prosenia siberita</i> (Fabricius, 1775)
Tachinidae	<i>Tachina</i>	<i>flavipennis</i>	Wiedemann	1824: Analecta Ent.: 44	<i>Sumpigaster</i>
Asilidae	<i>Laphria</i>	<i>flavipes</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 238	none
Tabanidae	<i>Tabanus</i>	<i>flavipes</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 137	<i>Hybomitra aequincta</i> (Becker, 1900)
Stratiomyiidae	<i>Sargus</i>	<i>flaviventris</i>	Wiedemann	1824: Analecta Ent.: 31	none
Muscidae	<i>Anthomyia</i>	<i>flexa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 434	<i>Gymnodia</i>
Tachinidae	<i>Trichopoda</i>	<i>formosa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 268	<i>Trichopoda lanipes</i> (Fabricius, 1805)
Asilidae	<i>Asilus</i>	<i>fraternus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 33	<i>Philodicus</i>
Asilidae	<i>Ommatius</i>	<i>fulvidus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 214	<i>Cophinopoda chinensis</i> (Fabricius, 1794)
Tabanidae	<i>Pangonia</i>	<i>fulvithorax</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 52	<i>Fidena</i>
Bombyliidae	<i>Anthrax</i>	<i>fulvo-hirta</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 99	<i>Chrysanthrax cypris</i> (Meigen, 1820)
Bombyliidae	<i>Bombylius</i>	<i>fulvonotatus</i>	Wiedemann	1818: Zool. Mag., Kiel 1(2): 41	<i>Bombomyia</i>
Bombyliidae	<i>Anthrax</i>	<i>fulvula</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 148	<i>Petrorossia</i>
Tabanidae	<i>Rhinomyza</i>	<i>fusca</i>	Wiedemann	1820: Nova Dipt. Gen.: 8	<i>Rhinomyza</i>
Tipulidae?	<i>Megistocera</i>	<i>fuscana</i>	Wiedemann	1820: Diptera Exotica [Ed. 1] Sect. I: 29	spp. of <i>Megistocera filipes</i> (Fabricius)
Tephritidae	<i>Dacus</i>	<i>fuscatus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 28	none
Asilidae	<i>Dasyopogon</i>	<i>fuscipennis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 227	?
Dolichopodidae	<i>Dolichopus</i>	<i>fuscipennis</i>	Wiedemann	1824: Analecta Ent.: 40	unplaced
Tachinidae	<i>Ocyptera</i>	<i>fuscipennis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 26	<i>Cylindromyia</i>
Neriidae	<i>Nerius</i>	<i>fuscus</i>	Wiedemann	1824: Analecta Ent.: 15	<i>Gymnonerius</i>
Muscidae	<i>Anthomyia</i>	<i>gemina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 436	<i>Cyrtoneurina</i>
Ceratopogonidae	<i>Macropeza</i>	<i>gibbosa</i>	Wiedemann	1824: Analecta Ent.: 10	<i>Calyptopogon</i>
Tachinidae	<i>Stomoxys</i>	<i>gigantea</i>	Wiedemann	1824: Analecta Ent.: 41	<i>Billaea</i>
Mydidae	<i>Midas</i>	<i>giganteus</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 66	?
Asilidae	<i>Dasyopogon</i>	<i>gigas</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 216	<i>Microstylum</i>
Lonchaeidae	<i>Lonchaea</i>	<i>glaberrima</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 475	?
Muscidae	<i>Lispe</i>	<i>glabra</i>	Wiedemann	1824: Analecta Ent.: 50	none
Muscidae	<i>Anthomyia</i>	<i>gracilis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 432	<i>Ophyra chalcogaster</i> Wiedemann 1824
Lauxaniidae	<i>Sapromyza</i>	<i>grata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 456	?
Asilidae	<i>Asilus</i>	<i>griseus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 192	<i>Astochia</i>

Asilidae	<i>Asilus</i>	<i>guineensis</i>	Wiedemann	1824: Analecta Ent.:25	<i>Promachus</i>
Tabanidae	<i>Tabanus</i>	<i>guineensis</i>	Wiedemann	1824: Analecta Ent.: 21	none
Asilidae	<i>Dasypogon</i>	<i>guttula</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 28	<i>Holopogon</i>
Stratiomyiidae	<i>Clitellaria</i>	<i>heminopla</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 30	<i>Adoxomyia</i>
Stratiomyiidae	<i>Clitellaria</i>	<i>heminopla</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 30	<i>Adoxomyia</i>
Bombyliidae	<i>Anthrax</i>	<i>heros</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 8	<i>Exoprosopa</i>
Bombyliidae	<i>Anthrax</i>	<i>hessii</i>	Wiedemann	1818: Zool. Mag., Kiel 1(2): 40	none
Empididae	<i>Empis</i>	<i>hirtipes</i>	Wiedemann	1824: Analecta Ent.: 28	none
Muscidae	<i>Musca</i>	<i>hortensia</i>	Wiedemann	1824: Analecta Ent.: 49	<i>Morellia</i>
Stratiomyiidae	<i>Sargus</i>	<i>hortulanus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 32	<i>Basentidema</i>
Asilidae	<i>Asilus</i>	<i>hospes</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 32	<i>Philodicus</i>
Asilidae	<i>Dasypogon</i>	<i>humeralis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 225	<i>Ancylorhynchus</i>
Muscidae	<i>Musca</i>	<i>humilis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 418	<i>Musca sorbens</i> Wiedemann, 1830)
Bombyliidae	<i>Anthrax</i>	<i>hyalina</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 141	<i>Villa</i>
Tachinidae	<i>Tachina</i>	<i>imbuta</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 36	<i>Lophosa</i>
Micropezidae	<i>Micropeza</i>	<i>incisa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 547	none
Tachinidae	<i>Trichopoda</i>	<i>inconstans</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 270	<i>Homogenia</i>
Ephydriidae	<i>Notiphila</i>	<i>indica</i>	Wiedemann	1824: Analecta Ent.: 58	<i>Actocetor</i>
Sepsidae	<i>Sepsis</i>	<i>indica</i>	Wiedemann	1824: Analecta Ent.: 57	none
Syrphidae	<i>Xylota</i>	<i>indica</i>	Wiedemann	1824: Analecta Ent.: 33	<i>Syritta</i>
Asilidae	<i>Asilus</i>	<i>infernalis</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 202	<i>Mallophora</i>
Tachinidae	<i>Tachina</i>	<i>innocens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 336	<i>Stomatomyia</i>
Syrphidae	<i>Syrphus</i>	<i>intersectus</i>	Wiedemann	1824: Analecta Ent.: 35	<i>Betasyrphus</i>
Tipulidae?	<i>Limnobia</i>	<i>irrorata</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 574	<i>Conosia</i>
Syrphidae	<i>Ceria</i>	<i>javana</i>	Wiedemann	1824: Analecta Ent.: 32	<i>Monoceromyia</i>
Tabanidae	<i>Haematopota</i>	<i>javana</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 100	none
Tachinidae	<i>Tachina</i>	<i>javana</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 24	<i>Cuphocera varia</i> (Fabricius, 1794)
Tipulidae?	<i>Tipula</i>	<i>javana</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 27	<i>Nephrotoma</i>
Bombyliidae	<i>Toxophora</i>	<i>javana</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 179	none
Asilidae	<i>Asilus</i>	<i>javanus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 4	<i>Philodicus</i>
Tephritidae	<i>Dacus</i>	<i>klugii</i>	Wiedemann	1824: Analecta Ent.: 125	<i>Callistomyia</i>

Muscidae	<i>Coenosia</i>	<i>laeta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 440	<i>Atherigona</i>
Muscidae	<i>Coenosia</i>	<i>laeta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 440	<i>Atherigona</i>
Asilidae	<i>Asilus</i>	<i>laetus</i>	Wiedemann	1824: Analecta Ent.:24	none
Syrphidae	<i>Eristalis</i>	<i>laetus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 192	<i>Eristalinus</i>
Sarcophagidae	<i>Sarcophaga</i>	<i>lambens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 365	<i>Sarcodexia</i>
culicid	<i>Culex</i>	<i>laniger</i>	Wiedemann	1820: Nova Dipt. Gen.: 9	<i>Aedes</i>
Bombyliidae	<i>Anthrax</i>	<i>lasia</i>	Wiedemann	1824: Analecta Ent.: 23	<i>Villa</i>
Sepsidae	<i>Sepsis</i>	<i>lateralis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 468	none
Muscidae	<i>Musca</i>	<i>latifrons</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 656	<i>Musca sorbens</i> Wiedemann, 1830
Muscidae	<i>Musca</i>	<i>lauta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 410	<i>Orthellia</i>
Muscidae	<i>Musca</i>	<i>leucomelas</i>	Wiedemann	1824: Analecta Ent.: 28	<i>Graphomya maculata</i> (Scopoli, 1763)
Micropezidae	<i>Calobata</i>	<i>leucopeza</i>	Wiedemann	1824: Analecta Ent.: 41	spp. of <i>Mimegralla albitarse</i> (Wiedemann, 1819)
Asilidae	<i>Ommatius</i>	<i>leucopogon</i>	Wiedemann	1824: Analecta Ent.: 25	none
Dolichopodidae	<i>Psilopus</i>	<i>leucopogon</i>	Wiedemann	1824: Analecta Ent.: 40	?
Muscidae	<i>Anthomyia</i>	<i>leucoprocta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 433	<i>Bithoracochaeta</i>
Muscidae	<i>Coenosia</i>	<i>leucospila</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 441	none
Lauxaniidae	<i>Sapromyza</i>	<i>levis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 456	<i>Homoneura</i>
Calliphoridae	<i>Musca</i>	<i>ligurriens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 655	<i>Hemipyrellia</i>
Tachinidae	<i>Tachina</i>	<i>lithanthrax</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 283	?
Platystomatidae	<i>Achias</i>	<i>lobularis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 555	<i>Achias</i>
Stratiomyiidae	<i>Sargus</i>	<i>longipennis</i>	Wiedemann	1824: Analecta Ent.: 31	<i>Ptecticus</i>
Bombyliidae	<i>Anthrax</i>	<i>longirostris</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 11	<i>Enica</i>
Syrphidae	<i>Graptomyza</i>	<i>longirostris</i>	Wiedemann	1820: Nova Dipt. Gen.: 16	none
Nemestrinidae	<i>Nemestrina</i>	<i>longirostris</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 13	<i>Moegistorhynchus</i>
Stratiomyiidae	<i>Nemotelus</i>	<i>longirostris</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 13	<i>Moegistorhynchus</i>
Tabanidae	<i>Chrysops</i>	<i>lugens</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 59	spp. of <i>Chrysops obsoletus</i> Wiedemann, 1821
Syrphidae	<i>Eristalis</i>	<i>lugens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 193	<i>Eristalis</i>
Syrphidae	<i>Eumerus</i>	<i>lugens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 113	?
Therevidae	<i>Xestomyza</i>	<i>lugubris</i>	Wiedemann	1820: Nova Dipt. Gen.:10	none
Muscidae	<i>Musca</i>	<i>lusoria</i>	Wiedemann	1824: Analecta Ent.: 47	none
Drosophilidae	<i>Ephydra</i>	<i>lutea</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 593	<i>Drosophila</i>

Tachinidae	<i>Trichopoda</i>	<i>luteipennis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 269	none
Scathophagidae	<i>Scathophaga</i>	<i>lutipes</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 448	<i>Scatophaga stercoraria</i> (Linnaeus, 1758)
Bombyliidae	<i>Systropus</i>	<i>macilentus</i>	Wiedemann	1820: Nova Dipt. Gen.: 19	none
Syrphidae	<i>Eumerus</i>	<i>macrocerus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 113	<i>Eumerus</i>
Dolichopodidae	<i>Psilopus</i>	<i>macula</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 219	<i>Sciapus</i>
Tephritidae	<i>Chyliza</i>	<i>macularis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 531	<i>Euphantra</i>
Muscidae	<i>Coenosia</i>	<i>macularis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 438	<i>Pygophora</i>
Nemestrinidae	<i>Nemestrina</i>	<i>macularis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1 : 581	<i>Prosoeca</i>
Tachinidae	<i>Tachina</i>	<i>macularis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 332	<i>Miltogramma</i>
Ephydriidae	<i>Homalura</i>	<i>maculipennis</i>	Wiedemann	1824: Analecta Ent.: 57	<i>Discomyza</i>
Bombyliidae	<i>Anthrax</i>	<i>maculosa</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 10	<i>Heteralonia</i>
Calliphoridae	<i>Idia</i>	<i>mandarina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 350	<i>Idiella</i>
Muscidae	<i>Lispe</i>	<i>manicata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 443	none
Calliphoridae	<i>Musca</i>	<i>marginalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 395	<i>Chrysomya regalis</i> Robineau-Desvoidy, 1830
Tachinidae	<i>Ocyptera</i>	<i>marginalis</i>	Wiedemann	1824: Analecta Ent.: 41	<i>Cylindromyia</i>
Muscidae	<i>Coenosia</i>	<i>marginata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 440	<i>Orchisia</i>
Muscidae	<i>Musca</i>	<i>mediana</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 657	<i>Musca sorbens</i> Wiedemann, 1830)
Tachinidae	<i>Dexia</i>	<i>melaleuca</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 369	?
Bibionidae	<i>Bibio</i>	<i>melanogaster</i>	Wiedemann	1820: Diptera Exotica [Ed. 1] Sect. I: 35	none
Asilidae	<i>Dasypogon</i>	<i>melanogaster</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 215	<i>Neodiogmites</i>
Asilidae	<i>Laphria</i>	<i>melanogaster</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 236	none
Tabanidae	<i>Pangonia</i>	<i>melanopyga</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 31	<i>Philoliche</i>
Calliphoridae	<i>Idia</i>	<i>melastoma</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 353	<i>Rhinia</i>
Tachinidae	<i>Tachina</i>	<i>mellea</i>	Wiedemann	1824: Analecta Ent.: 46	<i>Doddiana</i>
Lauxaniidae	<i>Sapromyza</i>	<i>mellina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 659	<i>Homoneura</i>
Bombyliidae	<i>Anthrax</i>	<i>merope</i>	Wiedemann	1824: Analecta Ent.:22	<i>Ligyra</i>
Bombyliidae	<i>Anthrax</i>	<i>merope</i>	Wiedemann	1824: Analecta Ent.:22	<i>Ligyra</i>
Muscidae	<i>Anthomyia</i>	<i>metallica</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 435	<i>Ophyra chalcogaster</i> (Wiedemann, 1824)
Stratiomyiidae	<i>Oxycera</i>	<i>metallica</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 60	<i>Nothomyia</i>
Tachinidae	<i>Tachina</i>	<i>metallica</i>	Wiedemann	1824: Analecta Ent.: 46	<i>Aplomya</i>
Bombyliidae	<i>Bombylius</i>	<i>mexicanus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 166	none

Asilidae	<i>Asilus</i>	<i>minos</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 478	<i>Mallophora</i>
Bombyliidae	<i>Bombylius</i>	<i>mixtus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 165	<i>Systoechus</i>
Tachinidae	<i>Tachina</i>	<i>molitor</i>	Wiedemann	1824: Analecta Ent.: 46	<i>Istoglossa</i>
Calliphoridae	<i>Musca</i>	<i>munda</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 398	<i>Isomyia viridaurea</i> (Wiedemann, 1819)
Tachinidae	<i>Tachina</i>	<i>munda</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 324	<i>Palexorista</i>
Bombyliidae	<i>Bombylius</i>	<i>mystax</i>	Wiedemann	1818: Zool. Mag., Kiel 1(2): 42	<i>Dischistus</i>
Tabanidae	<i>Tabanus</i>	<i>nanus</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 45	<i>Cydistomyia</i>
Syrphidae	<i>Syrphus</i>	<i>nectarinus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 128	<i>Episyrphus</i>
Asilidae	<i>Thereva</i>	<i>nigella</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 232	?
Syrphidae	<i>Eristalis</i>	<i>niger</i>	Wiedemann	1824: Analecta Ent.: 38	<i>Pseuderistalis</i>
Sciaridae	<i>Sciara</i>	<i>nigra</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. I: 44	<i>Phorodonta</i>
Asilidae	<i>Dasypogon</i>	<i>nigricauda</i>	Wiedemann	1824: Analecta Ent.: 26	<i>Microstylus</i>
Bombyliidae	<i>Corsomyza</i>	<i>nigripes</i>	Wiedemann	1820: Nova Dipt. Gen.: 15	none
Tabanidae	<i>Tabanus</i>	<i>nigripes</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 25	none
Conopidae	<i>Myopa</i>	<i>nigrita</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 246	none
Tachinidae	<i>Tachina</i>	<i>nigriventris</i>	Wiedemann	1824: Analecta Ent.: 43	<i>Aplomya metallica</i> (Wiedemann, 1824)
Sepsidae	<i>Sepsis</i>	<i>nitens</i>	Wiedemann	1824: Analecta Ent.: 57	none
Ulidiidae	<i>Ortalis</i>	<i>notata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 462	<i>Euxesta</i>
Therevidae	<i>Thereva</i>	<i>notata</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 64	<i>Ozodiceromyia</i>
Tachinidae	<i>Tachina</i>	<i>obesa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 282	<i>Jurinella</i>
Syrphidae	<i>Eristalis</i>	<i>obliquus</i>	Wiedemann	1824: Analecta Ent.: 38	<i>Eristalinus</i>
Calliphoridae	<i>Idia</i>	<i>obsoleta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 355	<i>Rhinia</i>
Tephritidae	<i>Trypeta</i>	<i>obsoleta</i>	Wiedemann	1824: Analecta Ent.: 53	<i>Xarnuta</i>
Syrphidae	<i>Eristalis</i>	<i>orientalis</i>	Wiedemann	1824: Analecta Ent.: 38	<i>Mallota</i>
Muscidae	<i>Lispe</i>	<i>orientalis</i>	Wiedemann	1824: Analecta Ent.: 51	none
Syrphidae	<i>Syrphus</i>	<i>orientalis</i>	Wiedemann	1824: Analecta Ent.: 36	<i>Melanostoma</i>
Tabanidae	<i>Tabanus</i>	<i>orientalis</i>	Wiedemann	1824: Analecta Ent.: 21	none
Tachinidae	<i>Tachina</i>	<i>orientalis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 333	none
Bombyliidae	<i>Bombylius</i>	<i>ornatus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 345	<i>Bombylella</i>
Tephritidae	<i>Tephritis</i>	<i>pallens</i>	Wiedemann	1824: Analecta Ent.: 54	<i>Terellia serratulae</i> (Linnaeus, 1758)
Muscidae	<i>Anthomyia</i>	<i>pantherina</i>	Wiedemann	1824: Analecta Ent.: 53	<i>Tetramerinx</i>

Stratiomyiidae	<i>Hermetia</i>	<i>pectoralis</i>	Wiedemann	1824: Analecta Ent.:19	none
Tipulidae	<i>Tipula</i>	<i>pedata</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 23	none
Asilidae	<i>Asilus</i>	<i>pellitus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 34	<i>Neolophonotus</i>
Bombyliidae	<i>Anthrax</i>	<i>pennipes</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 129	<i>Exoprosopa</i>
Bombyliidae	<i>Corsomyza</i>	<i>pennipes</i>	Wiedemann	1820: Nova Dipt. Gen.: 14	none
Bombyliidae	<i>Anthrax</i>	<i>perimele</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 583	<i>Villa</i>
Asilidae	<i>Asilus</i>	<i>perplexus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 495	<i>Philodicus javanus</i> (Wiedemann, 1819)
Tachinidae	<i>Gonia</i>	<i>picta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 345	<i>Chromatophania</i>
Heleomyzidae	<i>Helomyza</i>	<i>picta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 587	<i>Suillia</i>
Lauxaniidae	<i>Sciomyza</i>	<i>picta</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 576	<i>Hirtodeceia</i>
Lauxaniidae	<i>Ephydra</i>	<i>pictipennis</i>	Wiedemann	1824: Analecta Ent.: 59	<i>Cestrotus</i>
Therevidae	<i>Thereva</i>	<i>pictipennis</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 63	<i>Cyclotelus</i>
Bibionidae	<i>Plecia</i>	<i>plagiata</i>	Wiedemann	1824: Analecta Ent.: 11	none
Muscidae	<i>Musca</i>	<i>planiceps</i>	Wiedemann	1824: Analecta Ent.: 48	none
Chloropidae	<i>Chlorops</i>	<i>pleuriticus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 596	?
Asilidae	<i>Asilus</i>	<i>plinthopygus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 184	<i>Eccritosis</i>
Sciomyzidae	<i>Sepedon</i>	<i>plumbellus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 577	none
Syrphidae	<i>Paragus</i>	<i>politus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 89	none
Tachinidae	<i>Tachina</i>	<i>potans</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 299	<i>Aphria</i>
Sarcophagidae	<i>Sarcophaga</i>	<i>princeps</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 359	none
Syrphidae	<i>Eristalis</i>	<i>proserpina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 157	none
Empididae	<i>Empis</i>	<i>pruinosa</i>	Wiedemann	1824: Analecta Ent.: 28	none
Muscidae	<i>Coenosia</i>	<i>pulla</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 441	<i>Atherigona</i>
Muscidae	<i>Coenosia</i>	<i>pumila</i>	Wiedemann	1824: Analecta Ent.: 51	<i>Lispe</i>
Tephritidae	<i>Trypeta</i>	<i>punctata</i>	Wiedemann	1824: Analecta Ent.: 55	<i>Pardalaspis</i>
Bombyliidae	<i>Anthrax</i>	<i>punctipenne</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 90	<i>Spogostylum</i>
Bombyliidae	<i>Apatomyza</i>	<i>punctipennis</i>	Wiedemann	1820: Nova Dipt. Gen.: 11	none
Calliphoridae	<i>Musca</i>	<i>punctulata</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 21	<i>Cosmina fuscipennis</i> (Robineau-Desvoidy, 1830)
Syrphidae	<i>Microdon</i>	<i>punctulatus</i>	Wiedemann	1824: Analecta Ent.:35	none
Bombyliidae	<i>Anthrax</i>	<i>pusilla</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 100	none
Muscidae	<i>Anthomyia</i>	<i>pusio</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 437	<i>Fannia</i>

Asilidae	<i>Asilus</i>	<i>pusio</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 36	none
Bombyliidae	<i>Bombylius</i>	<i>pusio</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 173	<i>Doliogethes</i>
Asilidae	<i>Ommatius</i>	<i>pygmaeus</i>	Wiedemann	1824: Analecta Ent.: 26	none
Syrphidae	<i>Eristalis</i>	<i>pygolampus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 161	<i>Palpada</i>
Muscidae	<i>Anthomyia</i>	<i>quadrata</i>	Wiedemann	1824: Analecta Ent.: 52	<i>Dichaetomyia</i>
Tachinidae	<i>Tachina</i>	<i>quadrata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 318	<i>Winthemia</i>
Tephritidae	<i>Trypeta</i>	<i>quadrincisa</i>	Wiedemann	1824: Analecta Ent.: 55	<i>Sphaeniscus</i>
Syrphidae	<i>Eristalis</i>	<i>quadrivittatus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 17	<i>Mesembrius</i>
Dolichopodidae	<i>Psilopus</i>	<i>rectus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 225	<i>Sciapus</i>
Asilidae	<i>Dasypogon</i>	<i>reinhardi</i>	Wiedemann	1824: Analecta Ent.: 27	unplaced
Tephritidae	<i>Trypeta</i>	<i>reinhardi</i>	Wiedemann	1824: Analecta Ent.: 54	<i>Isoconia</i>
Tachinidae	<i>Tachina</i>	<i>reinwardtii</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 315	<i>Chlorohystricia</i>
Culicidae	<i>Culex</i>	<i>remipes</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1 : 573	?
Lauxaniidae	<i>Sapromyza</i>	<i>resinosa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 456	<i>Camptoprosopella</i>
Dolichopodidae	<i>Dolichopus</i>	<i>rosaceus</i>	Wiedemann	1824: Analecta Ent.:40	<i>Sciapus</i>
Calliphoridae	<i>Idia</i>	<i>rostrata</i>	Wiedemann	1820: Nova Dipt. Gen.: 22	<i>Stomorhina lunata</i> (Fabricius, 1805)
Syrphidae	<i>Syrphus</i>	<i>rostratus</i>	Wiedemann	1824: Analecta Ent.: 34	<i>Asarkina</i>
Sarcophagidae	<i>Sarcophaga</i>	<i>rubella</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 357	<i>Peckia</i>
Tabanidae	<i>Tabanus</i>	<i>rubidus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 69	none
Bombyliidae	<i>Bombylius</i>	<i>rubricosus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 168	<i>Anastoechus</i>
Mydidae	<i>Midas</i>	<i>ruficornis</i>	Wiedemann	1824: Analecta Ent.: 20	unplaced
Tachinidae	<i>Tachina</i>	<i>rufifrons</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 318	<i>Pseudogonia</i>
Mydidae	<i>Midas</i>	<i>rufithorax</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 67	<i>Afroleptomydas</i>
Tachinidae	<i>Tachina</i>	<i>saltatrix</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 300	unrecognized
Tachinidae	<i>Tachina</i>	<i>salva</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 340	<i>Palexorista</i>
Syrphidae	<i>Baccha</i>	<i>sapphirina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 96	none
Celyphidae	<i>Celyphus</i>	<i>scutatus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 601	<i>Spaniocelyphus</i>
Oestridae	<i>Musca</i>	<i>semiatra</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 421	<i>Pseudogametes</i>
Bombyliidae	<i>Anthrax</i>	<i>seniculus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 270	<i>Exoprosopa</i>
Syrphidae	<i>Syrphus</i>	<i>serarius</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 128	<i>Betasyrphus</i>
Bombyliidae	<i>Bombylius</i>	<i>seriatus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 172	<i>Doliogethes</i>

Tachinidae	<i>Tachina</i>	<i>setilatera</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 321	<i>Stormia convergens</i> (Wiedemann, 1824)
Asilidae	<i>Dasyopogon</i>	<i>setosus</i>	Wiedemann	1824: Analecta Ent.: 26	<i>Gonioscelis</i>
Bombyliidae	<i>Anthrax</i>	<i>sexfasciata</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 29	<i>Villa</i>
Stratiomyiidae	<i>Stratiomys</i>	<i>siderogaster</i>	Wiedemann	1824: Analecta Ent.: 29	<i>Odontomyia</i>
Bombyliidae	<i>Anthrax</i>	<i>simplex</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 11	<i>Lomatia</i>
Bombyliidae	<i>Corsomyza</i>	<i>simplex</i>	Wiedemann	1820: Nova Dipt. Gen.: 14	none
Culicidae	<i>Anopheles</i>	<i>sinensis</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 547	none
Syrphidae	<i>Eristalis</i>	<i>sinensis</i>	Wiedemann	1824: Analecta Ent.: 37	<i>Eristalis tenax</i> (Linnaeus, 1758)
Culicidae	<i>Culex</i>	<i>sitiens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 542	none
Tipulidae?	<i>Limnobia</i>	<i>sorbillans</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 551	<i>Limonia</i>
Tipulidae	<i>Tipula</i>	<i>soror</i>	Wiedemann	1820: Diptera Exotica [Ed. 1] Sect. I: 24	none
Ulidiidae	<i>Ortalis</i>	<i>sororcula</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 463	<i>Euxesta</i>
Sarcophagidae	<i>Musca</i>	<i>spilogaster</i>	Wiedemann	1824: Analecta Ent.: 50	<i>Poecilometopa</i>
Tabanidae	<i>Pangonia</i>	<i>spiloptera</i>	Wiedemann	1821: Diptera Exotica [Ed. 1] Sect. II: 7	<i>Philoliche</i>
Culicidae	<i>Culex</i>	<i>splendens</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 2	<i>Toxorhynchites</i>
Bombyliidae	<i>Anthrax</i>	<i>stheno</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 582	<i>Villa</i>
ropalomerid	<i>Ropalomera</i>	<i>stictica</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 573	none
Chloropidae	<i>Chlorops</i>	<i>striolatus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 597	<i>Siphunculina</i>
Sarcophagidae	<i>Sarcophaga</i>	<i>sugens</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 367	<i>Tricharaea occidua</i> (Fabricius, 1794)
Tachinidae	<i>Phania</i>	<i>taeniata</i>	Wiedemann	1824: Analecta Ent.: 42	<i>Bogosia</i>
Sarcophagidae	<i>Musca</i>	<i>taenionota</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 22	<i>Sarcophaga</i>
Anthomyiidae	<i>Anthomyia</i>	<i>tempestatum</i>	Wiedemann	1818: Zool. Mag., Kiel 1(2): 46	none
Tachinidae	<i>Tachina</i>	<i>thermophila</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 325	<i>Sisyropa</i>
Ephydriidae	<i>Ephydra</i>	<i>thomae</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 593	none
Muscidae	<i>Anthomyia</i>	<i>tonitru</i>	Wiedemann	1824: Analecta Ent.: 52	<i>Gymnodia</i>
Muscidae	<i>Coenosia</i>	<i>torrida</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 437	<i>Pectiniseta</i>
Asilidae	<i>Dasyopogon</i>	<i>tragicus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 400	unplaced
Lauxaniidae	<i>Sapromyza</i>	<i>transversa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 455	<i>Homoneura</i>
Tipulidae?	<i>Limnobia</i>	<i>trentepohlii</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 551	<i>Trentepolia</i>
Tachinidae	<i>Stomoxys</i>	<i>trifaria</i>	Wiedemann	1824: Analecta Ent.: 41	<i>Genea</i>
Muscidae	<i>Anthomyia</i>	<i>trina</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 657	<i>Pygophora</i>

Tipulidae	<i>Tipula</i>	<i>trina</i>	Wiedemann	1824: Analecta Ent.: 11	unplaced
Muscidae	<i>Anthomyia</i>	<i>tripunctata</i>	Wiedemann	1824: Analecta Ent.: 52	<i>Helina</i>
Muscidae	<i>Anthomyia</i>	<i>tristis</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 27	<i>Dimorphia</i>
Syrphidae	<i>Syrphus</i>	<i>univittatus</i>	Wiedemann	1824: Analecta Ent.: 36	<i>Melanostoma</i>
Coelopidae	<i>Borborus</i>	<i>ursinus</i>	Wiedemann	1824: Analecta Ent.: 59	<i>Coelopa</i>
Acroceridae	<i>Cyrtus</i>	<i>validus</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 13	<i>Psilodera</i>
Tabanidae	<i>Tabanus</i>	<i>validus</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 113	<i>Tabanus atratus</i> (Fabricius, 1775)
Tachinidae	<i>Tachina</i>	<i>variegata</i>	Wiedemann	1824: Analecta Ent.: 42	<i>Linnaemya</i>
Asilidae	<i>Asilus</i>	<i>velox</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 468	<i>Efferia</i>
Bombyliidae	<i>Anthrax</i>	<i>venosa</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 9	<i>Exoprosopa</i>
Tabanidae	<i>Pangonia</i>	<i>venosa</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 52	<i>Fidena</i>
Asilidae	<i>Dasypogon</i>	<i>venosus</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 215	<i>Microstylum</i>
Tachinidae	<i>Tachina</i>	<i>ventralis</i>	Wiedemann	1824: Analecta Ent.: 45	?
Muscidae	<i>Musca</i>	<i>ventrosa</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 656	none
Syrphidae	<i>Eristalis</i>	<i>vestitus</i>	Wiedemann	1824: Analecta Ent.: 36	<i>Mesembrius</i>
Asilidae	<i>Dasypogon</i>	<i>virens</i>	Wiedemann	1828: Aussereur. Zweifl. Insekten 1: 398	none
Tabanidae	<i>Tabanus</i>	<i>virgo</i>	Wiedemann	1824: Analecta Ent.: 22	<i>Atylotus</i>
Stratiomyiidae	<i>Stratiomys</i>	<i>viridana</i>	Wiedemann	1824: Analecta Ent.: 29	<i>Odontomyia</i>
Calliphoridae	<i>Musca</i>	<i>viridaurea</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 22	<i>Isomyia</i>
Tachinidae	<i>Tachina</i>	<i>viridaurea</i>	Wiedemann	1824: Analecta Ent.: 43	<i>Rhyncomyia</i>
Syrphidae	<i>Syrphus</i>	<i>viridaureus</i>	Wiedemann	1824: Analecta Ent.: 35	<i>Episyrphus</i>
Muscidae	<i>Idia</i>	<i>viridis</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 354	<i>Orthellia caesarion</i> (Meigen, 1826)
Muscidae	<i>Coenosia</i>	<i>vittata</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 439	none
Dolichopodidae	<i>Psilopus</i>	<i>vittatus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 3	<i>Chrysosoma</i>
Mydidae	<i>Midas</i>	<i>westermanni</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 19	<i>Afroleptomydas</i>
Nemestrinidae	<i>Nemestrina</i>	<i>westermanni</i>	Wiedemann	1821: Diptera Exotica [Ed. 2] Pars I: 155	<i>Prosoeca</i>
Calliphoridae	<i>Tachina</i>	<i>westermanni</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 23	<i>Pericallimyia</i>
Tachinidae	<i>Tachina</i>	<i>xanthocera</i>	Wiedemann	1830: Aussereur. Zweifl. Insekten 2: 329	<i>Winthemia</i>
Calliphoridae	<i>Idia</i>	<i>xanthogaster</i>	Wiedemann	1820: Nova Dipt. Gen.: 21	<i>Idiellopsis</i>
Muscidae	<i>Musca</i>	<i>xanthomelas</i>	Wiedemann	1824: Analecta Ent.: 49	none
Asilidae	<i>Asilus</i>	<i>xanthopus</i>	Wiedemann	1819: Zool. Mag., Kiel 1(3): 1	<i>Clephyroneura</i>

Dolichopodidae

Dolichopus

ziczac

Wiedemann

1824: Analecta Ent.: 40

Lichtwardtia