

Fabricius Types - Order Lepidoptera (author Fabricius 1775 - 1787)

The following list is based on Zimsen, E. 1964. The type material of I.C. Fabricius.

Only some of the types mentioned below are available at the Zoological Museum, Copenhagen. Please contact the curator.

The list is sorted by species.

Genus	Species	Author	Type Status	Citation	Notes
Lygaena	acharon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 556, 27	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	acheronta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 501, 249	in Brasilia Drury
Papilio	actaeon	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 829	... Drury
Papilio	aeolus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 522, 337	in Indiis. Kiel specimen
Papilio	affinis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 511, 291	in nova Hollandia Mus. Banks
Papilio	alexis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 533, 387	in India Mus. Tottianum. Copenhagen 1 specimen
Noctua	algae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 614, 103	in lichene saxatile Germaniae
Bombyx	alphaea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 573, 57	in nova Hollandia Mus. Banks. London 1 specimen
Noctua	aluco	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 591, 4	in China Mus. Monson
Papilio	amata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 476, 143	in India orientali Mus. Tottianum
Papilio	amor	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 518, 321	in India orientali Mus. Tottianum. Kiel 1 specimen

Papilio	amphimachus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 457, 59	in Indiis Mus. Lugdunense
Bombyx	amphimone	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 563, 27	in Terra del Fuego Mus. Banks. London 1 specimen
Papilio	amyntas	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 App. p. 533, 384	in Ameirica Mus. Tottianum. Kiel 2 specimens
Papilio	andromacha	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 466, 102	in nova Hollandia Mus. Banks. London 1 specimen
Zygaena	andromacha	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 830	in America Drury
Papilio	andromeda	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 467, 107	in India Mus. Gronovii
Phalaena	annularia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 625, 29	in Germania
Zygaena	annulata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 551, 4	in nova Hollandia Mus. Banks. London 1 specimen
Noctua	arbuti	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 619, 122	in Anglia
Papilio	arctous	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 489, 202	in nova Hollandia Mus. Banks. London 1 specimens
Papilio	argante	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 470, 116	in Brasilia Mus. Banks. London 1 specimen
Phalaena	argentata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 638, 99	in China Mus. Monson
Papilio	argia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 470, 118	in Sierra Leon Africae Mus. Banks. London 1 specimen
Papilio	aristolochiae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 443, 3	in Aristolochii Indiaea orientali Mus Tottianum
Sphinx	asiliformis	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 830	in India Edler

Papilio	astenuous	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 448, 27	in Capite Bonae Spei Mus. Banks. London 1 specimen
Papilio	astyanax	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 447, 20	in America Mus. D. Hunter
Phalaena	atralis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 645, 133	in Anglia
Noctua	augur	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 604, 58	in Germania de Hattorf
Pyralis	aurana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 653, 48	in Anglia Mus. Banks. London 1 specimen
Tinea	aurella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 666, 65	Lipsiae in Pomonae arboribus
Bombyx	australasiae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 562, 22	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	baldus	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 829	in India Mus. D. Hunter. Glasgow 1 specimen
Papilio	bankia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 499, 243	in nova Hollandia Mus. Banks. London 1 specimen
Pyralis	bankiana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 645, 1	in Anglia
Papilio	bellona	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 517, 317	in America boreali Ammiral. Kiel 1 specimen
Papilio	biblis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 505, 261	in America. Kiel 1 specimen
Alucita	bipunctella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 668, 7	in lichene prunastri Saxoniae
Sphinx	boerhaviae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 542, 22	in Indiae Boerhaviis Koenig
Papilio	bonasia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 464, 96	in Sierra Leon Africae Mus. Banks. London 1 specimen; Kiel 1 specimen

Noctua	bubo	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 591, 3	in China Mus. Monson
Papilio	callirrhoe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 473, 133	in Asia
Zygaena	capistrata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 554, 21	in America Mus. Tottianum
Phalaena	capitata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 638, 397	in India Koenig
Noctua	caprimulgus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 591, 5	in China Mus. Monson
Noctua	caricae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 596, 23	in ficu India orientali Mus. Tottianum
Bombyx	castalia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 559, 13	in nova Hollandia Mus. Banks. London 1 specimen
Pyralis	caudana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 651, 38	in Anglia
Papilio	centaurus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 520, 329	in nova Hollandia Mus. Banks. London 2 specimens
Papilio	cephus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 528, 359	in Indiis Gronovius. Kiel 2 specimens
Bombyx	cerasi	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 564, 31	in pruno ceraso Angliae Lee
Noctua	cerasi	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 600, 42	in ceraso Angliae, Germaniae
Papilio	ceres	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 504, 257	in Sierra Leon Africae Mus. Banks. London 1 specimen; Kiel 1 specimen
Papilio	chalcas	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 453, 44	in America Mus. D. Hunter. Glasgow 2 specimens
Papilio	chiron	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 452, 40	in India Drury

Papilio	chloris	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 473, 129	in Sierra Leon Africae Mus. Banks. London 1 specimen
Papilio	chorinaeus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 484, 182	Surinami Drury
Papilio	chrysippe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 502, 252	in nova Hollandia Mus. Banks
Sphinx	cingulata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 545, 29	in America v. Rohr. Kiel 1 specimen
Papilio	circe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 495, 226	in Europa
Papilio	cleon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 522, 335	in Brasilia Mus. Banks. London 1 specimen
Sphinx	clotho	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 540, 12	. . . D. Yeats.
Papilio	colon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. App. 531, 376	in India Mus. Tottianum. Kiel 1 specimen
Tinea	compositella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 663, 46	in Angliae nemoribus. Kiel 3 specimens
Pyralis	conwagana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 653, 46	in Angliae nemoribus capta d. XXVI Jun. prope Oxoniam
Papilio	coridon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 533, 385	in Iamaica Mus. D. Hunter
Tinea	cornella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 657, 8	in Saxoniae corno. Kiel 2 specimens
Noctua	coronata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 596, 24	in China
Bombyx	corones	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 579, 78	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	costalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 644, 132	in Anglia

Phalaena	costata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 638, 95	in America
Alucita	costella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 668, 10 ,	in Anglia Drury. Kiel 1 specimen
Bombyx	crassicornis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 569, 47	in India Drury
Bombyx	credula	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 584, 94	in America. Kiel 1 specimen
Papilio	cressida	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 448, 24	in nova Hollandia Mus. Banks. London 2 specimens
Bombyx	crini	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 587, 108	in Crino asiatico Indiae orientalis Mus. Tottianum
Bombyx	crotalariae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 583, 90	in Crotalariis Indiae orientalis Koenig. Kiel 1 specimen
Tinea	cryptella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 658, 20	in India orientali Koenig. Kiel 1 specimen
Phalaena	cultraria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 621, 9	in Germania
Papilio	cybele	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 516, 311	in America
Bombyx	cytherea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 557, 5	ad Cap. B. Sp. Mus. Banks. London 2 specimens; Kiel 1 specimen
Papilio	daedalus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 482, 174	in Guinea Mus. Banks. London 1 specimen
Noctua	dama	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 596, 26	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	damoetes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 526, 350	in nova Hillandia Mus. Banks. London 1 specimen
Papilio	danae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 476, 144	in India orientali Mus. Tottianum. Kiel 2 specimens

Papilio	darius	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 482, 173	in Brasilia Mus. Banks. London 1 specimen
Pyralis	decussana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 647, 10	Lipsiae
Bombyx	deflorata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 582, 89	in America Mus. Dr. Hunter
Papilio	delila	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 510, 284	in America Eaton. Kiel 1 specimen
Phalaena	demandata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 630, 50	Lipsiae
Phalaena	dentalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 645, 134	in India orientali Koenig
Phalaena	dentaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 623, 15	in Anglia Mus. Monson
Alucita	dentella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 667, 2	in Sveciae nemoribus. Kiel 1 specimen
Pyralis	depressana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 655, 57	in Svecia. Kiel 2 specimens
Phalaena	derogata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 641, 109	in India orientali Koenig
Noctua	destituta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 598, 35	in China Mus. Monson
Sphinx	didyma	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 543, 23	in America Mus. Banks. London 1 specimen; Kiel 2 specimens
Phalaena	dimidiata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 630, 52	in Anglia Mus. Monson. Kiel 1 specimen
Bombyx	dione	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 572, 54	in America Mus. Monson
Noctua	dioscoreae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 593, 10	in Indiae orientalis Dioscoreis Koenig

Zygaena	diptera	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 555, 22	in India orientali Mus. Tottianum. Copenhagen 1 specimen; Kiel 1 specimen
Papilio	dorcas	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 508, 275	in Carolina Mus. D. Hunter. Glasgow 2 specimens
Papilio	doreus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 457, 62	in Sierra Leon Mus. Banks. London 1 specimen
Phalaena	dorsalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 643, 123	in Brasilia Mus. Banks. London 1 specimen
Pyralis	dorsana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 654, 52	in Lipsiae hortis. Kiel 1 specimen
Tinea	drurella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 666, 64	Hafniae. Kiel 2 specimens
Papilio	drya	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 478, 153	in America
Phalaena	duplicata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 636, 84	in Anglia
Papilio	egaea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 496, 231	in America Mus. D. Hunter
Phalaena	ejectata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 641, 110	in India orientali Koenig
Pyralis	emargana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 651, 37	in Anglia Lee
Papilio	endymion	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 519, 324	in Brasilia Mus. Bankianum. London 1 specimen
Noctua	equestris	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 601, 48	in India Koenig
Noctua	eremita	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 616, 110	Lipsiae
Papilio	eribotes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 484, 183	in India Mus. D. Hunter. Glasgow 3 specimens

Papilio	erinus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 525, 348	in nova Hollandia Mus. Banks. London 1 specimen
Zygaena	eryx	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 552, 11	in America meridionali Yeats
Papilio	eucharis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 472, 127	in India orientali Mus. Tottianum. Kiel 2 specimens
Papilio	europa	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 500, 247	in America Mus. Monson
Papilio	eurytus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 487, 194	in Iamaica Mus. D. Hunter
Papilio	evalthe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 480, 166	in Indiis Mus. Lugdunensis
Papilio	exclamationis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. App. p. 530, 373	in India Koenig. Kiel 1 specimen
Phalaena	expectata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 636, 82	in Asia Drury
Phalaena	explanata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 630, 51	in China Mus. Monson
Phalaena	falcata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 629, 49	in Anglia
Phalaena	fascialis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 644, 128	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	fasciata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 629, 47	in Indiis. Kiel 2 specimens
Alucita	fasciella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 670, 18	in Anglia Mus. Monson
Papilio	faunus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 App. p. 532, 380	in Indiis Mus. Hagense
Phalaena	fenestraria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 627, 37	in China Mus. Banks. London 1 specimen; Kiel 1 specimen

Phalaena	fenestrata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 641, 111	in America
Bombyx	festiva	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 579, 79	in America Mus. Dr. Hunter
Noctua	ficus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 595, 22	in ficu racemosa Indiae orientalis Mus. Tottianum
Zygaena	flabellicornis	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 831	in America meridionali Dr. Hunter
Bombyx	flava	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 574, 59	in India Koenig
Noctua	flava	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 601, 46	in India orientali Koenig
Alucita	flavella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 667, 5	in Svecia. Kiel 2 specimens
Papilio	florella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 479, 159	in Sierra Leon Africae Mus. Banks. London 1 specimen; Kiel 2 specimens
Noctua	frugalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p.601, 45	in India Koenig
Phalaena	furcaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 624, 22	in Germania
Phalaena	fuscalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 643, 122	in India orientali Mus. Tottianum
Noctua	geometrica	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 599, 37	in India orientali Mus. Tottianum
Bombyx	gloriosae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 587, 107	in Gloriosa Indiae orientalis Mus. Tottianum
Papilio	gnoma	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 828	in India Mus. D. Hunter. Glasgow 1 specimen; Kiel 1 specimen
Sphinx	gnoma	Fabricius, I. C. 1775.	Type	Syst, Ent. 1775 p. 546, 32	in India Koenig

Papilio	gonerilla	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 498, 237	in nova Zelandia Mus. Banks
Papilio	gripus	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 829	in India Mus. Dr. Hunter. Glasgow 1 specimen
Zygaena	guineensis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 551, 6	in Guinea D. Schlosser
Sesia	haemorrhoidalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 549, 7	in Indiis
Zygaena	halterata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 555, 23	in Brasilia Mus. Banks. London 1 specimen
Papilio	harpax	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 829	in America
Pyralis	hattorfiana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 647, 8	in Germania de Hattorff
Papilio	hermes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 487, 195	in Brasilia Mus. Banks. London 1 specimen
Sphinx	hespera	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 546, 33	in India orientali Mus. Tottianum. Kiel 1 specimen
Bombyx	hibisci	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 564, 30	in Hibisco populneo Indiae orientalis Mus. Toltianum
Papilio	hippodamia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 461, 78	. . . Mauduit,
Noctua	histrionica	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 612, 93	in India Koenig
Papilio	hunterii	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 499, 240	in Americae balsamita
Noctua	hybrida	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 593, 11	in India Koenig, In nova Hollandia Banks. London 1 specimen
Papilio	hylax	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 526, 351	in India orientali Koenig

Papilio	hymen	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 519, 322	in Sierra Leon Africae Mus. Bankianum. London 1 specimen
Papilio	iacchus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 533, 389	in nova Hollandia Mus. Banks. London 1 specimen; Kiel 3 specimens
Sphinx	iatrophae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 538, 8	in Americae Iatropha gossypifolia. Kiel 1 specimen
Noctua	illibata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 592, 8	in India Mus. Banks.. London 1 specimen
Noctua	inclyta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 599, 40	in Brasilia Mus. Banks. London 1 specimen
Phalaena	indicata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 640, 108	in India orientali Mus. Tottianum
Bombyx	io	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 560, 16	in America Mus. D. Hunter
Papilio	irius	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 487, 196	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	irrorata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 630, 53	in India orientali Mus. Tottianum
Papilio	itea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 498, 238	in nova Zelandia Mus. Banks
Papilio	iulia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 509, 281	in America v. Rohr
Papilio	ixion	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 523, 340	in India Mus. Tottianum
Phalaena	lyncea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 635, 79	in Anglia
Bombyx	jesuita	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 586, 104	in Indiis
Pyralis	koenigia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 653, 47	in India orientali Koenig

Noctua	lacera	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 609, 79	in China Mus. Monson
Bombyx	laeta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 576, 69	in Svecia
Pyralis	laetana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 649, 20	in Sveciae nemoribus
Bombyx	lagopus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 568, 45	in China Mus. Monson
Papilio	lavinia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 450, 32	in America v. Rohr
Noctua	leonina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 596, 25	in India Mus. Banks. London 1 specimen
Papilio	lesbia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 477, 149	in Patagoniae littoribus Mus. Banks. London 2 specimens
Zygaena	lethe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 553, 14	in Africa Drury
Papilio	libythea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 471, 120	in India orientali Mus. Tottianum
Noctua	lichenis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 614, 102	in Germaniae lichenibus
Phalaena	limbaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 624, 24	in Anglia Mus. Banks. London 1 specimen; Kiel 1 specimen
Tinea	limbella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 660, 27	in Germaniae nemoribus. Kiel 1 specimen
Sphinx	lineata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 541, 18	in America. Kiel 2 specimens
Noctua	litura	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 601, 50	in India orientali Koenig
Alucita	lucella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 667, 4	in Svecia

Bombyx	lutea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 574, 60	in nova Hollandia Mus. Banks. London 2 specimens
Papilio	lybia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 460, 73	in India D. Solander. Kiel 1 specimen
Papilio	lycia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 464, 94	in Sierra Leon Africae Mus. Banks. London 1 specimen
Pyralis	maculana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 647, 12	in Sveciae nemoribus
Papilio	maerula	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 479, 157	in America Mus. D. Hunter. Glasgow 2 specimens
Papilio	maimon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 534, 395	in Asia. Kiel 1 specimen
Papilio	maja	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 512, 295	in Brasilia Mus. Banks
Noctua	marginata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 597, 27	in America Mus. D. Hunter
Noctua	marginata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 610, 85	in Europa
Papilio	medea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 508, 273	in India Drury
Papilio	medus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 488, 198	in Capite Bonae spei
Papilio	melania	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 475, 140	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	melantha	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 513, 297	in Guinea Mus. Banks. London 1 specimen
Papilio	melissa	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 513, 298	in Insula Terre neuve Americae Mus. Banks
Zygaena	melissa	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 553, 12	... Yeats

Papilio	menalcas	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 535, 397	in Indiis. Kiel 1 specimen
Noctua	mendica	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 611, 89	in Germania v. Hattorff
Noctua	mercatoria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 604, 59	in India orientali Koenig
Papilio	merope	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 495, 228	in nova Hollandia Mus. Banks
Noctua	microrrhoea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 593, 12	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	midas	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 527, 353	in Indiis Mus. Allemand
Bombyx	milhauseri	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 577, 70	Dresdae
Papilio	minerva	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 493, 216	in America v. Rohr
Papilio	morna	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 500, 245	in India Mus. Hunter
Papilio	morpheus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 530, 370	in America boreali
Papilio	morvus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 484, 184	in India Mus. D. Hunter
Papilio	myrti	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 462, 82	Surinami. Drury
Papilio	mysis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 475, 138	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	narcissus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 524, 342	in nova Hollandia Mus. Banks. London 1 specimen; Kiel 1 specimen
Phalaena	nemoralis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 642, 118	in Angliae nemoribus

Papilio	nerina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 509, 277	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	nerissa	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 471, 123	in China
Papilio	nicaeus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 482, 175	in India
Bombyx	nictitans	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 558, 8	... Mus. Banks. London 1 specimen
Tinea	nigrello	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 658, 19	in Daniae nemoribus. Kiel 1 specimen
Papilio	nigrina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 475, 139	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	nivearia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 620, 2	in Anglia
Phalaena	niveata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 638, 94	in America. Kiel 1 specimen
Papilio	nysa	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 473, 128	in nova Hollandia Mus. Banks. London 1 specimen
Sphinx	obscura	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 538, 6	in America
Bombyx	obsoleta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 579, 77	in nova Hollandia Mus. Banks. London 1 specimen
Pyralis	ocellana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 652, 40	in Anglia Mus. Banks. London 1 specimen
Sesia	octomaculata	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 830	in India Mus. D. Hunter
Bombyx	ocularia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 564, 29	in America meridionali Mus. D. Hunter
Phalaena	ocularia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 625, 28	in India Mus. Tottianum

Noctua	oculea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 616, 112	Svecia
Papilio	odius	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 457, 60	in Indiis Mus. Lugdunense
Sphinx	oldenlandia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 542, 21	in Indiae Oldenlandiis Koenig
Alucita	oppositella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 670, 20	in Anglia
Noctua	orichalcea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 607, 70	in India Koenig
Papilio	orion	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 485, 185	Surinami Mus. D. Hunter. Glasgow 1 specimen; Kiel 1 specimen
Noctua	pagana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 606, 68	in India Koenig
Papilio	palamedes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 454, 45	in America Mus. D. Hunter. Glasgow 2 specimens
Phalaena	palpalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 642, 119	in Anglia. Kiel 1 specimen
Papilio	paniscus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. App. 531, 377	Lipsiae. Kiel 1 specimen
Sphinx	parce	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 543, 24	in Brasilia Mus. Banks. London 1 specimen
Papilio	parsimon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 526, 349	in Sierra Leon Africae Mus. Banks. London 1 specimen; Kiel 1 specimen
Noctua	partita	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 604, 60	in India Koenig
Noctua	pauperata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 608, 77	in China Mus. Monson
Papilio	pegala	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 494, 223	in America Mus. D. Hunter. Glasgow 2 specimens

Papilio	pelarga	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 513, 296	in Brasilia Mus. Banks
Papilio	pelaus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 444, 9	in India Drury
Papilio	penelope	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 493, 217	in America Drury
Noctua	peponis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 608, 75	in peponibus Indiae orientalis Koenig. Kiel 1 specimen
Papilio	perseus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 488, 199	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	perspectata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 640, 107	in India orientali Koenig
Papilio	philemon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 534, 392	in America. Kiel 3 specimens
Papilio	phileta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 471, 119	in America
Papilio	phryne	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 473, 131	in America Drury. Kiel 1 specimen
Papilio	phyllis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 463, 86	in Brasilia Mus. Banks. London 1 specimen
Papilio	pilosellae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 497, 233	in pilosella plantagine Germaniae
Papilio	pirithous	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 483, 179	in America boreali Mus. Banks. London 1 specimen
Phalaena	plumbaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 628, 44	in Angliae nemoribus
Papilio	polycarmes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 484, 181	in Indiis Mus. Lugdunensis
Papilio	polyxenes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 444, 10	in America

Papilio	polyxenes	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 484, 180	in America boreali Mus. Banks. London 1 specimen
Papilio	pomona	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 479, 158	in nova Hollandia Mus. Banks. London 2 specimens
Bombyx	popularis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 577, 71	in Germania de Hattorf
Papilio	portia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 507, 268	in America v. Rohr
Phalaena	prasinaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 626, 33	in Anglia Mus. Banks. London 2 specimen
Bombyx	proserpina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 561, 17	in America Mus. D. Hunter
Papilio	prosope	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 504, 260	in nova Hollandia. London 1 specimen
Papilio	proterpia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 478, 152	in Iamaica Mus. D. Hunter. Glasgow 1 specimen
Phalaena	punctalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 644, 130	in Sveciae nemoribus. Kiel 1 specimen
Phalaena	punctata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 637, 89	in Anglia
Papilio	pygmaeus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 536, 401	in India Koenig
Hepialus	pyrinus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 590, 6	in America boreali
Papilio	pyrrha	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 464, 95	in Brasilia Mus. Banks. London 1 specimen
Noctua	quadripunctata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 594, 16	in Anglia Mus. Monson
Pyralis	quercana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 652, 39	in Saxoniae quercu. Kiel 1 specimen

Noctua	quercus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 594, 15	in Europae quercu
Phalaena	recurvalis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 644, 129	in India orientali Mus. Tottianum
Phalaena	regulata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 629, 48	in Brasilia Mus. Banks. London 1 specimen
Noctua	rejecta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 601, 49	in India Koenig
Papilio	rhea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 467, 106	in Indiis Mus. Lugdunense
Papilio	rhexia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 476, 145	in Sierra Leon Africae Mus. Banks
Papilio	rhodope	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 473, 130	in Sierra Leon Africae Mus. Banks. London 1 specimen
Bombyx	ricini	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 583, 91	in Indiae orientalis ricino Mus. Tottianum. Kiel 2 specimen
Pyralis	rivellana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 654, 50	in Sveciae nemoribus. Kiel 2 specimens
Noctua	rivularis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 613, 99	in Saxonia
Phalaena	rondelaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 623, 18	in Rundeletia Indiae orientalis Mus. Tottianum
Bombyx	rosea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 587, 109	in Europae hortis
Papilio	rosimon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 523, 341	in India Mus. Tottianum. Kiel 2 specimens
Phalaena	rufata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 633, 68	in Anglia. Kiel 2 specimens
Noctua	rurea	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 618, 120	in Anglia

Sphinx	rustica	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 540, 15	in America. Kiel 2 specimens
Papilio	sabaeus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 530, 371	in Lipsiae nemoribus
Noctua	sagitta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 597, 30	in India Koenig
Hepialus	scalaris	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 590, 4	in China Mus. Monson
Noctua	scrobiculata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 592, 9	in India orientali Mus. Tottianum
Papilio	serena	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 461, 76	in India Mus. Tittianum. Kiel 1 specimen
Papilio	serina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 497, 232	in Iamaica Mus. D. Hunter
Noctua	serva	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 593, 13	in nova Hollandia Mus. Banks. London 2 specimens
Noctua	signata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 608, 74	in India Koenig
Papilio	silenus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 App. p. 531, 378	in Sierra Leon Africae Mus. Banks. London 1 specimen
Papilio	sinon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 452, 39	in India
Noctua	sinuata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 611, 92	in India Mus. Tottianum
Papilio	sirius	Fabricius, I. C. 1775.	Type	Syst Ent. 1775 p. 488, 201	in nova Hollandia Mus. Banks. London 1 specimen
Phalaena	sociata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 637, 90	in Anglia
Papilio	solandra	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 500, 244	in insula Otaheyti maris pacifici Mus. Banks.. London 1 specimen

Papilio	sphinx	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 520, 326	in India orientali Koenig. Kiel 1 specimen
Noctua	spiralis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 592, 7	in China Mus. Monson. Kiel 2 specimens
Pyralis	squamana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 651, 36	in Anglia Mus. Monson. Copenhagen 1 specimen
Phalaena	sticticata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 638, 96	in Africa Drury
Bombyx	stigma	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 563, 25	in America meridionali Mus. D. Hunter
Noctua	stigmatizans	Fabricius, I. C. 1775.	Type	:Syst. Ent. 1775 p. 601, 47	in India Mus. Tottianum
Noctua	stolida	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 599, 38	in India orientali Mus. Tottianum
Papilio	strephon	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 522, 334	in India orientali
Pyralis	strigana	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 654, 53	in Svecia enemoribus (. Kiel 6 specimens
Phalaena	strigaria	Fabricius, I. C. 1775.	Type	Syst. Ent. Appendix 1775 p. 831	in India orientali
Bombyx	strigula	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 577, 72	Dresdae Saxoniae
Zygaena	styx	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 556, 28	in Africa Drury
Phalaena	sulphurata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 639, 100	in Indiis Mus. Monson
Alucita	sulphurella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 670, 19	in Anglia Mus. Monson
Papilio	sylvia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 470, 115	in Sierra Leon Africae Mus. Banks. London 2 specimens

Papilio	syphax	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 480, 165	in Indiis Mus. Lugdunensis
Papilio	syrichtus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 534, 394	in America. Kiel 2 specimens
Papilio	terminus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 488, 200	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	teutonia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 474, 137	in nova Hollandia Mus. Banks. London 1 specimen; Kiel 1 specimen
Papilio	thyrsis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 App. p. 532, 383	in America. Kiel 1 specimen
Sesia	thysbe	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 548, 4	in America Drury. Kiel 1 specimen
Bombyx	tibialis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 578, 76	in nova Hollandia Mus. Banks. London 1 specimen
Noctua	tigrina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 599, 36	in India orientali Mus. Tottianum
Papilio	tityrus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 App. p. 532, 382	in America. Kiel 3 specimens
Noctua	tristis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 617, 115	in Svecia
Papilio	troglydyta	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 502, 250	in America Mus. D. Hunter
Phalaena	ulmata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 632, 62	in Angliae ulmo
Noctua	ulula	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 592, 6	in India Drury
Phalaena	undaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 623, 16	in India Koenig. Kiel 1 specimen
Noctua	undata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 600, 43	in India orientali Koenig

Tinea	undella	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 661, 35	Germania
Papilio	urania	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 461, 79	in Indiis
Phalaena	venaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 627, 3 8 (in Indiis
Bombyx	vestita	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 586, 105 ,	in Saxoniae corylo. Kiel 1 specimen
Bombyx	vidua	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 580, 84	in Anglia
Papilio	violae	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 460, 74	in violis boragine Indiae orientalis. Koenig. Kiel 1 specimen
Phalaena	viridaria	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 626, 34	in Anglia Mus. Banks. London 2 specimens
Noctua	vittata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 600, 44	in India orientali Koenig
Bombyx	v-nigrum	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 577, 73	in Saxoniae tilia
Phalaena	volutata	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 635, 77	in Germania
Papilio	vulcanus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 519, 323	in India orientali Mus. Tottianum
Noctua	vulpina	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 598, 34	in India orientali Mus. Tottianum
Papilio	xiphia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 492, 215	in Madera Mus. Banks
Papilio	zangis	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 486, 193	in Carolina Mus. D. Hunter
Papilio	zelima	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 492, 212	in nova Hollandia Mus. Banks

Papilio	zenobia	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 503, 255	Sierra Leon Mus. Banks. London 1 specimen
Papilio	zoilus	Fabricius, I. C. 1775.	Type	Syst. Ent. 1775 p. 480, 163	in nova Hollandia Mus. Banks. London 1 specimen
Papilio	aegle	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 255	in India Dr. Schulz
Bombyx	annulata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 281	Hamburgi Dr. Schulz
Pyralis	applana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 294	Chilonii Dom. de Sehestedt
Papilio	aracanthus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 271	in Austria Dr. Schulz. Kiel 2 specimens
Tinea	arcella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 295	in Germania Dr. Schulz. Kiel 1 specimen
Papilio	arnaca	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 260	Surinami Dr. Schulz
Pyralis	asperana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 292	Kilonii de Sehestedt Hamburgi Dr. Schulz. Copenhagen 1 specimen
Tinea	bipunctella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 296	Hamburgi Dr. Schulz
Noctua	boleti	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 282	Kilonii in Boleti versicolore
Papilio	brassolis	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 254	Surinami
Zygaena	caudata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 277	in America meridionali
Phalaena	centrata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 290	Hamburgi Dr. Schulz
Papilio	claudia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 263	in India Dr. Schulz

Phalaena	coerulata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 288	Hamburgi
Bombyx	colon	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 281	in Germania de Hattorf
Bombyx	compressa	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 279	in Germania
Tinea	cramerella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 296	in Anglia Dom. Yeats. Kiel 1 specimen
Papilio	crethon	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 252	Surinami Dr. Schulz
Papilio	croesus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 259	Surinami Dr. Schulz
Tinea	cylindrella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 295	Hamburgi Dr. Schulz
Papilio	cynara	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 266	in Oriente
Papilio	cyparissias	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 257	in America meridionali
Papilio	davus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 259	Hamburgi Dr. Schulz, Kilonii Sehestedt
Phalaena	ditaria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 286	Hamburgi Dr. Schulz
Pyralis	duplana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 293	Kilonii Dom. de Sehestedt
Phalaena	elevata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 291	in America meridionali
Alucita	ephippella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 297	in Europa Dr. Schulz
Phalaena	equestraria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 284	Hamburgi Dr. Schulz

Phalaena	equestrata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 288	Hamburgi Dr. Schulz
Zygaena	eriphia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 276	Surinami Dr. Schultz
Zygaena	erynnis	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 277	Surinami Dr. Schulz
Phalaena	fimbriata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 289	in Germania Dr. Schulz
Bombyx	fulminea	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 282	in Germania Dr. Schulz
Zygaena	fulvia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 275	in Austria Dr. Schulz
Bombyx	gnoma	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 279	Hamburgi Dr. Schulz
Phalaena	grisata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 288	Hamburgi Dr. Schulz
Papilio	hecale	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 254	Surinami. Kiel 1 specimen
Papilio	hersilia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 265	in India Dr. Schulz. Kiel 1 specimen
Papilio	hiera	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 262	in Europae pratis sylvaticis
Papilio	hippona	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 265	in India Dr. Schulz
Phalaena	hirtaria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 286	in Europae pratis sylvaticis
Papilio	hypsipyle	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 265	in Europa australiori, America
Papilio	icarus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 269	Surinami

Papilio	iphigenia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 256	Surinami Dr. Schulz
Noctua	lanceolata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 283	in Germania Dr. Schulz
Pyralis	leeana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 292	Hamburgi Dr. Schulz
Papilio	licarsis	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 271	Surinami Dr. Schulz
Papilio	linus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 269	Surinami Dr. Schulz. Kiel 2 specimens
Bombyx	lugubris	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 280	in Germania
Pyralis	lundana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 294	in Chilonii Quercu Dom. Lund. Copenhagen 2 specimens; Kiel 3 specimens
Phalaena	lunulata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 290	in Germania Dr. Schulz
Sphinx	lusca	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 272	in America meridionali D. Spengler
Papilio	lysander	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 251	in India Dr. Fothergill
Phalaena	marginaria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 286	Hamburgi Dr. Schulz
Papilio	mars	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 268	in America meridionali Dom. Spengler
Phalaena	mediata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 290	in Germania D. de Hattorf. Kiel 1 specimen
Papilio	meliboeus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 271	Surinami Dr. Schulz
Papilio	menippus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 272	Surinami Dr. Schulz

Noctua	monilis	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 283	in Anglia
Phalaena	monitaria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 285	in India Dr. Fothergill
Phalaena	nitata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 288	in Germania Dr. Schulz
Alucita	nivella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 297	in Anglia Dom. Yeats
Phalaena	obscurata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 287	in Germania Dr. Schulz
Papilio	ocirrhoe	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 260	Surinami Dr. Schulz
Papilio	ocypete	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 260	Surinami Dr. Schulz
Papilio	orsilochus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 252	Surinami Dr. Schulz
Pyralis	pallidana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 292	Hamburgi Dr. Schulz
Papilio	periboea	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 261	Surinami Dr. Schulz
Sphinx	plebeja	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 273	in Americae Insula St. Crux D. Spengler
Sphinx	pluto	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 274	in America meridionali D. Spengler
Zygaena	pythia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 275	in Germania Dr. Schulz
Papilio	remus	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 250	in Amboina
Phalaena	rivulata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 289	in Germania Dom. de Hattorf

Noctua	roboris	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 283	in Germaniae Quercu
Phalaena	roraria	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 285	in Europa
Pyralis	schulziana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 293	in Germania Dr. Schulz Hamburgus
Pyralis	sehestediana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 293	Chilonii Alnetis Dom. de Sehestedt. Kiel 1 specimen
Tinea	seppella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 296	in Anglia Dom. Yeats. Kiel 1 specimen
Pyralis	sernana	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 292	in Germania Dom. de Hattorf
Papilio	sesia	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 257	in America Dom. Spengler
Phalaena	sinuata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 287	in Germania
Tinea	spissicella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 295	Chilonii Dom. Lund. Kiel 1 specimen
Bombyx	sulphurea	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 279	in Germania de Hattorf
Tinea	sulphurella	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 296	in Germania Dr. Schulz
Papilio	thetys	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 264	in America meridionali D. Spengler. Kiel 1 specimen
Phalaena	variegata	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 291	Hamburgi Dr. Schulz. Kiel 2 specimens
Noctua	viminalis	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 284	Germaniae Salice
Noctua	virescens	Fabricius, I. C. 1776.	Type	Gen. Ins. p. 282	in America Insula St. Croix

Lygaena	achemon	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 162, 24 (in Jamaica Insula Mus. Dom. Yeats
Papilio	acis	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 504	Surinami
Papilio	aegon	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 130, 594	in Jamaica Insula Mus. Dom. Blomfield
Papilio	aesopus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 125, 565	in India orientali Mus. Dom. Banks. London 2 specimens
Lygaena	agrius	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 159, 6	Surinami Mus. Dom. Yeats
Noctua	albicollus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 218, 48	in Italia D. Allioni
Papilio	allionia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 83, 366 (in Lusitania D. Gray
Papilio	alphenor	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 4, 11	in China
Bombyx	aluco	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 174, 36	ad Cap. Bon. Spei
Papilio	amyntor	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 121, 543	in India
Hepialus	angulatus	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 506	Hamburgi Dr. Schulz
Phalaena	argentalis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 275, 195	in agro Pedemontano D. Allioni
Bombyx	argus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 170, 17 (Habitat... Mus. Dom. Banks. London 1 specimen
Lygaena	argynnis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 161, 18	in Brasilia Mus. Dom. Yeats
Papilio	asius	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 5, 17	in America meridionali Dom. Yeats

Papilio	aunus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 134, 618	in Africa aequinoctiali Mus. Dom Banks. London 1 specimen; Kiel 1 specimen
Pyralis	bankiana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 275, 1	in Angliae sylvis Dom. Yeats
Tinea	bergstraesserella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 302, 76	in Germaniae Pomariis Dom. de Hattorf
Tinea	blanchardella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 305, 91	in Angliae memoribus Mus. Dom. Yeats. Kiel 1 specimen
Papilio	blomfieldia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 84, 370	Brasilia Mus. Dom. Blomfield
Papilio	brutus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 13, 50	in Africa aequinoctiali Mus. Dom. Banks. London 2 specimens
Papilio	caecilia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 34, 142	in Africa aequinoctiali Mus. Dom. Banks. London 2 specimens
Papilio	camillus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 11, 42 (in Africa aequinoctiali Mus. Dom. Banks
Phalaena	caudata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 253, 64	in Batavia
Noctua	chione	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 213, 20	in India orientali Dom. Lund. Copenhagen 2 specimens
Pyralis	cinerana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 281, 27	in Germania Dom. de Hattorf
Phalaena	cinerata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 255, 75	in Germaniae nemoribus Dom. de Hattorf
Phalaena	cinerata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 265, 138	in Germania Dom. de Hattorf
Tinea	clematella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 297, 41	in Angliae Clematide Mus. Dom. Yeats
Papilio	codomanus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 57, 253 (in Brasilia Mus. Dom. Banks. London 1 specimen

Noctua	convoluta	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 215, 30	ad littora malabarica
Phalaena	corrigata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 265, 140	in Italia Dr. Allioni
Papilio	cresphontes	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 19, 77	in India orientali
Papilio	croesus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 117, 522 (Surinami Mus. Dom. Banks
Phalaena	decorata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 256, 84	in Iamaica Insula Dom. Yeats
Noctua	ellata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 220, 67	
Papilio	endymion	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 115, 306	Surinami
Zygaena	ergotis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 164, 36 (in Madera Insula Mus. Dom. Yeats
Bombyx	erythrinae	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 169, 9	America meridionalis
Papilio	eumeus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 63, 280 (Caiennia Mus. Dom. Yeats
Zygaena	eunolphus	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 505	... Mus. Dr. Schulz
Papilio	eupalus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 54, 241	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	fabius	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 12, 47	in India Mus. Dom. Banks. London 1 specimen
Pyralis	fasciana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 282, 35	in Angliae hortis Dom. Yeats
Phalaena	ferrugalis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 273, 185	in Africa aequinoctiali Dom. Banks. London 1 specimen

Papilio	flesus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 135, 621	in Africa aequinoctiali Mus. Dom. Banks. London 2 specimens; Kiel 1 specimen
Pyralis	forsterana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 279, 18	in Angliae nemoribus Dom. Yeats
Tinea	forsterella	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 509	Hamburgi Dr. Schulz
Tinea	fueslella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 301, 66	in Germaniae nemoribus Dom. de Hattorf. Kiel 3 specimens
Phalaena	funerata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 268, 155	Surinami
Papilio	gea	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 32, 136	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Noctua	geryon	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 216, 37	in Africa aequinoctiali Mus. Dom. Yeats
Tinea	gleichenella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 303, 81	in Angliae nemoribus Mus. D. Yeats
Papilio	gnetus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 135, 624 (in India Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Tinea	gramella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 294, 26	in Anglia Mus. Dom. Yeats
Pyralis	grotiana	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 508	Hamburgi
Tinea	guttella	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 509	in Austria Dr. Schulz
Papilio	harpygia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 104, 456	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	helius	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 112, 489	in Africa aequinoctiali Mus. Dom Banks. London 1 specimen
Tinea	hermannella	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 509	Hamburgi Dr. Schul. Kiel 1 specimen

Phalaena	hirsutaria	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 508	
Bombyx	histrion	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 203, 139 (in Insula Tabago Americae Mus. Dom. Yeats. Kiel 2 specimens
Papilio	hystaspes	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 57, 254	in Brasilia Mus. Dom. Banks. London 1 specimen
Papilio	ianthe	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 80, 354	Cayenne Mus. Dom. Yeats
Pyralis	ilicana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 283, 44	in Angliae hortis Mus. Dom. Yeats
Noctua	irrorata	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 506	in India orientali Dom. Vahl. Copenhagen 1 specimen
Noctua	italica	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 218, 49	in Italia D. Allioni
Sesia	ixion	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 154, 2	Surinami
Tinea	klemannella	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 509	Hamburgi Dr. Schulz. Kiel 1 specimen
Tinea	klemannella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 304, 87	in Angliae hortis Mus. Dom. Yeats
Sphinx	labruscae L.	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 152, 57.	
Pyralis	leeana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 276, 2	in Europae nemoribus frequens in Anglia
Zygaena	lichasi	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 505	in Arabia Prof. ForskÖhl e Mus. Schulziano (
Tinea	linetella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 291, 12	in agro Pedemontana D. Allioni. Kiel 2 specimens
Noctua	lyncea	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 506	in India orientali Dom. Vahl

Phalaena	macularia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 246, 27	in India Mus. Dom. Yeats
Alucita	marginella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 307, 8	in Juniperetis Angliae Mus. Dom. Yeats. Kiel 1 specimen
Tinea	marginella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 293, 23	in Germania Dom. de Hattorf. Kiel 3 specimens
Noctua	materua L	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 212, 16	
Sphinx	medea	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 143, 19 (in Africa aequinoctialis Mus. Dom. Banks. London 1 specimen
Noctua	meretrix	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 507	Hamburgi Dr. Schulz
Papilio	merione	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 94, 411	Surinami
Phalaena	metallata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 268, 157	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Phalaena	minutaria	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 253, 62	in Italia D. Allioni
Papilio	moncus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 113, 492	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	murcia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 33, 141	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Zygaena	myrtea	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 161, 19	in Brasilia Mus. Dom. Yeats
Phalaena	nigralis	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 508	in Germania Dr. Schulz
Phalaena	nivealis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 274, 187	in Germania Dom. de Hattorf
Pyralis	obliquana	Fabricius, I. C. 1781.	Type	Spec. Ins. I p. 281, 28	in Anglia Mus. Dom. Yeats

Bombyx	obscura	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 206, 156	in Italia Dr. Allioni
Papilio	oethon	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 59, 260	Surinami Mus. Dom. Yeats
Sphinx	pagana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 146, 29	in India orientalis Mus. Dom. Banks (. London 1 specimen; Kiel 1 specimen
Papilio	pasiphae	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 33, 140	in Guinea
Zygaena	passalis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 159, 11	Habitat . . . Mus. Dom. Yeats. Kiel 4 specimens
Papilio	phaedrus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 125, 566	in India orientali Mus. Dom. Banks
Papilio	phocion	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 138, 642	in Africa aequinoctiali Mus. Dom Banks. London 1 specimen
Pyralis	plumbana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 278, 9	Hamburgi D. Schulz
Papilio	pompeius	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 502	Surinami
Bombyx	populeti	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 201, 135	in Populo tremulae Norwagiae Dom. Stroem
Papilio	portlandia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 82, 363	in America meridionali Mus.Dom. Yeats
Bombyx	punctata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 207, 157	in italia D. Allioni (. Kiel 2 specimens
Papilio	pyramus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 130, 590	Caiennae Mus. Dom. Yeats
Tinea	quadripunctella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 298, 52	in Germania
Papilio	quirina	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 36, 152	in India, Madras Mus. Dom. Banks. London 1 specimen

Papilio	rhetus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 133, 612	Surinami
Papilio	saba	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 46, 199 (in Africa aequinoctiali Mus. Dom. Banks. London 2 specimens
Papilio	salus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 135, 622	Surinami. Glasgow 1 specimen
Bombyx	sanguinolenta	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 199, 128	in India orientali Dom. Lund. Copenhagen 2 specimens
Pyralis	scabrana	Fabricius, I. C. 1781.	Type	Spec. Ins. I p. 284, 54	in Angliae Quercu Mus. Dom. Yeats
Tinea	schiffermyllerella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 302, 75	in Hamburgensibus arboretis D. Schulz
Tinea	schreberella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 304, 86	in Anglia Mus. Dom. Yeats. Kiel 1 specimen
Papilio	sedi	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 121, 538	in Sedo Telephio Germaniae
Noctua	sinuata	Fabricius, I. C. 1781.	Type	Spec. Ins. II App. p. 507	in India orientali Dom. Vahl
Phalaena	sinuata	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 267, 153	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Pyralis	smeathmanniana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 278, 13	in Anglia Mus. Dom. Yeats
Tinea	stigmatella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 295, 34	in Anglia Mus. Dom. Yeats
Alucita	striatella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 310, 24	in Angliae hortis Mus. Dom. Yeats
Phalaena	strigalis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 274, 191	in Germaniae nemoribus Dom. de Hattorf
Tinea	strigella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 293, 22	in Germania

Tinea	stroemella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 303, 80	in Norwagiae nemoribus capt. d. 8 Jul.
Pyralis	stroemiana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 280, 24	in Germania Dom. de Hattorf
Tinea	sulzerella	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 301, 71	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	talus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 128, 580	Surinam
Papilio	thisbe	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 130, 589	Caiennae Mus. Dom. Blomfield
Zygaena	thoas	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 166, 53	Habitat . . . Mus. Dom. Yeats
Pyralis	tunbregiana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 284, 47	in Germania Dom. de Hattorf
Phalaena	undalis	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 272, 178	in Italia D. Allioni
Papilio	urania L.	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 29, 117	
Papilio	venus	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 115, 507	Surinami
Papilio	xiphia	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 43, 180 (in India orientali Mus. Dom. Banks. London 1 specimen
Pyralis	yeatiana	Fabricius, I. C. 1781.	Type	Spec. Ins. II p. 286, 60	in Anglia nemoribus
Pyralis	abietana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 237, 120	in Svecia Abiete Dom. de Paykull. Kiel 1 specimen
Papilio	acaciae	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 69, 655	in Russia australiori Dom. Boeber
Papilio	acreon	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 76, 699	in Russia meridionali Dom. Boeber. Kiel 2 specimens

Phalaena	adpersaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 189, 45	Halae Saxonum Dom. Hybner. Kiel 1 specimen
Bombyx	advena	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 123, 130	in Hispania Dom. Vahl. Copenhagen 1 specimen
Noctua	aemula	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 162, 183	in Austria Dom. Schieffermyller
Papilio	agatha	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 54, 530	in India Dom. Boeber
Phalaena	albidaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 188, 41	in Africae aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	alcibiades	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 8, 63	Tranquebariae Dom. Lund. Copenhagen 2 specimens
Papilio	alcyone	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 38, 399	in Russiae australioris montosis Dom. Boeber
Noctua	alienata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 152, 126	in Sierra Leon Africae Dr. Pflug. Copenhagen 1 specimen
Papilio	allica	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 52, 510	in Siam Mus. Dom. Banks. London 1 specimen; Kiel 3 specimens
Phalaena	alpestralis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 217, 274	in Austria Mus. Dom. Schieffermyller
Phalaena	angulata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 196, 102	in Africa aequinoctiali. Kiel 1 specimen
Phalaena	angustalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 222, 309	Tranquebariae Dom. Hybner
Papilio	aphrodite	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 62, 590	in America meridionali Dom. Boeber
Phalaena	apicalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 223, 319	Surinami Mus. Dr. Pflug
Papilio	arcas	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 80, 728	ad Cap. Bon. Spei Dom. Lund. Copenhagen 2 specimens

Papilio	arcesilaus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 28, 305	in Siam Mus. Dom. Banks. London 1 specimen
Noctua	arcuata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 145, 75	Tranquebariae Dom. Lund. Copenhagen 1 specimen
Phalaena	arenata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 197, 104	Tranquebariae Dom. Hybner
Papilio	arete	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 42, 418	in Austriae montosis Dom. Schiffermyller
Noctua	argentina	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 162, 185	in Russia australiori Dom. Boeber
Papilio	argiades	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 76, 698	in Saxonia Dom. Boeber
Tinea	argyrella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 242, 24	Austria Mus. Dom. Schieffermyller. Kiel 2 specimens
Bombyx	armida	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 109, 24	Cajennae Dom. v. Rohr
Noctua	arundinis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 141, 54	in Arundinis caulibus equis lethalis
Papilio	aspasia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 15, 145	Tranquebariae Dom. Lund. Copenhagen 1 specimen
Papilio	athalia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 59, 571	in Russia boreali Dom. Boeber
Papilio	atlita	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 37, 388	in India orientali Dom. Lund
Phalaena	aurantiata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 201, 144	in Germania Mus. Dom. Schieffermyller
Bombyx	auriflua	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 125, 145	in Germaniae Pyro Dom. Schieffermyller. Kiel 2 specimens
Noctua	aurita	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 179, 282	in Hispania Dom. Vahl

Bombyx	avellanae	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 116, 76	in Malo et Corylo Hafniae Dom. de Loewenskiold
Noctua	avida	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 144, 68	in India orientali Mus. Dom. Banks
Papilio	ballus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 80, 729	in Hispania Dom. Vahl. Copenhagen 1 specimen; Kiel 1 specimen
Noctua	basilinea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 183, 305	in Austria Mus. Dom. Schieffermyller. Kiel 1 specimen
Alucita	betulinella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 255, 13	Sveciae Dom. de Paykull. Kiel 1 specimen
Papilio	bias	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 79, 721	Cajennae Dom. v. Rohr. Kiel 1 specimen
Noctua	bicolora	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 140, 41	in Sierra Leon Dr. Pflug
Tinea	bifasciella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 249, 94	in Dania Dom. de Sehestedt. Kiel 1 specimen
Papilio	blandina	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 41, 412	in Germania Mus. Dom. Romani. Kiel 1 specimen
Pyralis	boeberana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 239, 135	in Daniae Quercu Dom. Lund. Copenhagen 1 specimen
Pyralis	borana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 234, 92	in Svecia Dom. de Paykull
Papilio	brontes	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 87, 791	in America Mus. Dr. Hunter
Bombyx	bufo	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 121, 118	in Germania Dom. Hybner
Lygaena	butus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 105, 39	in America meridionali Mus. Dr. Hunter
Sphinx	butus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 98, 62	in India

Papilio	cachus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 78, 715	Cajennae Dom. v. Rohr
Phalaena	candidata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 215, 253	in Austria Mus. Dom. Schieffermyller
Noctua	capreae	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 140, 43	in Hafniae Salice Dom. de Sehestedt
Bombyx	cassandra	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 111, 40	. . . Mus. Dr. Hunter
Papilio	cassiope	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 42, 417	in Austriae Gramine Dom. Schiffermyller
Papilio	cato	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 12, 105	
Bombyx	centrolinea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 126, 149	in Austria Mus. Dom. de Schieffermyller
Papilio	cepha	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 15, 143	Cajennae Dom. v. Rohr
Papilio	cerasi	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 69, 654	in Austriae Cerasi. Kiel 1 specimen
Noctua	ciliata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 163, 193	Cajennae Dom. v. Rohr
Bombyx	cinerea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 115, 74	in Austria Dr. Schulz
Papilio	claudius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 25, 261	Tranquebaria Dom. Lund. Copenhagen 2 specimens
Papilio	clito	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 91, 828	Cajennae Dom. v. Rohr. Kiel 1 specimen
Sphinx	clotho	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 97, 57	ad Cap. Bon. Spei
Papilio	cochrus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 25, 263	.. Mus. Dr. Hunter. Glasgow 1 specimen

Papilio	cocles	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 7, 53	in Siam Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Papilio	cocytus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 29, 316	in Siam Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen; Copenhagen 1 specimen
Noctua	concha	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 161, 174	in Austriae plantis
Noctua	consona	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 163, 194	in Austria Mus. Dom. Schieffermyller
Phalaena	consortaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 187, 24	in Austria Mus. Dom. Schieffermyller
Papilio	cornelia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 21, 229	Tranquebariae Dom. Lund
Phalaena	corvaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II App. p. 381	in America meridionali Dom. de Paykull. Kiel 1 specimen
Pyralis	costana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 227, 29	Hafniae D. Sehestedt. Copenhagen 1 specimen
Phalaena	crassalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 217, 273	in Austria Mus. Dom. Schieffermyller. Kiel 1 specimen
Hepialus	crux	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 135, 6	Hafniae Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	curius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 9, 71	in Siam Mus. Dom. Banks. London 1 specimen
Papilio	cypraea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 22, 232	in India. Kiel 2 specimens
Pyralis	daldorfana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 235, 104	Kiliae Dom. Daldorff. Kiel 1 specimen; Copenhagen 1 specimen
Papilio	dan	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 88, 798	Tranquebariae Dom. Pflug
Papilio	dardus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 30, 324	Surinami Dr. Schulz

Noctua	delia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 140, 42	in Insula Amsterdam Mus. Dom. Banks. London 2 specimens
Phalaena	dimidiata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 202, 146	Cajennae Dom. v. Rohr. Kiel 1 specimen
Noctua	distincta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 157, 154	Hafniae Dom. de Sehestedt. Copenhagen 1 specimen
Noctua	divergens	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 162, 184	in Austria montosis Dom. Schieffermyller
Noctua	dorsalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 148, 103	Tranquebariae Dom. Hybner
Tinea	dorsella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 245, 46	Cajennae Dom. v. Rohr. Kiel 1 specimen
Papilio	drusius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 32, 346	in Insula Rotterdam Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Bombyx	elegans	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 118, 100	ad Cap. Bon. Spei Mus. Dom. Banks. London 1 specimen
Pyralis	elevana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 234, 88	in Austria Mus. Dom. Schieffermyller
Papilio	empedocles	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 10, 94	in India orientali Mus. Dom. Banks. London 1 specimen
Alucita	enzenbergella	Fabricius, I. C. 1787.	Type	Mant. Int. II p. 256, 22	in Austria Dom. Saldoner
Papilio	erippus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 27, 282	in China Mus. Dr. Hunter. Glasgow 3 specimens
Papilio	erithonius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 11, 103	in Africa Mus. Dr. Hunter
Papilio	erosine	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 51, 506	ad Cap. Bon. Spei
Alucia	erxebella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 256, 27	Goettingae Dr. Schulz. Kiel 1 specimen

Noctua	erythrocephala	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 148, 104	in Germania Dom. Lund
Tinea	esperella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 251, 109	
Papilio	etolus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 66, 620	in Indiis. Kiel 1 specimen
Papilio	evadrus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 89, 806	ad Cap. Bon. Spei Mus. Dom. Lund. Copenhagen 2 specimens
Phalaena	extremata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 211, 218	in Austria Mus. Dom. Schieffermyller
Tinea	fagella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 244, 42	Austriae Fago sylvatica D. Schieffermyller. Kiel 1 specimen
Noctua	ferrago	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 160, 170	Kiliae Dom. Daldorff
Phalaena	fervidaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 187, 29	in Africa aequinoctiali Mus. Dom. Banks. London 2 specimens
Noctua	fixa	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 147, 91	in Gibraltar Dom. Boeber
Phalaena	flabellaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 188, 36	in Africa aequinoctiali Mus. Banks. London 1 specimen
Noctua	flamma	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 164, 198	in Austriae Mus. Dom. Schieffermyller
Noctua	flavago	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 160, 171	Kiliae Dom. Daldorff
Phalaena	flavaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 187, 32	in India orientali Dom. Vahl
Zygaena	flavicornis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 104, 25	Cajennae Dom. v. Rohr
Bombyx	flavomacula	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 119, 104	Hafniae Dom. de Sehestedt

Papilio	flegia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 51, 507	Cajennae Dom. v. Rohr. Kiel 1 specimen
Phalaena	flexula	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 197, 107	
Phalaena	fluctualis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 222, 315	in Insula Rotterdam Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Noctua	formosa	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 150, 114	in Sierra Leon Africae Dr. Pflug. Copenhagen 1 specimen
Noctua	fortificata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 149, 106	in Germania Dom. Boeber
Bombyx	francisca	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 131, 200	in Coromandel Dom. Vahl
Phalaena	fulvata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 206, 177	Svecia Dom. de Paykull
Tinea	funerella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 247, 74	in Austria Mus. Dom. Schieffermyller. Kiel 2 specimens
Papilio	gambrisius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 12, 113	in India orientali Mus. Dom. Banks. London 1 specimen
Papilio	garbus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 81, 732	in Austria Acetosella Schiffermyller. Kiel 1 specimen
Noctua	geographica	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 167, 216	in Austria Dom. Schieffermyller
Papilio	gerontes	Fabricius, I. C. 1787.	Type	Spec. Ins. II p. 117, 524	in Africa aequinoctiali Mus. Dom. Banks. London 1 specimen
Papilio	getus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 66, 621	Surinami
Papilio	glycerie	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 36, 379	in India orientali Dom. Boeber
Papilio	gnidus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 64, 607	

Zygaena	gyon	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 105, 43	Cajennae Dom. v. Rohr. Kiel 1 specimen
Papilio	haraldus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 82, 744	in India orientali Dom. Lund. Copenhagen 1 specimen
Pyralis	heiseana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 231, 62	Saxoniae nemoribus Dr. Heise
Papilio	heliodore	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 52, 516	in Siam Mus. Dom. Banks. London 1 specimen
Bombyx	helvola	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 122, 126	Kiliae Dom. Daldorff
Papilio	hiere	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 80, 726	in Austria Mus. Dom. Schiffermyller. Kiel 1 specimen
Papilio	hippia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 55, 545	in Pulicandor Dom. Banks. London 1 specimen
Papilio	ianassia	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 49, 487	in Africa Mus. Dr. Hunter
Papilio	iarbas	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 83, 749	Cajennae Dom. v. Rohr
Papilio	iarbus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 68, 648	in Siam Dom. Banks
Noctua	illustris	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 164, 195	in Germania australiori Dom. Zschuck. Kiel 1 specimen.
Noctua	itynx	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 136, 10	in Coromandel Dom. Vahl
Papilio	iuba	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 82, 738	in Sierra Leon Africae Dr. Pflug. Kiel 1 specimen
Papilio	iudith	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 22, 230	in Pulicandor Mus. Dom. Banks. London 1 specimen
Papilio	jupiter	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 87, 794	in Sierra Leon Africae Dr. Pflug. Kiel 1 specimen

Noctua	lactea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 182, 297	in Russia australiori Dom. Boeber
Noctua	lamda	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 174, 257	in Germania Dom. Schneider
Noctua	lanceolata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 149, 108	
Papilio	lassus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 26, 269	Cajennae Dom. v. Rohr. Kiel 1 specimen
Phalaena	laternaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 193, 77	in Indiis
Papilio	lavaterae	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 91, 825	Kiliae. Kiel 1 specimen
Pyralis	leeana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 224, 2	
Papilio	licea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 20, 210	in Africae aequinoctiali Dom. Banks
Phalaena	lignaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 195, 91	in Saxoinae ligno putrido Mus. Dom. Romani
Papilio	lisias	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 65, 615	in Pulicandor Mus. Dom. Banks. London 2 specimens; Kiel 1 specimen
Phalaena	liturata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 197, 109	in India Dom. Lund. Copenhagen 1 specimen
Phalaena	lividata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 199, 121	in Rubo Caesio Austriae Mus. Dom. Schieffermyller
Phalaena	luctuata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 208, 194	Halae Saxonum Dom Hybner
Noctua	lunata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 163, 190	ad Cap. Bon. Spei Dom. Lund. Copenhagen 1 specimen; Kiel 1 specimen
Bombyx	lusca	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 112, 49	in Coromandel Dom. Vahl

Phalaena	luscata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 200, 127	Cajennae Dom. v. Rohr
Noctua	luteago	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 160, 169	in Russia meridionali Dom. Boeber
Papilio	maenas	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 90, 813	in America Mus. Dr. Hunter. Glasgow 2 specimens
Zygaena	maja	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 106, 56	in America Mus. Dr. Hunter
Bombyx	mali	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 115, 75	in Malo et Corylo Hafniae Dom. de Loewenskiold
Papilio	marcus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 87, 796	Cajennae Dom. v. Rohr. Kiel 1 specimen
Papilio	martha	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 56, 555	in Siam Mus. Dom. Banks. London 1 specimen
Bombyx	megaera	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 109, 12	in America boreali Dr. Grandier
Phalaena	mellinata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 206, 182	in Austria Mus. Dom. Schieffermyller
Papilio	melusina	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 43, 430	in Sierra Leon Africae Dr. Pflug. Copenhagen 1 specimen
Papilio	mercurius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 86, 780	Cajennae Dom. v. Rohr. Kiel 1 specimen
Papilio	messalina	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 22, 236	in India Dom. Boeber
Pterophorus	migadactylus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 259, 9	in Austria Mus. Dom. Schieffermyller. Kiel 1 specimen
Papilio	minereus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 77, 708	in America meridionali Dom. Lund. Copenhagen 3 specimens; Kiel 1 specimen
Sphinx	minus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 96, 44	in India Dom. Lund

Noctua	mixta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 144, 70	Halae Saxonum Dom. Hybner
Papilio	momus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 86, 785	Cajennae Dom. v. Rohr
Noctua	moneta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 162, 182	in Austriae montosis Dom. Schieffermyller
Papilio	monina	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 51, 502	in India orientali Dom. Lund. Copenhagen 2 specimens
Phalaena	motitalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 218, 279	in Insula Rotterdam Mus. Dom. Banks. London 2 specimens
Papilio	nicias	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 86, 779	Cajennae Dom. v. Rohr. Kiel 1 specimen
Zygaena	nigricornis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 104, 30	Cajennae Dom. v. Rohr. Kiel 1 specimen
Phalaena	nitata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 212, 225	Cajennae Dom. v. Rohr
Phalaena	nitidaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 194, 86	in Russia australiori Dom. Boeber
Bombyx	nitidula	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 126, 153	in Coromandel Dom. Vahl. Copenhagen 1 specimen
Pyralis	niveana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 233, 33	in Svecia Dom. de Paykull
Noctua	notacula	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 138, 35	. . . Mus. Dom. Vahl. Copenhagen 1 specimen
Papilio	nothus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 88, 799	in America Dr. Hunter. Glasgow 1 specimen
Bombyx	nuda	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 119, 105	in Amarantho spinosa Indiae Mus. Dom. Banks. London 1 specimen
Phalaena	obliquaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 194, 81	in Siam Mus. Dom. Banks. London 2 specimens; Kiel 1 specimen

Tinea	obscorella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 248, 83	in Sveciae Dom. de Paykull. Kiel 1 specimen
Papilio	octavius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 9, 72	
Zygaena	octomaculata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 106, 51	America Mus. Dr. Hunter
Papilio	oedippus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 31, 335	in Russia australiori Dom. Boeber
Noctua	orbona	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 150, 116	in Germania Dom. Boeber
Papilio	otis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 73, 689	in China Dom. de Sehestedt. Kiel 1 specimen
Phalaena	pagaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 192, 70	in China Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Papilio	palinurus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 2, 10	Tranquebariae Dom. Lund. Copenhagen 2 specimens
Noctua	palliata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 144, 73	in Germania Dom. Hybner
Papilio	panthera	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 39, 407	Tranquebariae Dom. Lund. Copenhagen 1 specimen
Noctua	paphos	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 137, 24	in Siam Mus. Dom. Banks. London 1 specimen
Bombyx	paradoxa	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 130, 191	in Tritico repente Russiae Dom. Boeber
Tinea	pastulella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 241, 16	
Pyralis	paykulliana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 235, 99	in Svecia Dom. de Paykull
Bombyx	pectinella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 132, 206	in Austria Mus. Dom. Schieffermyller

Tinea	pectinella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 248, 78	Svecia Dom. de Paykull. Kiel 1 specimen
Phalaena	pedaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 191, 58	in Betula Alno Dom. Hybner
Papilio	pelea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 53, 523	in India orientali Dom. Lund. Copenhagen 1 specimen
Sphinx	penaeus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 93, 14	in America meridionali Mus. Dr. Hunter
Pyralis	penkleriana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 236, 107	in Austria Mus. Dom. Schieffermyller
Papilio	peranthus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 4, 33	in Cochin China Mus. Dom. Banks. London 2 specimens
Noctua	perflua	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 179, 280	in Austria Dom. Schieffermyller
Papilio	periander	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 9, 74	in India orientali Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Tinea	perlella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 241, 17	in Austria Dom. Schieffermyller
Phalaena	perspicata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 213, 240	Cajennae Dom. v. Rohr
Pyralis	pflugiana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 227, 34	Hafniae Dr. Pflug. Copenhagen 2 specimens
Phalaena	pluviaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 192, 65	Halae Saxonum Dom. Hybner
Papilio	pompilius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 8, 66	in India Mus. Dr. Hunter. Glasgow 2 specimens
Pyralis	populana	Fabricius, I. C. 1787.	Type	Mant. Ins. II App. p. 382	in Sveciae Populo Dom. de Paykull
Bombyx	popularis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 133, 209	in Russia, Germania Dom. Boeber

Phalaena	procellata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 204, 165	in Austria Mus. Dom. Schieffermyller. Kiel 2 specimens
Phalaena	pygmaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 196, 98	Kiliae Dom. Daldorff
Zygaena	pylotis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 106, 47	Surinami Doct. Schulz
Bombyx	quadricincta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 111. 44	in India orientali Dom. Lund. Copenhagen 1 specimen
Papilio	rahel	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 22, 235	in India Dom. Boeber. Kiel 1 specimen
Pyralis	ramalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 220, 293	in Austria Mus. Dom. Schieffermyller
Noctua	rapta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 151, 120	Tranquebariae Dom. de Slanbusch. Copenhagen 1 specimen
Phalaena	revidata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 215, 258	Tranquebariae Dom. Hybner
Sphinx	rhadamistus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 93, 10	in Sierra Leon Africae Dr. Pflug. Copenhagen 1 specimen
Papilio	rhea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 18, 19	Cajennae
Noctua	ridens	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 180, 289	in Germania Dom. Schneider
Pyralis	roborana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 231, 67	in Hafniae Quercu Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	rohria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 45, 446	in India Dom. Vahl
Pyralis	romanana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 234, 91	in Germania australiori Dom. Romanus
Bombyx	rurea	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 114, 67	in Austria

Bombyx	rutila	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 123, 131	in Siam Mus. Dom. Banks. London 1 specimen
Noctua	saga	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 137, 29	in Coromandel Dom. Vahl. Kiel 2 specimens
Phalaena	sagittata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 210, 108	in Austria Mus. Dom. Schieffermyller
Pyralis	saldonana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 232, 71	in Austria Dom. Saldoner
Papilio	salome	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 42, 419	in Gibraltar Dom. Boeber
Papilio	saturnus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 85, 769	Cajennae Dom. v. Rohr
Pyralis	schumacherana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 236, 106	Hafniae nemoribus Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	sebaldus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 89, 805	in America Mus. Dr. Hunter. Glasgow 2 specimens
Phalaena	securata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 214, 242	in Coromandel Dom. Vahl
Zygaena	sedi	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 101, 4	in Russia meridionali Dom. Boeber
Noctua	serena	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 171, 242	in Austria Dom. Schieffermyller
Papilio	silvius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 88, 800	ad Cap. Bon. Spei Dom. Lund. Copenhagen 1 specimen; Kiel 1 specimen
Noctua	simulans	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 177, 269	in Germania Dom. Schneider
Phalaena	smaragdaria	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 192, 67	in Austria Dom. Schieffermyller
Phalaena	sophialis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 217, 277	in Austriae Saesymbrio sophia Dom. Schieffermyller

Zygaena	sperbius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 103, 18	in China Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	sponsata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 199, 126	in Sierra Leon Africae Dr. Pflug. Copenhagen 1 specimen
Noctua	squalida	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 136, 13	in Coromandel Dom. Vahl
Noctua	stictica	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 173, 250	in Hamburgi Dr. Schulz
Papilio	susanna	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 16, 166	in Africa Mus. Dr. Hunter. Kiel 3 specimens
Papilio	taumas	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 84, 764	in America boreali Dom. Boeber,. Kiel 1 specimen
Bombyx	testudo	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 121, 116	
Noctua	tetra	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 138, 31	in Austriae Dom. Schieffermyller
Tinea	tetricello	Fabricius, I. C. 1787.	Type	Mant. Ins. p. 246, 52	Austria Mus. Dom. Schieffermyller. Kiel 1 specimen
Papilio	thais	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 64, 601	in America meridionali Mus. Dr. Hunter
Zygaena	thelebus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 103, 17	in China Dom. de Sehestedt. Copenhagen 1 specimen; Kiel 1 specimen
Papilio	thymetus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 30, 320	. . . Mus. Dr. Hunter
Papilio	timon	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 65, 611	in America meridionali Mus. Dr. Hunter
Pyralis	trapezana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 228, 38	Hafniae Dr. Pflug. Copenhagen 1 specimen
Bombyx	trepida	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 121, 121	in Austriae Quercu Dom. Schiffenmyller

Noctua	triangulum	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 145, 74	Tranquebariae Dom. Lund. Copenhagen 2 specimens
Bombyx	tricolora	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 114, 69	Cajennae Dom. v. Rohr
Papilio	triton	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 74, 692	in Russia meridionali Dom. Boeber
Papilio	tullius	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 34, 359	Cajennae Dom. v. Rohr
Tinea	tunbergella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 253, 131	Kiliae Dom. Daldorff. Kiel 5 specimens
Pyralis	undana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 237, 121	in Austria Mus. Dom. Schieffermyller
Bombyx	undata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 122, 127	Kiliae Dom. Daldorff
Pyralis	vahliana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 225, 9	in Holsatia
Papilio	valens	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 67, 644	
Sphinx	vampyrus	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 98, 66	in Indiis
Pyralis	variana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 231, 63	Kiliae Dom. Daldorff
Phalaena	variegalis	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 218, 278	in Austria Mus. Dom. Schieffermyller
Phalaena	velohata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 215, 257	in Insula Rotterdam Mus. Dom. Banks
Phalaena	venosata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 209, 205	in Austria Mus. Dom. Schieffermyller
Phalaena	ventilabris	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 216, 267	Carinthia Dom. Saldoner

Pyralis	vernana	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 225, 8	in Austria Mus. Dom. de Schieffermyller
Noctua	vespertilio	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 136, 16	Tranquebariae Dom. de Slanbusch
Papilio	vesta	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 14, 130	in China Dr. Pflug
Papilio	villida	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 35, 366	in Insula Amsterdam, in Pulicander Mus. Dom. Banks. London 1 specimen; Kiel 1 specimen
Tinea	vinetella	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 242, 23	Dresdae Mus. Dom. Romani
Phalaena	violata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 213, 238	Tranquebariae Dom. Hybner
Phalaena	vitratata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 215, 255	Tranquebariae
Bombyx	vittata	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 127, 164	in America Mus. Dr. Hunter
Papilio	zingha	Fabricius, I. C. 1787.	Type	Mant. Ins. II p. 48, 477	in Sierra Leon Dr. Pflug. Copenhagen 1 specimen