

Fabricius Types - Order Lepidoptera (author Fabricius 1793 - 1807)

The following list is based on Zimsen, E. 1964. The type material of I.C. Fabricius.

Only some of the types mentioned below are available at the Zoological Museum, Copenhagen. Please contact the curator.

The list is sorted by species.

Genus	Species	Author	Type Status	Citation	Notes
Papilio	absolon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 56, 174	in Guinea Dom. de Badier
Papilio	acamas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 8, 22	in Jamaica Dom. Drury
Bombyx	acria	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 451, 137	in Carolina Mus. Dom. Bosc
Hesperia	aelianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 280, 79	in India occidentalis. Kiel 6 specimens
Hesperia	aemulius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 322, 219	in Indiis Dom. Drury. Kiel 2 specimens
Hesperia	aesculapius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 347, 321	in America boreali Dom. Drury
Papilio	aethiopa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 136, 420	Africa Dom. Jones
Papilio	agapenor	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 26, 76	in Africa Mus. Dom. Drury. Kiel 2 specimens
Hesperia	agrippa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 259, 3	in America Dom. Drury
Pyralis	allionana	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 262, 83	in Italia Dr. Allioni
Papilio	alope	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 229, 715	in India Dom. Francillon
Hesperia	alphonsus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 308, 171	Surinami Dom. Drury

Papilio	amalia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 129, 398	in Sierra Leon Africae Dom. Drury
Papilio	amarylis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 189, 586	in India Mus. Dr. Hunter
Papilio	amasia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 136, 419	Surinami Dom. Drury
Bombyx	americana	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 433, 81	in America boreali
Hesperia	amiatus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 347, 320	in America Dom. Drury. Kiel 1 specimen
Hesperia	amphion	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 301, 139	in Germania Dom. Smidt. Kiel 1 specimen
Hesperia	anacreon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 268, 34	in Indiis Dom. Drury
Papilio	angenthona	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 200, 624	. . . Mus. Dom. Drury
Bombyx	angulata	Fabricius, I. C. 1793.	Type	Ent. Syst. III I p. 481, 230	in India orientali Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	anthipus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 10, 28	in India Dom. Drury
Papilio	aranea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 168, 519	. . . Dom. Drury
Papilio	aranea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 97, 299.	
Papilio	arcadius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 151, 463	in Africa Dom. Jones
Hesperia	archimedes	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 320, 210	in Indiis Dom. Drury
Papilio	archippus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 49, 150	in America meridionali. Kiel 2 specimens
Papilio	aristides	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 86, 268	in Indiis

Papilio	arminius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 155, 478	. . . Dom Drury
Hesperia	artaxerxes	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 297, 129	in Anglia Dom. Jones
Papilio	artenusia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 101, 313	in America Dom. Drury
Papilio	astina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 81, 251	in Insula St. Thomas
Papilio	astyanax	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 13, 37	in India Dom. Drury
Hesperia	atticus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 339, 288	in India Dom. Lund. Copenhagen Coll. Lund 1 specimen (
Papilio	auge	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 248, 773	in Indiis Dom. Drury
Hesperia	augustus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 275, 62	in America Dom. Drury
Papilio	aurota	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 197, 614	in Coromandel Dom. Francillon. Kiel 1 specimen
Papilio	avia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 111, 342	in Africa aequinoctiali Mus. D. Banks. London 1 specimen
Papilio	bathseba	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 235, 733	in Barbaria Mus. Dom. Desfontaines. Kiel 1 specimen
Sphinx	batus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 377, 64	
Papilio	bella	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 79, 245	in Indiis Dom. Drury
Papilio	belladonna	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 180, 557	. . . Dom. Jones
Papilio	bernardus	Fabricius, I. C. 1793.	Type	Ent Syst III, I p. 71, 233	in China
Papilio	beroe	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 111, 341	in Austria Dom. Schieffermyller

Hesperia	bibulus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 307, 163	in Indiis Dom. Drury
Bombyx	binotata	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 486, 247	in Svecia Dom. de Paykull
Papilio	blandina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 129, 397	in Indiis Dom. Jones
Hesperia	busiris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 345, 310	in Indiis Dom. Drury
Hesperia	cachrys	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 306, 158	
Papilio	cacta	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 116, 356	in India Dom. Jones
Hesperia	caesar	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 340, 294	in Indiis Dom. Jones
Hesperia	cajus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 296, 126	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Bombyx	camelus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 443, 110	in Indiis Dom. Francillon
Hesperia	cassander	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 337, 280	. . . Dom. Drury
Papilio	castalia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 188, 580	in India
Hesperia	catilina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 304, 150	in Americae meridionalis Insulis Dr. Pflug. Kiel 2 specimens
Hesperia	catullus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 348, 323	in Indiis Dom. Jones
Hesperia	cecrops	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 270, 41	in Indiis Dom Drury
Hesperia	celsus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 346, 316	in India Dom. Jones
Hesperia	ceraunus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 303, 149	in America meridionalis Insulis Dr. Pflug. Kiel 2 specimens; Copenhagen 1 specimen

Bombyx	certhia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 412, 16	in Chusan Mus. Britt
Papilio	cethosia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 143, 440	in Borussia, Muscovia Dom. Boeber
Sesia	chalciformis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 382, 14	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen
Papilio	charmione	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 205, 641	in Insula Johanna Mus. Dom. Drury
Papilio	chelys	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 80, 249	in India Mus. Dom. Jones
Hesperia	chemnis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 331, 257	in Indiis Dom. Jones
Hesperia	chiton	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 262, 16	in India Dom Drury
Papilio	chremes	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 47, 144	in Africa Dom. Jones
Hesperia	cicero	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 338, 287	in India orientali Dom. de Sehestedt. Copenhagen 1 specimen; Kiel 1 specimen
Papilio	cipris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 212, 663	. . . Dom. Drury
Papilio	clara	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 161, 499	Surinami Dom. Drury
Hesperia	clericus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 339, 289	in America meridionali Dom. Smidt. Kiel 2 specimens
Papilio	clerimon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 217, 678	. . . Mus. Dom. Drury
Sphinx	clio	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 377, 65	in Guinea Dr. Isert. Copenhagen 1 specimen
Papilio	cneora	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 200, 626	in India orientali. Kiel 1 specimen
Papilio	cocalia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 250, 777	in Indiis Dom. Drury

Papilio	cocyta	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 127, 388	in India orientali Mus. D. Lund
Papilio	coenobita	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 247	in Indiis Dom. Jones
Hesperia	coenus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 308, 169	in Indiis Dom. Drury
Zygaena	collaris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 388, 7	in India orientali Mus. Dom. Lund. Copenhagen 2 specimens
Zygaena	colombina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 403, 57	in Americae meridionalis Insulis Dom. Smidt. Copenhagen 1 specimen
Papilio	columbina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 148, 453	in America Mus. Dom. Jones
Hesperia	columella	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 282, 83	in Americae meridionalis Insulis Dom. Smidt. Copenhagen 1 specimen; Kiel 1 specimen
Papilio	constantius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 152, 468	. . . Dom. Drury
Papilio	coon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 10, 27	in China Dom. Drury
Papilio	cordula	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 226, 708	in Italia Dr. Allioni. Kiel 1 specimen
Hesperia	coriolanus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 284, 91	Indiis Dom. Drury
Papilio	cornelius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 220, 689	... Dom. Drury
Sesia	crabroniformis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 383, 17	in Italia Dr. Allioni
Papilio	crantor	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 158, 489	in India Dom. Drury
Papilio	crino	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 5, 13	in Africa Mus. Dom. Drury
Hesperia	curtius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 354, 344	Surinami Dom. Jones

Papilio	cynorta	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 37, 109	. . . Dom. Drury. Kiel 1 specimen
Papilio	cyrus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 7, 19	. . . Mus. Britann. Kiel 1 specimen
Papilio	damocles	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 41, 121	in Asia, Africa. Kiel 2 specimens
Papilio	dardanus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 10, 29	in Brasilia Dom. Drury
Papilio	delila	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 234, 731	in Guinea Dr. Isert
Hesperia	democritus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 283, 94	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Bombyx	derasa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 483, 237	in India orientali Prof. Abildgaard
Papilio	dimas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 16, 47	in Brasilia Dom. Drury
Hesperia	dindus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 269, 40	in India Dom Drury
Papilio	diocletianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 40, 118	in India orientali Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Bombyx	dione	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 410, 9	in Guinea Aquapim. Kiel 1 specimen
Hesperia	dioscorides	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 329, 250	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	dirtea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 59, 184	in Bengalia Mus. Britann
Hesperia	domitianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 315, 193	in Guadeloupe Dom. de Badier
Papilio	dorothea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 194, 602	in India Dom. Drury
Papilio	dromus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 224, 701	in Italia D. Allioni. Kiel 1 specimen

Papilio	dryasis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 39, 117	. . . Mus. Britann.
Papilio	electron	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 321, 214	
Papilio	elorea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 194, 603	. . . Dom. Jones
Hesperia	ennius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 337, 283	in Indiis Dom. Jones
Bombyx	ephippiger	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 446, 122	in Americae Insulis Dr. Pflug
Hesperia	epictetus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 330, 252	in Indiis Dom. Drury. Kiel 1 specimen
Papilio	epius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 35, 102	in China Dom. Jones. Kiel 1 specimen
Hesperia	ericus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 281, 81	in India Dom. Drury
Papilio	ethus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 217, 680	. . . in Lapponiae de Paykull
Zygaena	eunolphus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 405, 64	in Americae meridionalis Dom. Smidt
Hesperia	euripides	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 267, 32	in Indiis Dom. Drury
Papilio	eurocilia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 79, 247	in Indiis Dom. Jones
Papilio	eurytris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 157, 485	in Jamaica Mus. Dom. Banks. Glasgow 2 specimens
Papilio	eva	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 162, 501	Surinami Dom. Drury
Papilio	evippe	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 205, 640	London 4 specimens
Bombyx	exigua	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 462, 173	in Americae meridionalis Insulis Dr. Pflug

Papilio	fatima	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 81, 252	in Indiis Mus. Dom. Jones
Bombyx	ferruginea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 432, 78	in Italia Dom. Allioni
Papilio	ferula	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 225, 707	in Italia Dr. Allioni
Papilio	flippantha	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 202, 631	. . . Dom. Drury
Papilio	flirtea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 90, 281	in India Dom. Drury
Papilio	florimel	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 215, 673	. . . Drury
Hesperia	florus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 310, 176	in Indiis Dom. Drury
Papilio	fortunatus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 214, 670	Lapponia Dom. de Paykull. Copenhagen 2 specimens
Hesperia	freja	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 263, 19	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Sphinx	funbris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 371, 47	in Guinea Dr. Isert. Kiel 1 specimen; Copenhagen 1 specimen
Papilio	furcula	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 79, 246	in Indiis Dom. Drury
Hesperia	galba	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 352, 337	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 2 specimens; Kiel 1 specimen
Hesperia	galenus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 350, 332	in Indiis Dom. Drury
Hepialus	garbas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 312, 183	
Hesperia	gemellus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 319, 208	in Cajenne Dom. Drury
Hesperia	geminus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 322, 220	in America Dom. Drury

Papilio	genutia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 193, 601	in India Dom. Drury
Papilio	gertrudtus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 72, 224	. . . Dom. Drury
Papilio	gnidia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 137, 422	in Indiis Dom. Jones
Bombyx	grata	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 457, 158	in Georgia Americanorum D. Olivier
Papilio	griela	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 236, 737	in Lapponia de Paykull. Kiel 1 specimen
Bombyx	grisea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 480, 226	Cajennae Dom. Olivier
Papilio	halyma	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 243, 758	in Indiis Dom Drury
Papilio	haquinus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 55, 169	Tranquebariae Dom. de Sehestedt
Papilio	harmonia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 20, 63	in nova Hollandia Mus. Dom. Banks. London 2 specimens
Papilio	heliacon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 19, 60	India orientali Mus. Dom. Banks. London 2 specimens
Hesperia	helius	Fabricius, I. C. 1793.	Type	Ent. Syst. II, I p. 259, 4	
Hesperia	heraclitus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 291, 112	in America meridionali Dom. Drury
Hesperia	herodotus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 286, 100	in Indiis Dom. Drury
Papilio	herse	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 229, 718	. . . Dom. Drury
Hesperia	hesiodus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 260, 8	in India Dom. Drury
Papilio	hesperus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 47, 145	. . . Drury

Hesperia	hiere	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 310, 177	in Austria Mus. Dom. Banks
Papilio	hippocoön	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 38, 112	in Sierra Leon Africae Dom. Drury
Hesperia	hippocrates	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 288, 105	in India Dom. Drury
Papilio	honorius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 151, 464	. . . Dom. Jones
Papilio	horatius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 64, 202	. . . Dom. Jones
Phalaena	hortaria	Fabricius, I. C. 1793.	Type	Ent. Syst. II, II p. 138, 31	in Italia Dr. Allioni
Bombyx	hyalina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 472, 203	in Italia D. Allioni
Papilio	hyalinus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 185, 571	. . . Dom Drury
Papilio	hyperia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 119, 366	in Indiis Mus. Britannicum
Papilio	iarbas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 276, 65	London 1 specimen; Kiel 2 specimens
Papilio	idaeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 16, 48	in Madras Mus. Dom. Drury
Bombyx	ilicis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 434, 84	in Galliae Quercu Mus. Dom. Garre
Bombyx	illibata	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 461, 171	in America Insulis
Papilio	ilus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 17, 51	in America Dom. Drury
Bombyx	innocua	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 461, 170	in America meridionalis Insulis
Papilio	iphidamas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 17, 52	. . . Dom. Drury

Bombyx	irius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 409, 5	in India Dom. Francillon
Hesperia	isarshus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 316, 198	in America Dom. Drury
Papilio	isis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 124, 377	in Indiis Dom. Jones
Hesperia	isocrates	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 266, 29	in India Mus. Dom. Lund. Copenhagen 4 specimens
Hesperia	jovianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 348, 324	in Indiis Dom. Jones
Hesperia	juvenalis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 339, 291	in America Dom. Jones
Papilio	lacedemon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 36, 107	in Malabar Mus. Dom. Drury
Hesperia	laches	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 317, 199	in America Dom. Drury
Papilio	laches	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 229, 717	in Guiana Mus. Dom. Jones
Papilio	lamina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 118, 361	in Indiis Dom. Drury
Bombyx	lantanae	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 437, 35	in Americae meridionalis
Papilio	laodocus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 8, 23	Brasilia
Papilio	laomedon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 12, 35	in China Mus. Dom. Latham
Papilio	laothoe	Fabricius, I. C. 1793.	Type	Ent. Syst. III 1 p. 102, 316	London 1 specimen
Zygaena	lavandulae	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 387, 4	in Gallia Mus. Dom. Bosc
Papilio	leonidas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I	in Africa Mus. Dom. Drury.. Kiel 3 specimens

Papilio	lethe	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 80, 250	in Indiis Dom. Jones
Papilio	liberia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 135, 418	in Indiis Mus. Dom. Jones
Hesperia	lincus	Fabricius, I. C. 1793.	Type	Ent. Syst. III I p. 289, 107	
Bombyx	lineola	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 465, 184	in India orientali Prof. Abildgaard
Phalaena	lineolata	Fabricius, I. C. 1793.	Type	Ent. Syst. II, II p. 192, 231	in Italia Dr. Allioni. Kiel 1 specimen
Papilio	liria	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 126, 385	in India orientali Mus. Dom. Lund. Copenhagen 2 specimens; Kiel 1 specimen
Papilio	liria	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 239, 747	in Indiis Dom. Drury
Hesperia	livius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 315, 194	in Indiis Dom. Drury
Zygaena	loti	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 387, 3	
Hesperia	lucanus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 322, 221	in Indiis Dom. Drury
Hesperia	lucas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 339, 290	in Americae meridionalis Insulis Dom. v. Rohr. Kiel 1 specimen
Hesperia	lucianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 313, 185	in Insula Guadeloupe Dom. de Badier
Hesperia	lucius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 320, 211	in Indiis Dom. Drury
Papilio	luna	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 109, 336	Surinami Dom. Drury
Papilio	lycaon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 228, 714	. . . Mus. Dom. Drury
Papilio	lycaste	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 161, 497 Mus. Dom. Drury

Papilio	lycurgus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 67, 209	in Africa Dom. Drury
Papilio	lysimnia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 161, 498 Mus. Dom. Jones
Papilio	mAcarinaia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 174, 540	. . Mus. Dom. Drury
Hesperia	maecenas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 271, 45	in China Dom. Drury
Hesperia	maecenas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 306, 160	in Insula Guadeloupe Dom. de Badier
Hesperia	maevius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 352, 338	in India orientali Mus.Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	magus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 223, 700	. . . Dom. Drury
Bombyx	mali	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 434, 85	
Papilio	mandane	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 183, 565	
Papilio	marcia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, 1 p. 177, 549	
Papilio	mardania	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 249, 776	in Indiis Dom. Drury
Papilio	marica	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 113, 346	in Africa Mus. Dom. Banks. London 1 specimen
Papilio	mars	Fabricius, I. C. 1793.	Type	Ent. Syst.III, I p.265, 24	
Papilio	martius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 219, 686	. . . Dom. Drury
Zygaena	megaera	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 401, 51	in Guinea Dom. de Badier. Kiel 3 specimens
Hesperia	meliboeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 271, 44	in India Dom. Drury

Papilio	menetho	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 83, 260	in India
Hesperia	mercatus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 332, 260	in Indiis Dom. Jones
Papilio	mergus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 159, 490	in Africa Mus. Dom. Banks. London 1 specimen
Papilio	miltiades	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 66, 205	. . . Dom. Jones
Papilio	miriam	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 242, 754	in Indiis Dom. Drury
Papilio	mirus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 48, 146	. . . Dom. Drury
Hesperia	mithridates	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 336, 278	in Indiis Dom. Drury
Noctua	mixta	Fabricius, I. C. 1793.	Type	Ent. Syst. II, II p. 118, 256	in Italia Dr. Allioni
Sphinx	modesta	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 356, 4	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	morvus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 73, 227	Glasgow 1 specimen
Hesperia	muretus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 332, 259	in Indiis Mus. Dom. Jones
Papilio	mutius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 3, 6	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen
Papilio	narica	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 187, 578	in Guinea Dom. Isert
Papilio	narva	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 249, 775	in Africa Dom. Drury
Papilio	nephte	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 190, 588	in China
Hesperia	nepos	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 340, 292	in India Dom. Drury

Papilio	nero	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 153, 471	in Asia Mus. Britann
Hesperia	nerva	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 340, 293	in Indiis Dom. Jones
Papilio	nina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 194, 604	
Hesperia	nostradamus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 328, 246	in Barbaria Mus. Dom. Desfontaines. Kiel 1 specimen
Hesperia	numitor	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 324, 228	in Indiis Dom. Drury
Papilio	obscuratus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 185, 572	. . . Drury
Bombyx	obsoleta	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 456, 155	in Americae meridionalis Insulis Dom. Smidt. Copenhagen 1 specimen
Papilio	octavius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 73, 228	in India Dom. Drury
Papilio	odin	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 56, 175	in China Dom. Lund
Papilio	osis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 124, 378	in Indiis Dom. Drury
Papilio	olympia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 166, 514	in America Dom. Drury
Hesperia	orcus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 341, 296	in India Dom. Jones
Papilio	orestes	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 34, 99	in Africa Dom. Francillon
Bombyx	orientalis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 422, 47	in India orientali Dom. Lund
Hesperia	origenes	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 328, 245	in Indiis Dom. Jones
Hesperia	ovidius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 320, 212	in Indiis Dom. Drury

Papilio	pandora	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 257, 796	. . . Dom. Drury
Sesia	pandora	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 380, 6	in India orientali. Kiel 1 specimen
Hesperia	pann	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 276, 67	in India Dom. Drury
Zygaena	panthalon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 405, 65	in Americae meridionalis Insulis Dom. Smidt. Copenhagen 2 specimens
Papilio	parrhasia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 175, 545	in Indiis Dom. Drury
Hesperia	parrhasius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 289, 108	in India Dom. Drury
Zygaena	parthenii	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 402, 56	in Americae meridionalis Parthenio hysterofero Dr. Pflug
Papilio	passiflorae	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 60, 189	in Passiflora coerulea, laurifolia Americes Dom. von Rohr
Papilio	paullus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 63, 199	in Jamaica Dom. Jones
Hesperia	pelopidas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 350, 331	in Indiis Dom. Drury
Bombyx	pennatula	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 465, 183	in India orientali Mus. D. de Sehestedt. Copenhagen 2 specimens
Papilio	perditus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 323, 222	
Hesperia	pericles	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 273, 54	in Indiis Dom. Drury
Papilio	persiphone	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 174, 542	. . . Dom. Drury
Hesperia	petronius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 324, 227	in Indiis Dom. Drury
Papilio	petus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 264, 21	

Hesperia	phaedrus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 307, 165	London 2 specimens
Papilio	phalaris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 45, 138	. . . Dom. Jones
Papilio	phegea	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 132, 407	in India Dom. Jones
Hesperia	phidias	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 286, 99	in India Dom. Drury
Papilio	philippa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 211, 660	in. . . Mus. Dom. Francillon
Hesperia	philippus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 283, 87	in India Dom. Drury
Papilio	philomela	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 57, 179	in Indiis Mus. Dom. Banks. London 2 specimens
Hesperia	phocides	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 282, 85	in Africa Mus. Dom. Banks. London 1 specimen
Papilio	phocion	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 218, 683	. . Mus. Britann
Papilio	phoebus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 181, 561	in Siberia Mus. Dom. Drury
Hesperia	phoecion	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 335, 274	Glasgow 2 specimens
Hesperia	phorbas	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 277, 68	in India Dom. Drury
Papilio	phorcys	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 80, 248	in Indiis Dom. Jones
Hesperia	pindarus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 262, 15	in India Dom. Drury
Hesperia	pisistratus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 345, 311	in America Dom. Drury. Kiel 2 specimens
Hesperia	plato	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 288, 103	in Indiis Dom. Drury. Kiel 1 specimen

Hesperia	plautus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 291, 113	in Indiis Dom. Drury
Hesperia	plinius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 284, 92	in Indiis Dom. Drury. Kiel 1 specimen
Hesperia	plutargus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 329, 251	in Indiis Dom. Drury
Hesperia	polybius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 337, 281	in Indiis Dom. Drury
Papilio	polymenus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 54, 166	Surinami Dom. Jones
Papilio	posthumus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 149, 458	. . . Drury
Hesperia	propertius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 325, 234	in Indiis Dom. Jones
Papilio	proserpina	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 228, 713	. . . Mus. Dom. Banks. London 1 specimen
Papilio	psamathe	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 207, 647	in America Dom. Drury
Hesperia	ptolomaeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 319, 209	in Indiis Dom. Drury
Bombyx	puella	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 474, 207	in Guinea Dr. Isert. Kiel 1 specimen; Copenhagen 2 specimens
Papilio	pylades	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 34, 100	in Africa Mus. Dom. Francillon
Hesperia	pythagoras	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 259, 6	in Indiis Dom. Drury
Papilio	pythia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 116, 357	in Guinea Dr. Isert. Copenhagen 1 specimen
Sphinx	queestris	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 365, 29	in India orientali Dom. de Sehestedt. Copenhagen 1 specimen
Zygaena	quercus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 388, 6	in Germaniae Quercu

Papilio	radamanthus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 42, 127	in Asia Mus. Britann
Bombyx	ramosa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 463, 179	in Italia Dr. Allioni
Papilio	rebecca	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 75, 236	in Guinea Dom. de Badier
Bombyx	reflexa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 448, 128	in Americae meridionalis Insulis Dr. Pflug
Bombyx	regalis	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 436, 93	in America boreali Mus. Dom. Lee
Hesperia	regulus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 318, 205	in Indiis Dom. Drury
Bombyx	repanda	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 462, 172	in Americae meridionalis Insulis Dom. Smidt
Hesperia	rhetus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 334, 270	
Hesperia	romulus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 316, 195	in Indiis Dom. Drury
Bombyx	rubicunda	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 429, 69	in Virginia Mus. Dom. Bosc
Hesperia	salustius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 310, 175	in India Dom. Drury
Hesperia	salvianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 348, 325	in Indiis Dom. Jones
Papilio	sara	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 167, 518	in Guinea Mus. Dom. Lund. Copenhagen 2 specimens; Kiel 1 specimen
Bombyx	saturnus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 409, 6	in Indiis Dom. Francillon
Zygaena	scabioscae	Fabricius, I. C. 1793.	Type	Ent. Syst. III I p. 386, 2	
Hesperia	scipio	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 338, 284	in Indiis Dom. Jones

Papilio	scylla L.	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 201, 630	
Papilio	sempronius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 62, 194	. . . Dom. Drury
Bombyx	serva	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 474, 208	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Papilio	sisamnus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 44, 132	. . . Dom Drury
Papilio	solon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 69, 216	. . . Dom. Drury
Papilio	sophia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 248, 771	in Indiis Dom. Drury
Hesperia	sophocles	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 267, 31	in Indiis Dom. Drury
Papilio	sophus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 46, 141	. . . Dom. Drury
Papilio	sosybius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 219, 684	. . . Dom. Drury
Hesperia	strabo	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 287, 101	in India orientali Mus. Dom. Lund. Copenhagen Coll. Lund 2 specimens; Kiel 6 specimens
Bombyx	strigosa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 454, 146	in Lapponia
Hesperia	suetonius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 320, 213	in Indiis Drury
Papilio	sulpitia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 245, 765	in Indiis Dom Jones
Papilio	sylvester	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 41, 124	. . . Mus. Dom. Jones
Papilio	tabitha	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 243, 756	in India orientali Dom. de Sehestedt. Copenhagen 2 specimens
Hesperia	tacitus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 308, 168	Surinami

Sesia	tantalus L	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 379, 1	
Hesperia	tarquinius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 319, 207	in Indiis Dom. Francillon
Hesperia	tertullianus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 341, 295	in Indiis Dom. Jones
Hesperia	thales	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 268, 35	in Indiis Dom. Drury
Papilio	themistocles	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 66, 207	. . . Dom. Drury
Hesperia	theocritus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 289, 106	in Indiis Dom. Drury
Hesperia	theophrastus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 281, 82	in Marocco Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Papilio	thersites	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 30, 88	
Hesperia	thucydides	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 323, 225	in Indiis Dom. Drury
Papilio	thyelia	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 142, 437	in Indiis Dom. Drury
Hesperia	tibullus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 326, 235	in Indiis Dom. Jones
Hesperia	titus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 297, 130	in Anglia Dom. Drury
Hesperia	trasibulus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 346, 315	in Indiis Dom. Drury
Papilio	triangulum	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 125, 381	in Italia Dom. de Schlanbusch
Papilio	tros	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 10, 30	Brasilia Dom. Drury
Papilio	tulliolus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 41, 123	in Italia Mus. Dom. Jones

Papilio	tynderaeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 35, 104	. . . Mus Dom. Drury
Hesperia	tyrtaeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 271, 46	in India Dom. Drury
Bombyx	ulmi	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 456, 153	
Papilio	ursula	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 82, 257	Glasgow 2 specimens
Papilio	vanessa	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 192, 597	in America Mus. Dom. Drury
Sphinx	velox	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 378, 68	in India orientali Prof Abildgaard. Kiel 1 specimen
Phalaena	ventilata	Fabricius, I. C. 1793.	Type	Ent. Syst. II, II p. 191, 226	in Germania Dom Schneider
Hesperia	vespasius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 334, 269	in Indiis Dom. Drury
Sphinx	vesperilio	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 369, 40	
Hesperia	virgilius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 323, 226	in Indiis Dom. Drury
Pyralis	vitana	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 249, 26	in Gallia Mus. D. Bosc
Hesperia	vitellius	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 327, 240	in Americae meridionalis Insulis Dr. Pflug. Kiel 2 specimens; Copenhagen 1 specimen
Hesperia	xenophon	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 272, 47	in India Dom. Drury
Papilio	zachaeus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 217, 679	. . . Dom. Drury
Papilio	zacynthus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 15, 46	in Brasilia Dom. Drury
Hesperia	zeleucus	Fabricius, I. C. 1793.	Type	Ent. Syst. III, I p. 346, 317	in Indiis Dom. Drury

Pyralis	abbreviana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 278, 151	Hafniae Mus. Dom. Lund. Kiel 2 specimens
Pyralis	abildgaardana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 274, 138	in Daniae nemoribus Mus. de Sehestedt. Copenhagen 1 specimen
Noctua	albago	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 74, 210	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 2 specimens
Noctua	albipes	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 89, 265	in India orientali Prof. Abildgaard
Pterophorus	albodactylus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 348, 10	in Gallia Mus. Dom. Bosc
Tinea	aleella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 317, 136	in Anglia Dom. Francillon
Tinea	allionella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 321, 148	in Italia Dr. Allioni. Kiel 2 specimens
Noctua	ancilla	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 17, 29	in India orientali
Noctua	annulata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 47, 128	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	annulata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 212, 307	in India orientali Mus. Dom. Lund
Phalaena	antennalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 219, 339	Kiliae. Kiel 1 specimen
Tinea	antennella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 312, 110	in Italia Dr. Allioni
Tinea	arbustella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 293, 24	Kiliae. Kiel 1 specimen
Noctua	arnicae	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 107, 323	in Sveciae Armica Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	asinata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 184, 199	in Austria Dom. Schieffermyller
Phalaena	atomata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 190, 221	in Germania Dom Schneider

Tinea	atrella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 298, 52	in Italia Dr. Allioni
Phalaena	aversata L	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 183, 196 B	
Pyralis	badierana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 263, 88	in Americae Insulis Dom. de Badier
Noctua	barbara	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 111, 334	in Barbaria Mus. Dom. Desfontaines
Noctua	barbata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 37, 96	in Americae meridionalis Insulis Dom. v. Rohr
Tinea	barbella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 297, 45	in Italia Dr. Allioni. Kiel 3 specimens
Tinea	bergstraessella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 321	
Phalaena	bifidalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 232, 387	in America Insulis Dom. Smidt
Phalaena	bipunctalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 232, 386	in Americae Insulis Dr. Pflug
Pyralis	bipunctana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 250, 32	in Italia Dr. Allioni
Tinea	boletella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 287, 1	in Austriae, Svecia Dom. Schneider. Kiel 1 specimen
Pyralis	boscana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 269, 116	Parisiis Mus. Dom. Bosc. Kiel 1 specimen
Noctua	brassicaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 97, 287	in Americae meridionalis Brassica oleracea Dom. v. Rohr
Phalaena	brunnearia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 162, 119	in Italia Dr. Allioni
Phalaena	brunneata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 201, 266	Kiliae
Hepialus	bufo	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 7, 10	

Pyralis	candidana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 245, 11	Monspeliae Mus. Dom. Bosc
Noctua	canina	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 43, 116	in Americae Insulis Dom. v. Rohr
Phalaena	capitalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 229, 375	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen
Alucita	capitella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 330, 2	in Americae Insulis Dr. Pflug. Kiel 2 specimens
Phalaena	carinata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 169, 146	in India orientali
Noctua	centralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 45, 121	Kiliae
Phalaena	centralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 233, 390	in Americae meridionalis Insulis Dom. Smidt
Pyralis	centrana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 273, 133	Parisiis Dom. Bosc
Phalaena	cerata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 208, 294	in Americae meridionalis Insulis Dom. Smidt
Noctua	chalcis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 13, 15	in Americae meridionalis Dom. v. Rohr
Phalaena	cineralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 230, 379	in Italia Dr. Allioni
Noctua	cinerea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 52, 142	in Svecia Dom. de Paykull
Tinea	circulella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 301, 61	Kiliae. Kiel 1 specimens
Phalaena	clavellata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 184, 197	in Italia Dr. Allioni. Kiel 1 specimen
Phalaena	colorata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 177, 172	in Selandia Mus. Dom. Lund. Copenhagen 1 specimen
Alucita	colutella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 337, 24	in Colutea arborescente folliculum in curvum e cortice arboris struens. Mus. Dom. Bosc. Kiel 1 specimen

Pyralis	communana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 259, 69	in Italia Dr. Allioni
Noctua	convergens	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 100, 298	in Austria Dom. Saldoner
Pyralis	Conwayana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 277, 149	
Noctua	corchori	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 50, 135	in Americae meridionalis Corchoro filiquoso Dr. Pflug
Phalaena	corneata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 211, 304	in Americae Insulis
Pyralis	corylana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 260, 76	in Italia Corylo
Phalaena	costaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 155, 93	. . . Mus. Britann
Crambus	crasalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 222, 349	
Crambus	crassalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 222, 349	
Phalaena	crassaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 135, 21	in Germania
Phalaena	crenaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 160, 109	in Germania Dom. Schneider
Noctua	cribraria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 25, 56	in India orientali Prof. Abildgaard
Phalaena	cribrata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 215, 322	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Noctua	crucis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 36, 92	in Americae meridionalis Insulis Dr. Pflug
Hepialus	crux	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 7, 7	
Tinea	cydoniella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 323, 159	in Pyro Cydonia Dom. Schieffermyller. Kiel 1 specimen

Noctua	cytherea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 57, 157	in Svecia Dom. de Paykull
Tinea	decemguttella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 311, 106	Parisiis Mus. Dom. Bosc. Kiel 1 specimen
Alucita	degerella L.	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 341, 40 B	
Alucita	dentella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 343, 49	in Americae Insulis Dom. v. Rohr. Kiel 1 specimen
Noctua	deperdita	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 120, 362	Kiliae
Noctua	depressa	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 24, 52	in America boreali. Kiel 1 specimen
Pyralis	desfontainana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 268, 110	in Anglia Mus. Dom. Francillon
Phalaena	diagonalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 225, 358	in Americae meridionalis Insulis Dr. Pflug
Phalaena	dimidialis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 224, 356	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen; Kiel 1 specimen
Noctua	dimidiata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 56, 156	in Guinea Dr. Isert
Phalaena	discata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 218, 334	in Americae Dr. Pflug
Noctua	discolor	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 50, 136	Tranquebariae Mus. D. de Sehestedt. Copenhagen 1 specimen
Phalaena	diversaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 157, 101	in Anglia Dom. Francillon
Noctua	dodata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 55, 153	in India orientali Prof. Abildgaard
Noctua	dolichos	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 95, 283	in America meridionalis Dr. Pflug
Noctua	domestica	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 23, 48	Kiliae

Alucita	dorsella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 336, 22	in Saxonia Dom. Hybner. Kiel 2 specimens
Phalaena	duplicalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 226, 361	in Americae Insulis Dom. v. Rohr
Noctua	electrica	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 46, 125	Kiliae
Phalaena	elongalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 221, 345	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	emarginaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 135, 22	Kiliae
Noctua	emarginata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 82, 240	Tranquebariae Mus. Dom. Lund. Copenhagen 3 specimens
Phalaena	ensalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 221, 344	Kiliae Dom. Amthor
Phalaena	erigalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 237, 408.	
Phalaena	erosalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p 236, 405	in Gallia Mus. Dom. Bosc
Papilio	erota	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 76, 237	in Africa Mus. Dom. Banks. London 1 specimen
Noctua	eugenia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 19, 36	in India Prof. Abildgaard
Phalaena	festivaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 152, 84	. . . Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	flammata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 194, 237	in Italia Dr. Allioni
Noctua	flammea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 85, 248	
Phalaena	flavata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 169, 145	in India orientali Mus. D. de Sehestedt. Copenhagen 1 specimen
Tinea	flavifrontella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 305, 78	Galliae Mus. Dom. Bosc. Kiel 2 specimens

Pyralis	francillana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 264, 94	in Anglia sabuletis Dom. Francillon
Noctua	fulminans	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 104, 311	in Germania
Phalaena	fulvaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 160, 112	in Italia Dr. Allioni
Tinea	fulvella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 317, 134	in Germania Dom. de Paykull
Phalaena	fuscata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 200, 260	in Selandia Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Tinea	fyseslella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 318, 138	
Hyblaea	gemina	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 128, 6	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	geminata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 212, 310	in Americae meridionalis Ins. D. Rohr
Phalaena	gilvata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 208, 296	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	glabralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 227, 367	Kiliae
Phalaena	glaucata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 167, 135	in Barbaria Mus. Dom. Desfontaines
Tinea	gleichella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 323, 158	
Hesperca	gnidus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 258, 2	
Noctua	gossypii	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 96, 286	in America meridionalis Dr. Pflug
Tinea	grandella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 288, 7	in India orientali Mus. Dom. Lund
Phalaena	gravidata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 175, 163	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen

Phalaena	grisaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 159, 108	in Europa
Noctua	grisea	Fabricius, I. C. 1794.	Type	Ent. Syst III, II p. 69, 193	Kiliae
Phalaena	grisealis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 231, 381	in Italia Dr. Allioni
Pyralis	griseana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 265, 96	in Americae meridionalis Insulis Dr. Pflug
Tinea	grisella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 289, 10	Parisiis Dom. Bosc. Kiel 2 specimens
Noctua	grisescens	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 110, 332	Kiliae
Tinea	guttella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 293, 26	
Noctua	hecta	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 119, 359	Kiliae
Pyralis	helwegiana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 276, 146	in Germania Dom. Schneider
Phalaena	herbaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 162, 118	in Americae meridionalis Insulis Dr. Pflug. Kiel 2 specimens
Noctua	hircus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 28, 66	in Guinea Dr. Isert. Copenhagen 2 specimens
Phalaena	hirtata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 181, 187	in Italia Dr. Allioni
Phalaena	hispidata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 210, 301	Kiliae
Papilio	homerus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 29, 85	in America Dom. Latham
Tinea	hortella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 296, 43	in Lapponia Dom. de Paykull. Kiel 1 specimen
Tinea	hortella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 327, 174	Parisiis Mus. Dom. Bosc

Pyralis	hybnerana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 247, 17	Halae Saxonum Dom. Hybner
Phalaena	immacularia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 131, 7	Tranquebariae Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	innata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 198, 251	in Gallia Mus. Dom. Bosc
Noctua	inquinata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 36, 93	in India orientali Prof. Abildgaard
Tinea	insectella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 303, 72	in Insectis ex Africa missis Mus. Dom. Bosc. Kiel 1 specimen
Phalaena	inundata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 214, 318	in America inundalis Dom. v. Rohr. Copenhagen 1 specimen
Pyralis	isertana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 281, 163	in Daniae nemoribus Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Noctua	joviana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 42, 111	
Tinea	knochella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 318, 137	in Thymo Serpyllo Germaniae Dom. Hybner. Kiel 1 specimen
Pyralis	lactana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 250, 30	in Georgia Dom. Olivier
Alucita	lacteella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 337, 25	in Barbaria Dom. Desfontaines
Tinea	lactella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 313, 116	in Americae meridionalis arboretis Dr. Pflug
Noctua	laeta	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 20, 39	in Gallia Mus. Dom. Bosc
Phalaena	laetata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 164, 125	in India orientali Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Hyblaea	lagopus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 127, 1	in India orientali Prof. Abildgaard
Phalaena	lancealis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 221, 346	in Americae insulis Dr. Pflug. Kiel 1 specimen

Pyralis	laterana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 264, 90	in Selandia Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	laterata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 206, 284	in Africa Mus. Dom. Lund. Copenhagen 1 specimen
Pyralis	leeana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 242, 2	in Anglia frequens
Pterophorus	leucodactylus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 346, 5	in Americae meridionalis graminosis Dr. Pflug. Kiel 3 specimens
Noctua	leucomelas	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 100, 297	in Austria Dom. Schieffermyller
Noctua	linariae	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 92, 274	
Noctua	linea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 106, 319	in Americae meridionalis Insulis Dr. Pflug
Noctua	lithoxylea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 123, 371	in Pyro Mus. Dom. Schieffermyller
Noctua	lucipara	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 99, 294	
Tinea	lugubrella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 299, 54	Lapponia Dom. de Paykull. Kiel 1 specimen
Pyralis	lunana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 243, 3	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Noctua	lusca	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 106, 320	Kiliae
Pyralis	luscana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 255, 52	in Austria Mus. Dom. Schieffermyller
Phalaena	luscaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 146, 63	in India orientali Prof. Abildgaard
Phalaena	lutearia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 143, 52	in Italia Dr. Allioni
Alucita	maculella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 333, 12	Halae Saxonum Dom. Hybner

Tinea	maculella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 306, 82	Parisiis Mus. Dom. Bosc
Tinea	magnella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 288, 4	in Italia Dr. Allioni
Pyralis	margana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 257, 61	in Americae Insulis Mus. Dom. Lund. Copenhagen 1 specimen
Lithosia	marginata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 333, 13	
Phalaena	marinata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 209, 298	in India orientali Mus. Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	marmoralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 234, 394	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	marmorata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 192, 229	in Italia Dr. Allioni
Noctua	martia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 32, 78	in Germania
Phalaena	medialis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 225, 360	in Americae meridionalis Insulis D. v. Rohr
Alucita	mediella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 337, 26	in Germaniae nemoribus. Kiel 1 specimen
Bombyx	mendica L	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 452, 139	
Phalaena	meritalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 234, 396	Parisiis Mus. Dom. Bosc
Phalaena	minialis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 239, 416	.. . Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	minutalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 242, 426	in Americae Insulis Dr. Pflug
Phalaena	minutata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 205, 280	Halae Saxonum Dom. Hybner. Kiel 1 specimen
Alucita	minutella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 344, 51	in Americae Insulis Dom. v. Rohr

Pyralis	mixtana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 275, 139	in Daniae nemoribus Mus. de Sehestedt. Copenhagen 1 specimen
Phalaena	murinata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 198, 250	in Anglia Dom. Francillon
Papilio	musa	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 195, 607	in India Orientali Mus. Dom. Jones
Tinea	muscaella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 314, 122	Austria Dom. Schieffermyller. Kiel 1 specimen
Noctua	mutabilis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 12, 12	in India orientali Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Pyralis	myllerana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 277, 147	in Svecia Dom. de Paykull
Tinea	myllerella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 325, 165	in Europa hortis. Kiel 1 specimen
Noctua	myopa	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 116, 351	in Dania Mus. Dom. de Sehestedt
Phalaena	myopata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 193, 232	in Italia Dr. Allioni. Copenhagen 1 specimen
Alucita	nemorella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 331, 6	in Parisiis Mus. Dom. Bosc
Crambus	nemorum	Fabricius, I. C. 1794.	Type	Ent. Syst. III II p. 222, 348	
Phalaena	nigralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 241, 421	in Italia Dr. Allioni
Pyralis	nigricana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 276,145	in Anglia Dom. Francillon
Pyralis	nitidana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 276,144	in Anglia Dom. Francillon
Alucita	nivella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 335, 17	
Tinea	nivella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 296, 39	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen

Noctua	noctilio	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 12, 14	in India orientalis Mus. Dom. Lund. Copenhagen 1 specimen
Noctua	notata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 39, 103	in India orientali Dom. Spengler
Hepialus	obliquus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 6, 5	in Gallia Mus. Dom. Bosc
Phalaena	obliqualis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 224, 357	in Americae meridionalis Insulis Dr. Pflug. Kiel 1 specimen; Copenhagen 1 specimen
Phalaena	obliquata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 185, 203	in Gallia Mus. Dom. Bosc
Phalaena	obsoletalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 229, 373	in Italia Dr. Allioni. Kiel 1 specimen
Phalaena	obstipata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 199, 257	in Barbaria Dom. Desfontaines
Tinea	octopunctella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 311, 107	Halae Saxonum Dom. Hybner
Tinea	oleella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 308, 91	in nucleis fructus Oleae Mus. Dom. Bosc
Tinea	oliviella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 316, 132	Parisiis Mus. Dom. Bosc. Kiel 2 specimens
Phalaena	omicata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 199, 255	in Italia Dr. Allioni
Phalaena	orientalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 234, 395	in India orientali Mus. D. de Sehestedt. Copenhagen 1 specimen
Noctua	palmata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 38, 100	in America meridionalis Gossypio Dr. Pflug
Phalaena	paludata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 213, 310	in Angliae paludosis
Phalaena	palustrata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 214, 315	in Galliae aquosis Mus. Dom. Bosc
Alucita	panzerella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 339, 32	in Italia Dr. Allioni. Kiel 3 specimens

Noctua	paphia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 60, 169	in Americae meridionalis Insulis Dom. v. Rohr. Kiel 1 specimen
Alucita	parvella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 343, 50	in Americae Insulis Dom. v. Rohr. Kiel 3 specimens
Noctua	patibulum	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 89, 264	in India orientali Dr. Abildgaard
Pyralis	pavonana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 275, 142	Tranquebariae Mus. Dom. Lund. Copenhagen 1 specimen
Alucita	paykullella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 340, 38	in agro Paedemontana Dr. Allioni. Kiel 1 specimen
Noctua	picta	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 91, 270	in Germania
Phalaena	pictoralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 233, 391	in Germania Dom. Schneider
Phalaena	poralis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 235, 400	in Italia Dr. Allioni
Phalaena	porrectalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 223, 352	in Americae Insulis Dr. Pflug
Pyralis	posticana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 267, 105	Parisiis Mus. Dom. Bosc
Phalaena	posticata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 196, 243	in Sealandia Danorum Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Phalaena	pratana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 161, 116	in Barbaria Dom. Desfontaines
Pyralis	profanana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 268, 111	in Anglia Mus. Dom. Francillon
Phalaena	proximaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 147, 66	Kiliae
Noctua	pteridis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 90, 269	in Pteride aquilina Dom. Hybner
Phalaena	pudorata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 179, 181	in Barbaria Dom. Desfontaines

Tinea	pulchella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 303, 71	in Daniae domibus Mus. Dom. Lund
Phalaena	pulchellata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 171, 153	in India orientali Mus. D. de Sehestedt. Copenhagen 1 specimen; Kiel 2 specimens
Noctua	pulcra	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 35, 88	in India orientalis Mus. Dom. Lund. Copenhagen 2 specimens
Noctua	punctum	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 34, 87	in India orientali Prof. Abildgaard
Pyralis	punicalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 239, 415	Austria Mus. Dom. Schieffermyller. Kiel 1 specimen
Noctua	pupilla	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 69, 195	Kiliae
Tinea	pustulella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 292, 20	
Tinea	quadrella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 298, 51	in Italia Dr. Allioni
Noctua	quaestionis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 81, 235	in India in Insulis maris pefifici Mus. Banks. Kiel 7 specimens
Crambus	ramalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 230, 378	
Phalaena	recurvalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 237, 407	in Americae Insulis
Phalaena	regenerata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 203, 275	in Americae meridionalis Insulis Dom. Smidt
Noctua	renata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 85, 251	in Daniae Corylo Mus. D. de Sehestedt. Copenhagen 1 specimen
Noctua	repanda	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 49, 133	in America meridionalis Insulis Dr. Pflug
Phalaena	repandalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 236, 404	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	rosalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 241, 425	in Barbaria Mus. Dom. Desfontaines

Phalaena	rosata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 175, 164	in Amboina Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Pyralis	rossiana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 259, 68	ad aquas Spadanus Dom. de Paykull
Hyblaea	rostrata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 127, 2	in India orientali Prof. Abildgaard
Pyralis	rusticana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 254, 49	in Gallia Dom. Bosc
Pyralis	rutana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 286, 179	in Galliae Ruta Mus. Dom. Bosc
Phalaena	saccharalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 238, 411	in Americae meridionalis v. Rohr. Kiel 2 specimens
Hyblaea	saga	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 128, 4	
Cossus	scalaris	Fabricius, I. C. 1794.	Type	Ent. Syst. III, 2 p. 5, 5	
Tinea	schulzella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 321, 52	in Americae meridionalis Ins. Dr. Pflug. Kiel 2 specimens
Noctua	seladonia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 103, 308	in Svecia Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Tinea	sepulchrella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 316, 131	in America Dr. Pflug
Phalaena	sericealis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 226, 364	in India Mus. Dom. Schieffermyller
Noctua	setosa	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 97, 288	in America meridionalis Insulis Dom. v. Rohr
Pyralis	sexpunctata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 245, 12	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Tinea	sexpunctella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 313, 115	in Italia Dr. Allioni. Kiel 1 specimen
Noctua	sidae	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 23, 50	in Guinea Sida Dr. Isert. Copenhagen 2 specimens

Tinea	sinuella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 308, 94	in Italia Dr. Allioni. Kiel 1 specimen
Pyralis	smidtiana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 253, 43	in Germania Dom. Smidt
Noctua	sordida	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 50, 137	Tranquebariae Mus. D. de Sehestedt. Copenhagen 1 specimen
Phalaena	sordidata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 185, 205	Kiliae
Tinea	sparmannella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 324, 260	Parisiis Mus. Dom. Bosc. Kiel 3 specimens
Pyralis	sparmanniana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 285, 175	in Anglia Dom. Francillon
Pyralis	sticticana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 270, 121	in Anglia frequens Dom. Francillon
Phalaena	strigata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 171, 151	in Anglia Francillon
Tinea	strigella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 308, 93	in Italia Dr. Allioni
Phalaena	strigulata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 192, 230	in Selandia Mus. Dom. Dom. Lund. Copenhagen 1 specimen
Noctua	stuposa	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 42, 112	in India orientali
Noctua	subterranea	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 70, 200	in Americae meridionalis plantis polyphaga Dom. v. Rohr
Pyralis	sulphurana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 273, 132	in America boreali
Phalaena	sulphuraria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 142, 47	in Barbaria Dom. Desfontaines. Kiel 1 specimen
Pyralis	sylvana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 244, 6	in Europae sylvis
Tinea	syringella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 328, 177	in Germaniae Syringa. Kiel 2 specimens

Tinea	tesserella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 298, 48	Halae Saxonum Dom. Hybner. Kiel 2 specimens
Phalaena	testalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 227, 368	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Phalaena	testaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 143, 53	in Barbaria Mus. Dom. Desfontaines. Kiel 1 specimen
Phalaena	testata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 202, 267	in Georgia Mus. Dom. Olivier
Papilio	thersander	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 32, 93	in Sierra Leon Dom. Drury
Tinea	thunbergella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 326, 170	
Pyralis	triangulana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 257, 60	in America Insulis Mus. Dom. Lund. Copenhagen 1 specimen
Pyralis	trifasciana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 248, 25	in Italia Dr. Allioni
Phalaena	tripunctata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 217, 327	in Americae meridionalis Insulis Dr. Pflug
Phalaena	tristalis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 224, 354	in Italia Dr. Allioni. Kiel 1 specimen
Pyralis	tristana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 248, 22	in Italia Dr. Allioni
Noctua	tristis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 118, 357	
Phalaena	tristriaria	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 130, 6	in Italia Dr. Allioni
Noctua	troglydyta	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 14, 18	in Guinea Dr. Isert. Copenhagen 1 specimen
Phalaena	uliginata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 214, 317	in Daniae uliginosis Mus. Dom. de Sehestedt. Copenhagen 1 specimen
Noctua	umbecilla	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 113, 340	Kiliae

Pyralis	umbellana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 286, 177	in Umbellatis variis flores contorquens
Phalaena	umbilicata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 203, 272	in Americae meridionalis Ins. Dr. Pflug. Kiel 1 specimen
Cossus	unguiculatus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 4, 2	in Italia Dr. Allioni
Noctua	ursina	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 43, 115	in Americae meridionalis Insulis Dr. Pflug
Tinea	ustalella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 307, 88	in Italia. Kiel 2 specimens
Pyralis	vahlana	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 245, 10	Kiliae
Noctua	vampyrus	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 14, 19	in India orientali Mus. D. de Sehestedt. Copenhagen 1 specimen
Bombyx	varia	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 431, 75	in Austria
Alucita	variella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 336, 20	Halae Saxonum Dom. Hybner. Kiel 1 specimen
Tinea	variella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 299, 55	Italia Dr. Allioni. Kiel 1 specimen
Phalaena	velutatis	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 242, 427	in Americae Insulis
Noctua	verruca	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 81, 238	in Americae meridionalis Insulis Dom. v. Rohr. Kiel 1 specimen
Noctua	versicolor	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 49, 134	in Americae Insulis Dr. Pflug
Tinea	viduella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 299, 53	Lapponia Lulensi Dom. de Paykull. Kiel 3 specimens
Noctua	virescens	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 30, 72	in filiquis Cytisi Dr. Pflug
Tinea	viridella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 312, 109	in Anglia Dom. Francillon

Noctua	vittata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 47, 127	
Phalaena	vittata	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 217, 328	in Americae meridionalis Insulis Dr. Pflug
Tinea	vittella	Fabricius, I. C. 1794.	Type	Ent. Syst. III, II p. 293, 27	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Sphinx	abadanna	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 435	in India orientali Dom. Daldorff. Copenhagen 1 specimen
Hyblaea	abliqua	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 448	Habitat . . .
Phalaena	aerata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 456	in America boreali Dom. v. Rohr. Copenhagen 1 specimen
Pyralis	albana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 476	in Americae Insulis
Galleria	alvearia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 463, 2	
Phalaena	amata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 458	ad Cap. Bon. spei Dom. Daldorff
Noctua	angulata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 443	in Friendly Islands Mus. Dom. Banks
Crambus	antennatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 464, 3	
Tinea	applanella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 484, 18	Kiel 3 specimens
Pyralis	approximana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 478	Halae Saxonum Dom. Hybner
Crambus	arbustorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 472, 43	
Crambus	ater	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 55	
Ypsolophus	autumnalis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 509, 22	in Gallia in autumnno gelu primo veniente Dom. Bosc

Phalaena	balteata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 457	in India orientali Dom. Daldorff. Copenhagen 1 specimen
Tinea	betulinella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 486, 31	
Phalaena	bicolorata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 454	in Virginia Mus. Dom. Bosc
Hesperia	bion	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 432	in America meridionali Dom. v. Rohr. Kiel 1 specimen
Bombyx	bistrigata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 440	in America boreali Dom. v. Rohr
Tinea	blandella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 499, 103	Kiliae. Kiel 1 specimen
Papilio	blasius	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 426	in India orientali
Phycis	boleti	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 463, 1	
Tinea	brongniadella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 496, 83	in Gallia Dom. Bosc. Kiel 1 specimen
Bombyx	brunnea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 436	in India orientali Dom. Daldorff
Crambus	capitatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 468, 25	
Ypsolophus	capitatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 509, 19	
Pyralis	caprana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 475	in Helvetiae Salice caprea Mus. D. de Clairville
Papilio	cassida	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 427	in India orientali
Noctua	cinerago	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 445	Kiliae
Hesperia	cippus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 429	in India orientali Dom. Daldorff. Copenhagen 2 specimens

Phalaena	circularia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 451	in Gallia Mus. Dom. Bosc
Tinea	clairvillella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 501, 112	in Helvetia Malo Dom. Clairville
Hesperia	cnejus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 430	in India orientali Dom. Daldorff. Kiel 1 specimen; Copenhagen 1 specimen
Phalaena	coloraria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 452	in Virginia Mus. Dom. Bosc
Tinea	colutella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 493, 70	
Pyralis	composana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 480	
Lithosia	convoluta	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 460	in Gallia Lichenibus Dom. Bosc. Kiel 1 specimen
Crambus	cornatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 468, 24	
Phalaena	cornicalis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. III, II p. 229, 374	in India orientali Mus. Dom. Lund. Copenhagen 1 specimen
Tinea	cornutella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 492, 63	in Gallia
Ypsolophus	cornutus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 505, 1	in arborum gemmis Galliae D. Bosc. Kiel 1 specimen
Ypsoletus	costatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 509, 17	
Crambus	crinitus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 51	
Bombyx	cristata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 436	in nova Hollandia Dom. Weber
Phalaena	crocataria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 450	in Virginia Dom. Bosc
Crambus	cryptorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. 472, 46	

Pyralis	cuviana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 478	Kiliae. Kiel 1 specimen
Ypsolophus	cylindricus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 507, 8	
Ypsolophus	dentatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 508, 16	
Lithosia	depressa	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 460	
Tinea	depressella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 488, 41	
Crambus	dilatatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 467, 18	in India Dom. Daldorff
Noctua	dimidiata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 446	Tranquebariae Dom. Lund
Bombyx	discors	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 438	in Hungaria Mus. Dom. Bosc
Crambus	dorsatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 468, 26	
Ypsolophus	dorsatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 507, 9	
Bombyx	elata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 440	in India orientali Dom. Daldorff. Kiel 2 specimens; Copenhagen 3 specimens
Hesperia	eleus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 430, 180	in Germania. Kiel 1 specimen
Crambus	elongatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 465, 9	
Crambus	ensatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 465	
Pyralis	ephippana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 479	in Helvetia Dom. de Clairville
Ypsolophus	ephippium	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 509, 18	Kiel 2 specimens

Hesperia	ericus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 432	in India orientali Dom. Daldorff. Kiel 2 specimens; Copenhagen 1 specimen
Noctua	erosa	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 441	in India orientali Dom. Daldorff
Bombyx	eryx	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 435	in India Dom. Redoute
Papilio	eryx	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 423	Cajennae. Kiel 1 specimen
Papilio	esra	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 425	Cajennae Dom. Richard
Papilio	euphon	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 423	in Isle de France Dom. Daldorff. Kiel 1 specimen; Copenhagen 1 specimen
Phalaena	exaltata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 458	in America Insulis Dr. Pflug
Papilio	fabri	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 426	in Americae Insulis. Kiel 2 specimens
Crambus	fagi	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 56	
Noctua	fasciata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 444	in India orientali Dom. Daldorff
Hesperia	flaccus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 434	in India orientali Dom. Daldorff. Kiel 1 specimen
Bombyx	flava	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 439	in Helvetiae montibus Dom. de Clairville
Lithosia	flava	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 461, 9	in Italia Dr. Allioni. Kiel 1 specimen
Pyralis	flavana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 475	in Centaurea Scabiosa Mus. Dom. de Clairville
Tinea	flavella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 483, 15	
Papilio	frobenia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 425	in Isle de France Dom. Daldorff. Kiel 2 specimens; Copenhagen 2 specimens

Pyralis	fulvana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 477.	
Noctua	gemina	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 444	in America boreali Dom. v. Rohr
Phalaena	geminata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 457	Kiliae
Papilio	grachus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 422	in Isle de France Dom. Daldorff
Lithosia	grandis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 461, 8	
Phalaena	grataria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 453	in America boreali Dom. v. Rohr
Hesperia	gremius	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 433	in India orientali Dom. Daldorff. Kiel 1 specimen; Copenhagen 1 specimen
Ypsolophus	harnatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 507, 10	Helvetia Lonicera, Grossularia D. de Clairville
Phalaena	harparia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 449	in Helvetiae Tiliae Dom. de Clairville
Papilio	hegesia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 425	in America. Kiel 1 specimen
Tinea	helvigella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 502, 114	in Helvetia Evonymo Dom. de Clairville
Bombyx	hepatica	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 437	in Germania australiori
Phalaena	herbariata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 457	in herbariis folia plantarum . . . Mus. Dom. Bosc
Papilio	hierta	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 424	in India orientali. Kiel 1 specimen
Crambus	hirtus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 474	Kiliae. Kiel 1 specimen
Crambus	hortorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 469, 33	

Phalaena	hyalinaria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 452	Cajennae Dom. Ricard
Papilio	ilea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 426	in India orientali Dom. Daldorff. Kiel 1 specimen; Copenhagen 2 specimens
Papilio	interrogationis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 424	in America boreali. Kiel 2 specimens
Sphinx	lachesis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 434	in India orientali Dom. Daldorff. Copenhagen 2 specimens
Phalaena	laetata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 456	in Russia meridionali Dom. Boeber
Crambus	lanceolatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 465, 10	
Papilio	larra	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 428	in Americae. Kiel 1 specimen
Pyralis	latreillana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 479	Kiliae
Alucita	latreillella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 502, 2	in Galliae arbustris. Kiel 1 specimen
Pyralis	liberana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 479	in Helvetia Dom. de Clairville
Papilio	libythea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 427	in India orientali Dom. Daldorff
Crambus	lineatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 470, 36	
Hyblaea	liturata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 449	ad Cap. Bon. spei Dom. Daldorff
Hesperia	longinus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 430	in India orientali Dom. Daldorff. Kiel 1 specimens
Ypsolophus	lucorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 508, 13	in Svecia. Kiel 1 specimen
Crambus	lugubris	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 474	in Italia Dr. Allioni. Kiel 1 specimen

Pyralis	lunana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 478	Helvetia Dom. de Clairville
Ypsolophus	maculella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 510, 23	
Noctua	madida	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 443	in India orientali Dom. Daldorff
Lithosia	magna	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 460, 5	
Papilio	manlius	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 422	in Isle de France Dom. Daldorff. Kiel 1 specimen; Copenhagen 1 specimen
Crambus	marginatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 472, 48	
Pyralis	marmorana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 477	Halae Saxonum Dom. Hybner
Noctua	marmorea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 445	in Gallia Mus. Dom. Bosc
Tinea	marmorella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 488, 43	
Hesperia	maro	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 432	in India orientali Dom. Daldorff. Kiel 1 specimen
Hesperia	mathias	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 433	in India Dom. Daldorff. Kiel 5 specimens
Tinea	minutella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 500, 110	
Papilio	miris	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 429, 693	in Germania
Phalaena	mixtaria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 453	in Galliae Populo Dom. Bosc
Crambus	moerens	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 53	in Austria. Kiel 3 specimens
Papilio	narcissus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 428	ad Cap. bon. spei Dom. Daldorff. Copenhagen 2 specimens

Hesperia	naso	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 431	ad Cap. Bon. spei Dom. Daldorff. Kiel 1 specimen
Ypsolophus	nemorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 508, 12	
Hesperia	nero	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 433	in America Insulis. Kiel 3 specimens
Noctua	nictitans	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 442	in India orientali
Crambus	niger	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 54	
Crambus	niveus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 469, 29	Kiel 1 specimen
Crambus	niveus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 472, 44	
Phalaena	numerata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 455	Parisiis Mus. Dom. Bosc
Noctua	nyctea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 442	in India orientali Dom. Daldorff. Kiel 1 specimen
Noctua	obscura	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 444	in Americae meridionalis Insulis Dom. v. Rohr
Pyralis	obscurana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 476	in Gallia Dom. Bosc
Phalaena	obscuraria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 450	in Gallia
Bombyx	obscurata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 439	in Russia meridionali Dom. Boeber
Crambus	obsoletus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. 468, 23	
Noctua	ochrago	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 445	in Italia Dr. Allioni
Ypsolophus	oleae	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 507, 7	

Phalaena	omicraria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 452	in India orientali Dom. Daldorff. Kiel 1 specimen
Phalaena	opicata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 457	in India orientali Dom. Daldorff
Tinea	oppositella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 486	
Pyralis	orbana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 475	in Germania
Crambus	palpalis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 466, 15	
Noctua	panthea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 447	in Helvetia Pino Dom. de Clairville
Noctua	panthorina	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 443	in India orientali Dom. Daldorff
Tinea	parvella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 500, 109	
Tinea	paykullella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 500, 108	
Crambus	pectinatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 467, 19	in Italia Dr. Alliani (Allioni ?). Kiel 1 specimen
Tinea	perla	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 462, 14	
Phalaena	perspicaria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 449	Tranquebariae Dom. Lund. Kiel 1 specimen
Bombyx	perspicua	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 439	in India orientali
Hesperia	phocion	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 431	in America meridionali Dom. v. Rohr. Kiel 1 specimen
Papilio	phoedon	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 423	in Isle de France Dom. Daldorff. Kiel 3 specimens; Copenhagen 2 specimens
Phalaena	pluviata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 456	Tranquebariae Dom. Lund. Copenhagen 1 specimen

Crambus	porrectus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 466, 16	
Pyralis	pulchana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 480	
Noctua	pumila	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 446	Kiliae
Noctua	pupilla	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 447	Kiliae
Phalaena	pusillaria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 454	Tranquebariae Dom. Lund
Lithosia	pustulella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 462, 16	
Hesperia	remus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 434	Cajennae Dom. Richard. Kiel 1 specimen
Pyralis	repandana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 478	in Europa. Kiel 1 specimen
Pyralis	reticulana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 479	in Europae hortis. Kiel 1 specimen
Phalaena	rivulata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 458	in Americae meridionalis Insulis
Pyralis	rohrana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 477	in America boreali Dom. v. Rohr
Phalaena	rotaria	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 453	in Germania
Phalaena	rupestrata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 455	in Gernamiae montosis
Tinea	rutella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 485, 21	
Crambus	sacchari	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 469, 31	
Hyblaea	scabra	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 448	in America boreali D. v. Rohr

Tinea	schellenbergella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 501, 113	in Helvetia Lonicera Dom. de Clairville
Tinea	schwarzella	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 493, 68	in Germania.. Kiel 1 specimen
Pyralis	sepulchrana	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 480	
Crambus	sinuatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 474, 62	
Ypsolophus	sinuatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 509, 20	
Crambus	sophiae	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 467, 21	
Phycis	spissicornis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 463, 2	
Bombyx	stricta	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 438	in India orientali Dom. Daldorff. Kiel 1 specimen
Crambus	strigatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 467, 17	in India orientali Dom. Daldorff. Kiel 1 specimen
Crambus	strigatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 472, 47	
Bombyx	testacea	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 439	in America boreali Dom. v. Rohr
Crambus	tetrix	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 473, 57	
Papilio	titania	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 428	in India orientali Dom. Daldorff. Kiel 1 specimen; Copenhagen 3 specimens
Phalaena	togata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 454	Tranquebariae Dom. Daldorff. Kiel 1 specimen
Bombyx	transversa	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 437	in America boreali Dom. v. Rohr
Crambus	tristis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 468, 22	

Noctua	turcica	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 442	in India orientali
Ypsolophus	unguiculatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 506, 2	in arborum gemmis Galliae Dom. Bosc. Kiel 1 specimen
Ypsolophus	ustulatus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 506, 4	
Phalaena	variata	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 455	Kiliae
Bombyx	venutia	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 438	Tranquebaria Dom. Lund. Copenhagen 1 specimen
Cossus	verbasci	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 441	Monspeliae in Verbasco Dom. Broussonet
Phalaena	vidualis	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 458	in Russia meridionali Dom. Boeber
Crambus	vinetorum	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 472, 49	
Bombyx	virginica	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 437	in America boreali Dom. v. Rohr. Copenhagen 2 specimens; Kiel 1 specimen
Hesperia	zachaeus	Fabricius, I. C. 1798.	Type	Ent. Syst. Suppl. p. 431	Cajennae Dom. Richard. Kiel 1 specimen
Tingis	echii	Fabricius, I. C. 1803.	Type	Syst. Rhyng. p. 126, 8	in Austriae Echio Dom. Megerle. Kiel 2 specimens
Leptis	thoracica	Fabricius, I. C. 1805.	Type	Syst. Ant. 1805 p. 70, 4	in Carolina Mus. Dom. Bosc
Cynthia	acanthi	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 92, 20	in Acantho spinoso Indiae
Cynthia	aethiopa	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 108, 88	
Euploea	affinis	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 73, 15	London 2 specimens
Papilio	agavus	Fabricius, I. C. 1807.	Type	Syst. Gloss 1807 p. 27, 30	in Rio Janeiro Mus. Gall

Cynthia	allionia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 103, 68	
Cynthia	amasia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 108, 87	
Papilio	anguicidas	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 34, 55	in Aristolochia anguicida
Papilio	annonae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 49, 108	in Americae borealis Annona palustris
Cynthia	antirrhini	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 94, 26	in Anthirrino Canadensi
Cynthia	aranea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 97, 40	
Papilio	arbates	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 31, 47	in Sumatra Dom. Daldorff Mus. Dom. de Sehestedt
Papilio	archimedes	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 46, 97	. . . Mus. Gall.
Euploea	asclepiadis	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 70, 2	in Americae Asclepiade curassavica
Cynthia	astina	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 91, 15	
Cynthia	astrea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 105, 77	in Guinea Mus. Dom. Lund
Cynthia	atlita	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 97, 41	
Papilio	aurantiorum	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 50, 113	in Africae Citro
Limenitis	avia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 83, 1	
Cynthia	bella	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 90, 9	
Vanessa	betulae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 111, 2	Europae, Americae Betula albo Salice Populo, Fraximo

Vanessa	bibla	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 112, 3	in Pennsylvania Dom. Smith Barton
Vanessa	cacta	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 112, 4	
Amathusia	camillus	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 17, 6	London 1 specimen; Kiel 1 specimen
Cynthia	cassavae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 105, 79	in Surinami Cassava
Papilio	chalcaevorus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 24, 24	in Asiae Chalcas Dr. Koenig
Cynthia	chelys	Fabricius, I. C. 1807.	Type	Syst. Gloss 1807 p. 91, 13	
Cethosia	chrysippe	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 63, 1	London 1 specimen
Euploea	cincinnatus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 75, 22	in China Mus. Dom. Lund
Papilio	citri	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 32, 32	in Americae Citro. Kiel 1 specimen
Papilio	citrulli	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 38, 71	in Amricae meridionali Citro
Euploea	claudius	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 75, 25	
Papilio	cnejus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 38, 70	in Philadelphia Dom. Smith Barton. Kiel 1 specimen
Castnia	cochrus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 65, 2	
Amathusia	cocles	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 17, 4	
Limenitis	coenobita	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 86, 10	
Euploea	corus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 26	

Euploea	curassavicae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 69, 1	
Papilio	cyclops	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 45, 94	in Amboina Mus. Gall.
Limenitis	damocles	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 85, 4	in Guinea Mus. D. de Sehestedt
Euploca	diocletianus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 75, 24	
Euploea	dirtea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 31	
Urania	dodata	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 15, 7	
Papilio	dombaei	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 26, 29	in India Dom. Dombay Mus. Gall.
Euploea	dryasis	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 75, 23	
Cynthia	egaea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 100, 53	Glasgow 1 specimen
Cynthia	erota	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 89, 5	
Euploea	eryx	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 73, 16	
Cynthia	esra	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 95, 28	
Euploea	euphon	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 29	
Cynthia	eurocilia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 90, 11	
Cynthia	europa	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 89, 6	Kiel 1 specimen
Castnia	evalthe	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 66, 5	

Cynthia	fatima	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 91, 16	
Urania	fervida	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 13, 1	Surinami Mus. Gall
Urania	festiva	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 14, 5	in Coromandel
Cynthia	flirtea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 93, 23	
Urania	fucata	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 14, 4	in India
Cynthia	furcula	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 90, 10	
Urania	gelida	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 13, 3	
Cynthia	gnaphalii	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 102, 63	Kiel 1 specimen
Cynthia	gonerilla	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 101, 59	London 1 specimen; Kiel 1 specimen
Papilio	gracchus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 23, 18	in Philadelphia Dom. Smith Barton
Cynthia	helina	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 109, 94	in Guinea Mus. Dom. de Sehestedt
Cynthia	hierta	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 93, 22	
Vanessa	humuli	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 110, 1	in Europae Humolo, Urtica
Cynthia	huntera	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 104, 73	in China Mus. Gall.
Cynthia	ianthe	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 100, 57	
Cynthia	iole	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 99, 50	

Cynthia	isis	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 106, 80	in Indiis Dom. Drury
Cynthia	itea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p.101, 60	London 1 specimen; Kiel 1 specimen
Papilio	jocastus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 35, 58.	
Morpho	laertes	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 57, 4	in Indiis Mus. Gall.
Urania	laeta	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 14, 5	in America meridionalis
Vanessa	lamina	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 112, 7	
Zelima	leonidas	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 55, 2	in Gunia Mus. Dom. Lund
Cynthia	lethe	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 91, 14	
Cynthia	liberia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 107, 86	
Cynthia	liria	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 106, 83	Surinami Mus. Gall.
Cynthia	maja	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 108, 90	London 1 specimen
Cethosia	marica	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 63, 4	
Castnia	marius	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 67, 8	in America meridionali Dom. Smidt Mus. D. Lund
Papilio	martius	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 41, 78	in India orientali Mus. Dom. Lund
Cynthia	merope	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 99, 49	London 1 specimen
Cynthia	minerva	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 100, 56	

Morpho	mithridates	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 62, 18	in Peru Dom. Dombey Mus. Gall.
Cynthia	ocypete	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 97, 38	
Zelima	orestes	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 150, 111	
Zelima	orestes	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 55, 3	in Guinea Mus. Dom. de Sehestedt
Cynthia	panthera	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 89, 2	
Papilio	pausanias	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 41, 81	in Peru Mus. Gall.
Cynthia	penelope	Fabricius, I. C. 1807.	Type	Syst. Gloss 1807 p. 97, 39	
Amathusia	periander	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 17, 5	
Limenitis	petraea	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 87, 14	in America meridionali Dom. Smidt Mus. Dom. de Sehestedt
Castnia	phalaris	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 68, 10	
Euploea	philomela	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 74, 18	
Euploea	phoedon	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 30	
Cynthia	phorcys	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 91, 12	
Morpho	psidii	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 56, 1	in Psidio Americas
Morpho	punicae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 58, 5	in Americae Punica Granatum
Zelima	pylades	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 54, 1	Guinea Mus. Dom. Lund. Kiel 3 specimens

Papilio	quirinus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 19, 5	in Sumatra Dom. Daldorff
Euploea	radamanthus	Fabricius, I. C. 1807.	Type	Syst. Class. 1807 p. 76, 32	in Sumatra Daldorff Mus. Dom. de Sehestedt
Cynthia	rebecca	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 89, 4	
Cynthia	rohria	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 89, 3	
Cynthia	rueliae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 93, 24	in Indiae orientalis Ruelliis
Papilio	scaevola	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 36, 63	Surinami Mus. Gall.. Kiel 1 specimen
Cynthia	serina	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 100, 54	
Papilio	serpentariae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 23, 20	in Americae Aristolochia serpentaria
Cynthia	stephania	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 102, 64	in Bengalia Mus. Dom. Lund
Papilio	striatus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 53, 125	Tranquebariae Mus. Dom. de Sehestedt
Limenitis	sulpitia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 85, 5	in Africa Mus. Dom. de Sehestedt
Euploea	sylvester	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 28	
Castnia	syphax	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 66, 4	
Limenitis	theobromatis	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 86, 11	Americae Theobromate
Cynthia	theodora	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 98, 44	in Africa Mus. Dom. de Sehestedt
Cynthia	thyra	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 99, 51	in Guinea Mus. Dom. de Sehestedt

Cynthia	tiliae	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 90, 8	
Euploea	tulliulus	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 76, 27	in Sumatra Mus. Dom. Jones
Cynthia	vellida	Fabricius, I. C. 1807.	Type	Syst. Gloss. p. 94, 25	
Euploea	vinctoxici	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 72, 11	in Americae Asciepiade amplexicauli
Cynthia	xiphia	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 96, 36	London 1 specimen; Kiel 1 specimen
Cynthia	zelima	Fabricius, I. C. 1807.	Type	Syst. Gloss. 1807 p. 95, 32	London 1 specimen