

**Lepidoptera primary types in the collection of the Natural History Museum of Denmark (Zoological Museum), University of Copenhagen  
as per December 12<sup>th</sup> 2008.**

The following list is one third of a preliminary list containing the types of Lepidoptera in the ZMUC entomology collection.

The list is sorted by author and then by species

Genus	Species	Author	Type Status	Citation	Notes
<i>Eupithecia</i>	<i>quercifoliata</i>	[A. Bang] Haas, 1874	Lectotype	Naturhist. Tidsskr. (3. ræk.) 9	Described from a series of specimens. A male labeled "Aarhus, 13/5-[18]64" has been labeled as lectotype (unpublished). Currently considered a synonym of <i>Eupithecia dodoneata</i> Guenée, 1857 (Parsons et al., 1999: 339).
<i>Litobrenthia</i>	<i>doiinthanonensis</i>	Arita, 1987	Holotype	Microlep. of Thailand 1	
<i>Brenthia</i>	<i>karsholti</i>	Arita, 1987	Holotype	Microlep. of Thailand 1	
<i>Glyphipteryx</i>	<i>australis</i>	Arita, 1995	Holotype	Microlep. of Thailand 3	
<i>Glyphipteryx</i>	<i>doiinthanonensis</i>	Arita, 1995	Holotype	Microlep. of Thailand 3	
<i>Glyphipteryx</i>	<i>karsholti</i>	Arita, 1995	Holotype	Microlep. of Thailand 3	
<i>Glyphipteryx</i>	<i>sordida</i>	Arita, 1995	Holotype	Microlep. of Thailand 3	
<i>Lobesia</i>	<i>pattayae</i>	Bae, 1995	Holotype	Microlep. of Thailand 3	
<i>Coleophora</i>	<i>beduina</i>	Baldizzone, 1987	Holotype	Alexanor 15 (suppl.)	
<i>Coleophora</i>	<i>karsholti</i>	Baldizzone, 1987	Holotype	Alexanor 15 (suppl.)	
<i>Coleophora</i>	<i>libyca</i>	Baldizzone, 1993	Holotype	Shilap 21	
<i>Coleophora</i>	<i>cycnea</i>	Baldizzone, 1995	Holotype	Shilap 23	In the original description the genitalia slide of the Holotype is erroneously referred to as having number GB 10791.
<i>Coleophora</i>	<i>cytisivora</i>	Baldizzone, 1995	Holotype	Shilap 23	
<i>Coleophora</i>	<i>hinnula</i>	Baldizzone, 1995	Holotype	Shilap 23	
<i>Coleophora</i>	<i>maroccana</i>	Baldizzone, 1995	Holotype	Shilap 23	
<i>Scythris</i>	<i>abyanensis</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>albiangulella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>albocanella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>albogrammella</i>	Bengtsson	Holotype	Esperiana 9	

<i>Scythris</i>	<i>badiella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>basilicella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>beccella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>biacutella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>bicuspidella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>bispinella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>canella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>capnofasciae</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>ceratella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>cinisella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>consimilella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>cuneatella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>curvipinella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>fibigeri</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>galeatella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>indigoferrivora</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>iterella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Enolmis</i>	<i>jemenensis</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>jemenensis</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>nigrogramella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>nigropterella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>paralogella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>parenthesella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>pterosauriella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>reflectella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>sanae</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>scyphella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>sinuosella</i>	Bengtsson	Holotype	Esperiana 9	

<i>Scythris</i>	<i>sordidella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>strabella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>subgaleatella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>subparachalca</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>taizae</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>tenebrella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Scythris</i>	<i>valvaearecella</i>	Bengtsson	Holotype	Esperiana 9	
<i>Elachista</i>	<i>abiskoella</i>	Bengtsson, 1977	Holotype	Ent. scand. 8	
<i>Scythris</i>	<i>fuscoperella</i>	Bengtsson, 1977	Holotype	Ent. scand. 8	
<i>Scythris</i>	<i>ambustella</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>azrouensis</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>cornuella</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>cupellella</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>karsholti</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>kebiliensis</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>maculosa</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>neftae</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>pediculella</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>senecai</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>skulei</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>thomisiodes</i>	Bengtsson, 1997	Holotype	Microlep. of Eur. 2	
<i>Scythris</i>	<i>alhamrae</i>	Bengtsson, 2002	Holotype	Phegea 30	
<i>Scythris</i>	<i>amplexella</i>	Bengtsson, 2002	Holotype	Phegea 30	
<i>Scythris</i>	<i>cucullella</i>	Bengtsson, 2002	Holotype	Phegea 30	
<i>Scythris</i>	<i>elachistoides</i>	Bengtsson, 2002	Holotype	Phegea 30	
<i>Scythris</i>	<i>pollicella</i>	Bengtsson, 2002	Holotype	Phegea 30	
<i>Scythris</i>	<i>valgella</i>	Bengtsson, 2002	Holotype	Phegea 30	

<i>Papilio</i>	<i>atlantica</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Ambiguous infrasubspecific taxon. Even though described as "ab. (?) <i>atlantica</i> , n. ab." of <i>Papilio sosia</i> Rotschild & Jordan, Birket-Smith express his doubt about its status, both in the text (p. 526) and in the legends to fig.h ("spp. ?, ab. ? <i>atlantica</i>
<i>Lectiles</i>	<i>collitorum</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Currently considered a synonym of <i>Tetrarhanis schoutedeni</i> (Berger) (Ackery et al., 1965: 511).
<i>Mycalesis</i>	<i>decemoculi</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Mycalesis sophrosyne</i> Plötz. Currently in the genus <i>Bicyclus</i> Kirby (Ackery et al., 1965: 294).
<i>Cymothoë [sic]</i>	<i>electrinus</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Currently considered a synonym of <i>Cymothoe hyarbita hyarbita</i> (Hewitson) (Ackery et al., 1965: 378).
<i>Euphaedra</i>	<i>erasmus</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Currently considered a synonym of <i>Euphaedra eleus</i> Drury (Ackery et al., 1965: 405).
<i>Neptis</i>	<i>infusa</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Known only from the female holotype (Ackery et al., 1965: 366).
<i>Papilio</i>	<i>intermedia</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Papilio nigrescens</i> Eimer. Currently considered a synonym of <i>Graphium policenoides</i> Holland (Ackery et al., 1965: 165).
<i>Charaxes</i>	<i>jeromei</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Described as a form of <i>Charaxes protoclea</i>
<i>Hypokepalates</i>	<i>kallipygos</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Known from the holotype only (Ackery et al., 1965: 609). Currently in the genus <i>Deudorix</i> Hewitson (subgenus <i>Hypokepalates</i> Druce) (Ackery et al., 1965: 609).
<i>Euphaedra</i>	<i>kataphraktar</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Euphaedra eleus eleus</i> Drury. Currently considered a synonym of <i>Euphaedra fasciata</i> Hecq (Ackery et al., 1965: 405).
<i>Papilio</i>	<i>lutea</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Papilio latreillanus [sic] theorini</i> Aurivilius. Currently in the genus <i>Graphium</i> Scopoli (Ackery et al., 1965: 163).
<i>Lachnocnema</i>	<i>makakensis</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Known from the types only (Ackery et al., 1965: 543).
<i>Cymothoë [sic]</i>	<i>mitella</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Described as a form of <i>Cymothoe fumana</i> Westwood (Hewitson). Currently considered a synonym of <i>Cymothoe fumana balluca</i> Fox & Howarth (Ackery et al., 1965: 376).

<i>Euphaedra</i>	<i>nigrodiscalis</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Euphaedra preussi preussi</i> Staudinger.
<i>Mycalesis</i>	<i>nyongensis</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Currently considered a synonym of <i>Bicyclus hewitsoni</i> (Doumet) (Ackery et al., 1965: 290).
<i>Leptosia</i>	<i>pygmaea</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as a form of <i>Leptosia medusa medusa</i> (Cramer). Currently considered a synonym of <i>Leptosia nupta</i> Butler (Ackery et al., 1965: 227).
<i>Belenois</i>	<i>reducta</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Belenois teuszi teuszi</i> Dewitz, and currently considered a form of that taxon (Ackery et al., 1985: 207).
<i>Acraea</i>	<i>strigipygida</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Acraea penelos penelos</i> Ward, and currently considered a form of that taxon (Ackery et al., 1985: 261).
<i>Powellana</i>	<i>virginea</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Currently considered a synonym of <i>Powellana cottoni</i> Bethune-Baker (Ackery et al., 1965: 533).
<i>Acraea</i>	<i>vulpinopsis</i>	Birket-Smith, 1960	Holotype	Bull. Inst. fr. Afr. noire, Sér A 22	Infrasubspecific taxon. Described as an aberration of <i>Acraea alciope alciope</i> Hewitson, and currently considered a form of that taxon (Ackery et al., 1985: 249).
<i>Pusiola</i>	<i>aureola</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	The exact type locality is not mentioned in the original description, but a male of <i>Archithosia discors</i> (Kiriakoff) is recorded (loc. cit., p. 20) from the same date as the holotype of <i>Pusiola aureola</i> (13.ix.1960) from Nigeria, Ibadan, which is most pr
<i>Archithosia</i>	<i>duplicata</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Ovenna</i>	<i>hailesellassiei</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	In the original description the holotype is quoted as: "Holotype: male, e coll. Dept. of Natural History Museum, Haile Sellassie I University, Addis Adaba: on open grass in University College Campus, caught in alcohol by mercury light, leg. A. TjønneLand,
<i>Nanna</i>	<i>magna</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Nanna</i>	<i>montana</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Yelva</i>	<i>obscura</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	

<i>Archithosia</i>	<i>similis</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Ovenna</i>	<i>simplex</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Asythosia</i>	<i>velutina</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Archilema</i>	<i>vilis</i>	Birket-Smith, 1965	Holotype	Pap. Fac. Sci. Haile Sellassie I Univ., Ser.C 1	
<i>Phalaena</i>	<i>jamthe</i>	Borkhausen, 1792	Neotype	Naturges. eur. Schmett. 4	Neotype designated by Fibiger, 1993 (Noctuidae Eur. 2: 81).
<i>Nepticula</i>	<i>fragarivora</i>	Carolsfeld-Krausé, 1944	Syntypes (3)	Ent. Meddr 24	
<i>Lioptilodes</i>	<i>altivolans</i>	Gielis	Holotype		Description not found.
<i>Lioptilodes</i>	<i>arequipa</i>	Gielis	Holotype		Description not found.
<i>Gypsochares</i>	<i>nielswolffi</i>	Gielis & Arenberger, 1992	Holotype	Ent. Ber., Amst. 52	
<i>megalorhipida</i>	<i>Pseudodeflectalis</i>	Gielis, 1989	Holotype	Phegea 17	
<i>Stenoptilia</i>	<i>conicephala</i>	Gielis, 1990	Holotype	Ent. Z., Frankf. a. M. 100	
<i>Agdistis</i>	<i>lomholdti</i>	Gielis, 1990	Holotype	Ent. Z., Frankf. a. M. 100	
<i>Agdistis</i>	<i>piccolo</i>	Gielis, 1990	Holotype	Ent. Z., Frankf. a. M. 100	
<i>Platyptilia</i>	<i>spiculivalva</i>	Gielis, 1990	Holotype	Ent. Z., Frankf. a. M. 100	
<i>Amblyptilia</i>	<i>stoltzei</i>	Gielis, 1990	Holotype	Ent. Z., Frankf. a. M. 100	Genitalia slide of holotype not located.
<i>Lioptilodes</i>	<i>aguilaicus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Lioptilodes</i>	<i>alolepidodactylus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Oidaematophorus</i>	<i>angulofuscus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Adaina</i>	<i>everdinae</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Platyptilia</i>	<i>gentiliae</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Patagonophorus</i>	<i>murinus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Postplatyptilia</i>	<i>naranja</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Lioptilodes</i>	<i>neuquenicus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Lantanophaga</i>	<i>nielseni</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	

<i>Lioptilodes</i>	<i>rionegroicus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Oidaematophorus</i>	<i>siskaellus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Lioptilodes</i>	<i>subantarcticus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Lioptilodes</i>	<i>topali</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Pterophorus</i>	<i>uzungwe</i>	Gielis, 1991	Holotype	Tijdschr. Ent. 134	
<i>Lioptilodes</i>	<i>zapalaicus</i>	Gielis, 1991	Holotype	Zool. Verh., Leiden 269	
<i>Stenoptilia</i>	<i>karsholti</i>	Gielis, 1995	Holotype	Shilap, Revista. lepid. 23	
<i>Stenoptilodes</i>	<i>huanacoicus</i>	Gielis, 1996	Holotype	Shilap, Revista. lepid. 24	
<i>Stenoptilodes</i>	<i>limaicus</i>	Gielis, 1996	Holotype	Shilap, Revista. lepid. 24	
<i>Amblyptilia</i>	<i>punoica</i>	Gielis, 1996	Holotype	Shilap, Revista. lepid. 24	
<i>Epanastasis</i>	<i>eremicola</i>	Gozmány, 1988	Holotype	Boll. Mus. Reg. Sci. Nat. Torino 6	
<i>Epanastasis</i>	<i>eupracta</i>	Gozmány, 1988	Holotype	Boll. Mus. Reg. Sci. Nat. Torino 6	
<i>Symmoca</i>	<i>hendrikseni</i>	Gozmány, 1996	Holotype	Boll. Mus. Reg. Sci. Nat. Torino 14	
<i>Dysspastus</i>	<i>lilliput</i>	Gozmány, 1996	Holotype	Boll. Mus. Reg. Sci. Nat. Torino 14	
<i>Symmoca</i>	<i>suffumata</i>	Gozmány, 1996	Holotype	Boll. Mus. Reg. Sci. Nat. Torino 14	
<i>Turatia</i>	<i>arenacea</i>	Gozmány, 2000	Holotype	Microlep. Pal. 10	
<i>Turatia</i>	<i>striatula</i>	Gozmány, 2000	Holotype	Microlep. Pal. 10	
<i>Agonopterix</i>	<i>thaiensis</i>	Hannemann, 1986	Holotype	Dt. ent. Z. (N.F.) 33	
<i>Hydraecia</i>	<i>ultima</i>	Holst, 1965	Holotype	Ent. Meddr 34	
<i>Teleiodes</i>	<i>albiluculella</i>	Huemer & Karsholt, 2001	Holotype	Nota lepid. 24	
<i>Mirificarma</i>	<i>minimella</i>	Huemer & Karsholt, 2001	Holotype	Nota lepid. 24	
<i>Teleiodes</i>	<i>traugotti</i>	Huemer & Karsholt, 2001	Holotype	Nota lepid. 24	

<i>Acompsia</i>	<i>fibigeri</i>	Huemer & Karsholt, 2002	Holotype	Nota lepid. 25	
<i>Acompsia</i>	<i>ponomarenkoae</i>	Huemer & Karsholt, 2002	Holotype	Nota lepid. 25	The holotype is mounted on the same piece of polyporus as the allotype, with which it was caught in copula.
<i>Acompsia</i>	<i>schepleri</i>	Huemer & Karsholt, 2002	Holotype	Nota lepid. 25	
<i>Ourapteryx</i>	<i>karsholti</i>	Inoue, 1993	Holotype	Tinea 13	
<i>Palpita</i>	<i>curiosa</i>	Inoue, 1996	Holotype	Tinea 15	
<i>Palpita</i>	<i>subillustrata</i>	Inoue, 1997	Holotype	Tinea 15	
<i>Elachista</i>	<i>beltira</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Elachista</i>	<i>bergia</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Elachista</i>	<i>donia</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>ernsti</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>fraudatrix</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Elachista</i>	<i>kherana</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>mastodon</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>morgana</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>nephele</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>patagonica</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>punatensis</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>ramona</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Perittia</i>	<i>regina</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Elachista</i>	<i>vasrana</i>	Kaila, 2000	Holotype	Steenstrupia 25	
<i>Eucosma</i>	<i>dointhanonensis</i>	Kawabe, 1989	Holotype	Microlep. of Thailand 2	
<i>Sorolopha</i>	<i>karsholti</i>	Kawabe, 1989	Holotype	Microlep. of Thailand 2	
<i>Ancylis</i>	<i>lomholdti</i>	Kawabe, 1989	Holotype	Microlep. of Thailand 2	
<i>Griselda</i>	<i>nielseni</i>	Kawabe, 1989	Holotype	Microlep. of Thailand 2	
<i>Andrioplecta</i>	<i>phuluangensis</i>	Komai, 1992	Holotype	Tyo to Ga 43	
<i>Cosmpoterix</i>	<i>plumbiguttella</i>	Kuroko, 1987	Holotype	Microlep. of Thailand 1	



<i>Acalla</i>	<i>lemvigiana</i>	Larsen, 1917	Lectotype	Ent. Meddr 11	
<i>Nepticula</i>	<i>albibimaculella</i>	Larsen, 1927	Holotype	Ent. Meddr 17	Currently in the genus <i>Ectoedemia</i> .
<i>Acalla</i>	<i>aquilina</i>	Larsen, 1927	Lectotype	Ent. Meddr 17	
<i>Xystophora</i>	<i>gudmanni</i>	Larsen, 1927	Lectotype	Ent. Meddr 17	
<i>Epiblema</i>	<i>melstedtiana</i>	Larsen, 1927	Lectotype	Ent. Meddr 17	
<i>Acalla</i>	<i>olseniana</i>	Larsen, 1927	Lectotype	Ent. Meddr 17	
<i>Scoparia</i>	<i>indica</i>	Leraut, 1986	Holotype	Nouv. Revue Ent. (N.S.) 3	
<i>Phalaena (Tinea)</i>	<i>scopolella</i>	Linnaeus, 1767	Neotype	Syst. Nat. (12th edn) 1	Currently in the genus <i>Scythris</i> Hübner. Neotype designated by Bengtsson (1997: 50).
<i>Hypena (Jussalypena)</i>	<i>zyzzybae</i>	Lödl, 1994	Holotype	Ann. Naturhist. Mus. Wien 96 B	
<i>Passadena</i>	<i>argentina</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Ephesiodes</i>	<i>argentinus</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Pseudocabima</i>	<i>australis</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Ectomyelois</i>	<i>austrella</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Ragonotia</i>	<i>confluenciana</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Ohigginsia</i>	<i>diversa</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Homoeosoma</i>	<i>eurygnathosum</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Pseudopassadena</i>	<i>gentilii</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Eupassadena</i>	<i>karsholti</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Ocala</i>	<i>megajuxta</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	

<i>Apocabimoides</i>	<i>neuquenensis</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Honora</i>	<i>nirihuauensis</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Honora</i>	<i>palliolella</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Cabimoides</i>	<i>patagoniensis</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Homoeosoma</i>	<i>pauroaichmetes</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Erelieva</i>	<i>steppeiana</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Homoeosoma</i>	<i>strongylognathosum</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Inverina</i>	<i>suizensis</i>	Neunzig & Goodson, 1992	Holotype	Proc. ent. Soc. Wash. 94	
<i>Eurythmiodes</i>	<i>carasensis</i>	Neunzig, 1995	Holotype	Proc. ent. Soc. Wash. 97	
<i>Depeadus</i>	<i>deiulus</i>	Neunzig, 1995	Holotype	Proc. ent. Soc. Wash. 97	
<i>Montestra</i>	<i>dentata</i>	Neunzig, 1995	Holotype	Proc. ent. Soc. Wash. 97	
<i>Caviana</i>	<i>peruviensis</i>	Neunzig, 1995	Holotype	Proc. ent. Soc. Wash. 97	
<i>Stephensia</i>	<i>unipunctella</i>	Nielsen & Traugott-Olsen, 1978	Holotype	Entomologist's Gaz. 29	
<i>Stephensia</i>	<i>staudingeri</i>	Nielsen & Traugott-Olsen, 1981	Holotype	Entomologist's Gaz. 29	
<i>Tisis</i>	<i>nielseni</i>	Park, 2001	Holotype	Korean J. syst. Zool. 17	The description is not valid, because a depository of the holotype is not published (ICZN, art. 16.4.2). Type not returned (30.4.02)
<i>Antiochtha</i>	<i>pycnotarsa</i>	Park, 2001	Holotype	Ins. Koreana 18	
<i>Torodora</i>	<i>epiphorana</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Torodora</i>	<i>epitriana</i>	Park, 2002	Holotype	Ins. Koreana 19	

<i>Torodora</i>	<i>fuscobasalis</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Torodora</i>	<i>karsholti</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Torodora</i>	<i>lineata</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Torodora</i>	<i>loeica</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Torodora</i>	<i>longilobella</i>	Park, 2002	Holotype	Ins. Koreana 19	
<i>Yptima</i>	<i>magnocellata</i>	Poch-Steen	Holotype	? ?	Description not found
<i>Scrobipalpula</i>	<i>acuta</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>alternatum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>alticolum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Primischema</i> )	<i>andinum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>anthracinum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>anthracoides</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>arctanderi</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Scrobipalpuloides</i>	<i>ascendens</i>	Povolný, [1991]	Holotype	Steenstrupia 16	Currently in the genus <i>Tuta</i> Strand (Povolný, 1994: 9).
<i>Symmetrischema</i> ( <i>Primischema</i> )	<i>assimile</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Eurysacca</i>	<i>boertmanni</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Scrobischema</i>	<i>confirmans</i>	Povolný, [1991]	Holotype	Steenstrupia 16	Currently in the genus <i>Tecia</i> Strand (Povolný, 1994: 10).
<i>Paraschema</i>	<i>detectendum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	Only the specimen is present; the genitalia has not yet been deposited in ZMUC.
<i>Scrobipalpuloides</i>	<i>dispar</i>	Povolný, [1991]	Holotype	Steenstrupia 16	Currently in the genus <i>Scrobipalpulopsis</i> Povolný (Povolný, 1994: 9).
<i>Scrobipalpula</i>	<i>ffjeldsai</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>funebreale</i>	Povolný, [1991]	Holotype	Steenstrupia 16	

<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>grandispinum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>inkorum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>krabbei</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Keiferia</i>	<i>lobata</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>major</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Primischema</i> )	<i>peruanum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Keiferia</i>	<i>propria</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>purum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>senex</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Scrobipalpomima</i>	<i>septemtrionalis</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>symmetricum</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Eurysacca</i>	<i>vera</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Keiferia</i>	<i>vitalis</i>	Povolný, [1991]	Holotype	Steenstrupia 16	
<i>Scrobipalpomima</i>	<i>anonyma</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>excellens</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>grisescens</i>	Povolný, 1985	Holotype	Steenstrupia 11	Currently in the genus <i>Symmetrischema</i> Povolný (Povolný, 1989: 81) (Povolný, 1994: 9).
<i>Scrobipalpomima</i>	<i>indifferens</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>karsholti</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>neuquenensis</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpoides</i>	<i>obscurus</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>obsoleta</i>	Povolný, 1985	Holotype	Steenstrupia 11	

<i>Scrobipalpomima</i>	<i>patagoniae</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>patens</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>questionaria</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>relicta</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobipalpomima</i>	<i>schematica</i>	Povolný, 1985	Holotype	Steenstrupia 11	Holotype (incl. genitalia slide) could not be found; paratype present.
<i>Scrobipalpomima</i>	<i>trianguliagnathos</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Scrobitasta</i>	<i>varians</i>	Povolný, 1985	Holotype	Steenstrupia 11	
<i>Eurysacca</i>	<i>acutivalva</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>albonigra</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>annulata</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>atrata</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>danorum</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>excisa</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>gnorimina</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>media</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>melanopicta</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>minima</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>paleana</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>parvula</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>splendida</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>subatrata</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>subsplendida</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Eurysacca</i>	<i>tenebrosa</i>	Povolný, 1986	Holotype	Steenstrupia 12	
<i>Scrobipalpula</i>	<i>agnathos</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>albolineata</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>atra</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpuloides</i>	<i>congruens</i>	Povolný, 1987	Holotype	Steenstrupia 13	Currently in the genus <i>Tuta</i> Strand (Povolný, 1994: 9).
<i>Scrobipalpula</i>	<i>eurysacomima</i>	Povolný, 1987	Holotype	Steenstrupia 13	

<i>Scrobipalpula</i>	<i>falcata</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpulopsis</i>	<i>fallacoides</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpulopsis</i>	<i>fallax</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>flava</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpuloides</i>	<i>habitans</i>	Povolný, 1987	Holotype	Steenstrupia 13	Currently in the genus <i>Tuta</i> Strand (Povolný, 1994: 9).
<i>Scrobipalpula</i>	<i>hastata</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Magnifacia</i>	<i>ignorans</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpuloides</i>	<i>inapparens</i>	Povolný, 1987	Holotype	Steenstrupia 13	Currently in the genus <i>Tuta</i> Strand (Povolný, 1994: 9).
<i>Scrobipalpula</i>	<i>keiferioides</i>	Povolný, 1987	Holotype	Steenstrupia 13	Currently in the genus <i>Keiferia</i> Busck (Povolný, 1994: 9).
<i>Scrobipalpula</i>	<i>latisaccula</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>latiuncula</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>megaloander</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Schmidtnielsenia</i>	<i>nielseni</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>omicron</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>pallens</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpulopsis</i>	<i>praeses</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>radiata</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>rosariensis</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpulopsis</i>	<i>simulatrix</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>subtenera</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>tenera</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpula</i>	<i>transiens</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Magnifacia</i>	<i>trifida</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Magnifacia</i>	<i>uncispina</i>	Povolný, 1987	Holotype	Steenstrupia 13	
<i>Scrobipalpomima</i>	<i>addenda</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Phthorimaea</i>	<i>argentinae</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>concurrans</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema</i>	<i>disciferum</i>	Povolný, 1989	Holotype	Steenstrupia 15	

<i>(Symmetrischemulum)</i>					
<i>Symmetrischema (Symmetrischemulum)</i>	<i>draculinum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Primischema)</i>	<i>elementare</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>elongata</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischema)</i>	<i>femininum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>fugitiva</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Exceptia</i>	<i>hospita</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>illustris</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>improbabilis</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpula</i>	<i>incerta</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischema)</i>	<i>nanum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Eurysacca</i>	<i>novalis</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischemulum)</i>	<i>nummulatum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischema)</i>	<i>oblitum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>obscuriodes</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>obtusa</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischema)</i>	<i>piperinum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Primischema)</i>	<i>primigenium</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>pseudogrisescens</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Primischema)</i>	<i>pulchrum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema (Symmetrischemulum)</i>	<i>respectabile</i>	Povolný, 1989	Holotype	Steenstrupia 15	

<i>Phthorimaea</i>	<i>robusta</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>serena</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema</i> ( <i>Symmetrischema</i> )	<i>solitare</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Symmetrischema</i> ( <i>Symmetrischemulum</i> )	<i>solum</i>	Povolný, 1989	Holotype	Steenstrupia 15	
<i>Scrobipalpomima</i>	<i>symmetrischemoides</i>	Povolný, 1989	Holotype	Steenstrupia 15	Currently in the genus <i>Symmetrischema</i> Povolný (Povolný, 1989: 81) (Povolný, 1994: 9).
<i>Eurysacca</i>	<i>quinoae</i>	Povolný, 1997	Holotype	Steenstrupia 16	
<i>Crambus</i>	<i>hertwigae</i>	Rasmussen, 1964	Holotype	Ent. Meddr 32	Currently considered a synonym of <i>Agriphila tristella</i> (Denis & Schiffermüller, 1775) (Bleszynski, 1965: 457).
<i>Phalonidia</i>	<i>acrota</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Sphenista</i>	<i>amusa</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Saphenista</i>	<i>burrens</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Sphenista</i>	<i>campalita</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Monoceratuncus</i>	<i>cryphalus</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>dotica</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Sphenista</i>	<i>euprepia</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>hypagosocia</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>introrsa</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>karsholti</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>kathetospina</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>lochites</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Spinipogon</i>	<i>luxuria</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Saphenista</i>	<i>omoea</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Saphenista</i>	<i>peruviana</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>praemorsa</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>sarovalva</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	
<i>Phalonidia</i>	<i>scolopis</i>	Razowski, 1993	Holotype	Acta zool. cracov. 36	



<i>Exoletuncus</i>	<i>artifex</i>	Razowski, 1997	Holotype	Miscelánea zool. 20(1)	
<i>Icteralaria</i>	<i>atemeles</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Athorybia</i>	<i>athorybia</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Transtillaspis</i>	<i>atimeta</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Icteralaria</i>	<i>bicerithium</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Pycnospina</i>	<i>centrota</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Transtillaspis</i>	<i>cornutipea</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Gorytvesica</i>	<i>decumana</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Icteralaria</i>	<i>delicta</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Punoo</i>	<i>dentparypha</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Icteralaria</i>	<i>furcularia</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Gnatheulia</i>	<i>gnathocera</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Abancaya</i>	<i>gnypeta</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Gorytvesica</i>	<i>gorytodes</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Icteralaria</i>	<i>lacera</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Clarkeulia</i>	<i>mitigata</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Icteralaria</i>	<i>modesta</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Monochamia</i>	<i>monochama</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Galomecalpa</i>	<i>monogramma</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Parexoletuncus</i>	<i>mundius</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Ozotuncus</i>	<i>ozotuncus</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Pycnocornuta</i>	<i>pyrausta</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Pseudaleulia</i>	<i>qualitata</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Inape</i>	<i>semuncus</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Terinebrica</i>	<i>spinodela</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Simanica</i>	<i>stenoptera</i>	Razowski, 1997	Holotype	Acta zool. cracov. 40	
<i>Tinea</i>	<i>microphthalma</i>	Robinson, 1980	Holotype	Trans. Br. Cave Res. Ass. 7	Original description not available.
<i>Tinissa</i>	<i>yaloma</i>	Robinson, 1981	Holotype	Ent. scand. 12	

<i>Scriptoplusia</i>	<i>noona</i>	Ronkay, 1987	Holotype	Annls hist.-nat. Mus. natm. Hung. 79	
<i>Gortyna</i>	<i>roseago</i>	Ronkay, Varga & Hreblay, 1998	Holotype	Acta zool. hung. 44	
<i>Diplurodes</i>	<i>karsholti</i>	Sato, 1990	Holotype	Tyo to Ga 41	
<i>Abaciscus</i>	<i>karsholti</i>	Sato, 1996	Holotype	Trans. lepid. Soc. Japan 47	
<i>Xandrames</i>	<i>xanthos</i>	Sato, 1996	Holotype	Trans. lepid. Soc. Japan 47	
<i>Eucosma</i>	<i>danicana</i>	Schantz, 1962	Holotype	Notulae Ent. 42	Currently considered a synonym of <i>Eucosma balatonana</i> (Osthelder, 1937) (Obraztsov, 1968: 9).
<i>Dasychira</i>	<i>albofasciata</i>	Schintlemeister, 1989	Holotype	Tinea 12	
<i>Pseudosomera</i>	<i>inexpecta</i>	Schintlemeister, 1989	Holotype	Tinea 12	
<i>Lymantria</i>	<i>rubea</i>	Schintlemeister, 1989	Holotype	Tinea 12	
<i>Acalla</i>	<i>caeruleoatrana</i>	Strand, 1917	Holotype	Arch. Naturges., Abt. A 82(5)	
<i>Acalla</i>	<i>faaborgensis</i>	Strand, 1917	Holotype	Arch. Naturges., Abt. A 82(5)	
<i>Bryotropha</i>	<i>larseni</i>	Strand, 1927	Holotype	Arch. Naturges., Abt. A (91)12	
<i>Elachista</i>	<i>larseni</i>	Strand, 1927	Holotype	Arch. Zool., Abt. A (91)12	
<i>Depressaria</i>	<i>larseniana</i>	Strand, 1927	Lectotype	Arch. Naturges., Abt. A 91(12)	
<i>Alabonia</i>	<i>mariboensis</i>	Strand, 1927	Holotype	Arch. Naturges., Abt. A 91(12)	Infrasubspecific taxon.
<i>Lithocolletis</i>	<i>tisvildensis</i>	Strand, 1927	Holotype	Arch. Zool., Abt. A (91)12	Infrasubspecific taxon. Described as an aberration of <i>Lithocolletis nigrescentella</i> Logan. Currently placed in the genus <i>Phyllonorycter</i> Hübner.
<i>Phalaena (Tinea)</i>	<i>violacea</i>	Ström, 1783	Neotype	Nye Saml. Danske Vidensk. Selsk. Skrift. 2	Neotype designated by Karsholt & Nielsen (1976: 245). Currently in the genus <i>Coleophora</i> .
<i>Elachista</i>	<i>compsa</i>	Traugott-Olsen, 1974	Holotype	Entomologist's Gaz. 25	
<i>Elachista</i>	<i>parasella</i>	Traugott-Olsen, 1974	Holotype	Entomologist's Gaz. 25	

<i>Elachista</i>	<i>anitella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>baldizonella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>berndtiella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>coeneni</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>neapolisella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>nedaella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>toveella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Elachista</i>	<i>tribertiella</i>	Traugott-Olsen, 1985	Holotype	Shilap 13	
<i>Coccidiphila</i>	<i>riedli</i>	Traugott-Olsen, 1986	Holotype	Shilap 14	
<i>Elachista</i>	<i>canariella</i>	Traugott-Olsen, 1987	Holotype	Entomologist's Gaz. 38	
<i>Elachista</i>	<i>gormella</i>	Traugott-Olsen, 1987	Holotype	Entomologist's Gaz. 38	
<i>Elachista</i>	<i>istanella</i>	Traugott-Olsen, 1987	Holotype	Entomologist's Gaz. 38	
<i>Elachista</i>	<i>bazaella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>bengtssoni</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>blancella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>cahorsensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	

<i>Elachista</i>	<i>casascoensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>catalunella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>dalmatiensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>gerdmaritella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>glaseri</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>louiseae</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>michelseni</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>minusculella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>moroccoensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>multipunctella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>nielspederi</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>occidentella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>olemartini</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>rikkeae</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>rissaiensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>senecai</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	

<i>Elachista</i>	<i>skulei</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>vanderwolfi</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>varensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>veletaella</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Elachista</i>	<i>wadielhiraensis</i>	Traugott-Olsen, 1992	Holotype	Shilap 20	
<i>Biselachista</i>	<i>buvati</i>	Traugott-Olsen, 1994	Holotype	Shilap 22	
<i>Biselachista</i>	<i>ingeborgae</i>	Traugott-Olsen, 1994	Syntypes	Shilap 22	
<i>Biselachista</i>	<i>klimeschi</i>	Traugott-Olsen, 1994	Holotype	Shilap 22	
<i>Biselachista</i>	<i>ruthae</i>	Traugott-Olsen, 1994	Holotype	Shilap 22	
<i>Elachista</i>	<i>passerini</i>	Traugott-Olsen, 1996	Holotype	Entomologist's Rec. J. Var. 108	
<i>Elachista</i>	<i>christenseni</i>	Traugott-Olsen, 2000	Holotype	Shilap 28	
<i>Elachista</i>	<i>falirakiensis</i>	Traugott-Olsen, 2000	Holotype	Shilap 28	
<i>Elachista</i>	<i>nevadella</i>	Traugott-Olsen, 2000	Holotype	Shilap 28	
<i>Conopomorpha</i>	<i>incauta</i>	Triberti	Holotype		Left fore wing if missing.
<i>Caloptilia</i>	<i>ingrata</i>	Triberti, 1989	Holotype	Revue Zool. afr. 103	Left wing pair is kept in a gelatine capsule.
<i>Miana</i>	<i>nigrolimbata</i>	Wolff, 1935	[Holo]type	Ent. Meddr 19	Infrasubspecific taxon. Described as an aberration of <i>Miana strigilis</i> (Linnaeus, 1758). Currently in the genus <i>Oligia</i> .
<i>Hemimene</i>	<i>obscuratana</i>	Wolff, 1955	[Holo]type	Ent. Meddr 27	Currently in the genus <i>Diachrorampha</i> .
<i>Nepticula</i>	<i>repentiella</i>	Wolff, 1955	[Holo]type	Ent. Meddr 27	

<i>Laspeyresia</i>	<i>andabatana</i>	Wolff, 1957	[Holo]type	Ent. Meddr 28	Currently in the genus <i>Grapholita</i> (Komai, 1999).
<i>Trifurcula</i>	<i>griseella</i>	Wolff, 1957	[Holo]type	Ent. Meddr 28	Currently considered a synonym of <i>Trifurcula subnitidella</i> (Duponchel, 1843) (Nieukerken & Johansson, 1987)
<i>Iwaruna</i>	<i>klimeschi</i>	Wolff, 1958	Holotype	Ent. Meddr 28	
<i>Stomopteryx</i>	<i>suecicella</i>	Wolff, 1958	Holotype	Ent. Meddr 28	
<i>Stomopteryx</i>	<i>wormiella</i>	Wolff, 1958	Holotype	Ent. Meddr 28	Currently in the genus <i>Syncopacma</i>
<i>Scoparia</i>	<i>sylvestralis</i>	Wolff, 1959	Holotype	Ent. Meddr 29	Currently considered a synonym of <i>Scoparia conicella</i> (Harpe, 1863) (Leraut, 1984).
<i>Wernya</i>	<i>baenzigeri</i>	Yoshimoto, 1996	Holotype	Tinea 14	Described as a subspecies of <i>Wernya solena</i> (Swinhoe).